

A Database Publication

# electron

## user

Vol. 5 No. 7 May 1988 £1.25

### Anatomy of an arcade game


Quest author reveals all

**DIY language translator**

**Alien-zapping keyboard tutor**

**Colourful test of alphabetical order**

**PLUS 6**  
ON TEST



Featuring  
4 Chartbusters

# Play It Again Sam



## SUPERIOR'S BEST COMPILATION YET for the BBC Micro and Acorn Electron

**Sam**, an ardent fan of Superior Software's games, has been absolutely delighted by the success of his first selection of chart-topping Superior Software games. Now here's four more games that will keep you enthralled day after day — on that you can rely!

**Repton 3** is probably the best-loved of all of Superior's games. Our endearing lizard, Repton, is trapped in a netherworld amidst falling rocks, fearsome monsters and haunting spirits. A superb strategic game which includes character and screen designers enabling you to create your own scenarios. A & B Computing reported: "This is top quality; arcade action at its very best!"

**Crazee Rider**, a fascinating motorcycle-racing game, features seven international racetracks. "It's fast, challenging and there's plenty to keep you entertained. Thoroughly recommended" remarked The Micro User.

**Galaforce** is the thinking-man's alien-zapping game; fast and furious, yet full of strategy. Oracle enthused: "You haven't lived until you've played this game. Buy it! — it's the ultimate in shoot-em-up. **RATING: 20** (out of 20)!"

**Codename: Droid** is a challenging arcade-adventure. The quality of the graphics and animation must be seen to be appreciated. Electron User summed the game up by saying "CODENAME: DROID is brilliant . . . it's worth every penny!"

BBC Micro Dual Cassette.....\$9.95 Acorn Electron Dual Cassette.....\$9.95  
BBC Micro 5¼" Disc.....\$11.95 BBC Master Compact 3½" Disc \$14.95

(Compatible with the BBC B, B+ and Master Series computers).

### THE ORIGINAL "Play It Again, Sam"

Our original selection of 4 of Superior's biggest hits for the BBC Micro and Acorn Electron is still available

- CITADEL
- THRUST
- STRYKER'S RUN
- RAVENSKULL

**SUPERIOR SOFTWARE**  
Limited

**ACORNSOFT**

Dept. ZPS910, Regent House, Skinner Lane, Leeds LS7 1AX. Telephone: 0532 459463

Please make  
all cheques  
payable to  
Superior  
Software Ltd



24 HOUR TELEPHONE  
ANSWERING SERVICE FOR ORDERS

**OUR GUARANTEE**  
• All mail orders are despatched  
within 24 hours by first-class post  
• Postage and packing is free  
• Faulty cassettes and discs will be  
replaced immediately  
[This does not affect your statutory rights]

## News

The very latest software and hardware from the ever-expanding world of the Electron.

5

## Machine Code

Part 3 of our machine code tutorial introduces some more useful ideas and examples for the beginner.

8

## In Action

We can't guarantee this French/English translator will produce perfect prose, but you'll have fun experimenting.

11

## Software

Our panel of experts takes another critical look at some of the latest games releases.

13

## Keyboard Gremlins

If your think your typing is bad, don't worry - it won't be after a few sessions with this excellent keyboard tutor arcade game.

19

## Shadow Ram

Find out how to use your Master Ram Board as a 12k ram disc for text storage. And there's a complete shadow ram database to type in.

23

## ViewSheet

Find out how to create on-screen bar charts from ordinary data on your sheet in Part 3 of our guide to Acornsoft's popular spreadsheet.

25

## Lucas' Problem

This intriguing puzzle won't take long to type in, but it may take quite some time to solve.

28

## Hardware Review

We take the lid off Pres' new Advanced Plus 6 /Plus 1 upgrade.

31

## Arcade Corner

The second and final part of our complete Codename Droid map.

32

## Sprites

Find out how to design different Mode 5 screens - each one only taking up eight bytes of ram.

34

## Hardware Projects

Pinpoint those icy cold winds with yet another addition to your Electron weather station.

37



## Lions' Lair

Meet some beautifully drawn lions in this great educational spelling game for our younger readers.

39

## Adventures


Pendragon opens his castle door to entertain and administer help to more intrepid explorers in search of vital clues.

42

## Micro Messages

Another selection from the interesting - and sometimes controversial - letters sent in by our readers this month.

55



## Quest

The author of this superb arcade adventure reveals some of the special programming techniques employed.

46



## 10 Liners

More impressive mini-marvels from our clever readers, for you to enjoy.

54



## Bargains galore!

Don't miss our special offers on Pages 51 to 53

Managing Editor  
Derek Maskin

Group Editor  
Alan McLachlan

Features Editor  
Roland Waddilove

Production Editor  
Peter Glover

Reviews Coordinator  
Pam Turnbull

Promotions Editor  
Chris Payne

Advertising Sales  
John Sawden  
Peter Babage

## Published by Database Publications Ltd

Europa House, Adlington Park, Adlington, Macclesfield SK10 4NP.

Telephone: 0625 878888 (Editorial, Admin, Advertising) 0625 879940 (Subscriptions).  
T/Gold Mailbox 72 MAG001 Prestel 614568383 Telex 265811 MONREF G Quoting Ref 72 MAG001



37 575 January June 1986

New trade distribution:  
Diamond-Europress Sales and Distribution,  
Unit 1, Burgess Road, Ivyhouse Lane,  
Hastings East Sussex TN35 4NR Tel  
0424 430422.

Printed by Carlisle Web Offset.

Electron User is an independent publication  
Acorn Computers Ltd. are not responsible for  
any of the articles in this issue or for any of the  
opinions expressed

Electron User welcomes program listings  
and articles for publication. Material  
should be typed or computer-printed, and  
preferably double-spaced. Program list-  
ings should be accompanied by cassette  
tape or disc. Please enclose a stamped,  
self-addressed envelope otherwise the  
return of material cannot be guaranteed.  
Contributions accepted for publication will  
be on an all-rights basis.

Subscription rates for  
12 issues, post free

£15 UK  
£23 Europe & Eire  
£38 Overseas

ISSN 0952-3057

© 1988 Database Publica-  
tions Ltd. No material  
may be reproduced in  
whole or in part without  
written permission. While  
every care is taken, the  
publishers cannot be held  
legally responsible for any  
errors in articles or listings.

# ACORN IN ACTION

*A totally new experience for show visitors*


at the  
Royal Horticultural Hall,  
Westminster, London SW1



10am-6pm Friday May 13  
10am-6pm Saturday May 14  
10am-4pm Sunday May 15

You'll find the very latest software and peripherals for the complete Acorn range at the Electron & BBC Micro User Show.

But this time there'll be so much more to enjoy. Acorn In Action will demonstrate some of the truly amazing projects currently involving the machines...

-  \* A spectacular laser light show controlled by a BBC Micro. (Saturday only)
- \* The research work on the BBC Micro that has helped to bring new hope to sufferers of the eye disease glaucoma. (Friday and Sunday)
- \* A program developed by an amateur astronomer to locate distant galaxies. (Saturday and Sunday)
- \* The Beeb system being used by doctors at Guy's Hospital to provide a breakthrough in the treatment of arterial disease. (Saturday and Sunday)

**PLUS**

watch your own heartbeats displayed, measure your manual dexterity and hear your own voice backwards – all courtesy of a BBC Micro.

*Take your seat in the Archimedes Demonstration Theatre run by Acorn's own experts. Thirty minute special introductory courses to the new machine will be held on the hour, every hour throughout the three days. Price just £1.*

*It all adds up to a fantastic day out for the whole family!*

**Avoid the queues! Get your ticket in advance – and SAVE £1 A HEAD!**

Post to: Electron & BBC Micro User Show Tickets,  
Europe House, Adlington Park, Adlington,  
Macclesfield SK10 4NP.



Royal Horticultural Hall  
Westminster  
London SW1  
May 13-15, 1988

Advance ticket orders must  
be received by Wednesday,  
May 4, 1988.

Admission at door: £3 (adults), £2 (under 16s)

Please supply:

Adult tickets at £2 (save £1) \_\_\_\_\_  
(Order four adult tickets,  
get the fifth FREE!)

Under 16s tickets at £1 (save £1) \_\_\_\_\_  
(Order four under-16s tickets,  
get the fifth FREE!)

Total £ \_\_\_\_\_

☐ I enclose a cheque made payable to Database Exhibitions  
☐ Please debit my Access/Visa  
card no: \_\_\_\_\_

Expiry date: / \_\_\_\_\_

Name \_\_\_\_\_ Signed \_\_\_\_\_

Address \_\_\_\_\_

Postcode \_\_\_\_\_

A406

PHONE ORDERS: Ring Show Hotline: 0625 879920  
PRESTEL ORDERS: Key \*89 then 614568363  
MICROLINK ORDERS: Mailbox 72.MAG001

Please quote credit card number  
and full address



# electron user NEWS

## Top people read their monitor...

THE world's leading financial newspaper – America's famous Wall Street Journal – is now available daily on the Electron.

This latest service from MicroLink provides an authoritative, up-to-date source of financial and business news. There is also a facility to search through issues dating back to 1986.

It is just one of a package of four new online databases for MicroLink subscribers.

Also on offer are selected English language summaries of articles taken from more than 500 business newspapers and journals covering UK and overseas markets.

The full text of Marketing Week – the leading UK magazine covering the marketing and media world – and Peat Marwick McLintock Grants – a comprehensive guide to private and public sector grants and initiatives in the UK – are also now available on-line.



Testimony to Acorn popularity – waiting for the show to open

## New products give Electron a boost

THE wealth of exciting accessories and upgrades pouring on to the Electron market continues unabated.

This was never more evident than at the Electron & BBC Micro User Show in Manchester where, for example, Pres – which has taken over where ACP left off – launched no less than nine Electron products and gave a promise of more to come.

One of the debutant upgrades – the Advanced Plus 2 Rom – contains no less

than 21 helpful utilities for owners of Electron add-ons. Also just off the Pres assembly line are a new power switch, user port, 1MHz bus, advanced printer buffer, enhanced ABR software and – as a change of pace – three volumes of games on disc.

The company has also brought out ADFS Version 1.1 and ADFS E00 for Plus 3 and AP4 users. Coming soon are internal battery-backed ram upgrade Advanced Plus 7 and Advanced Basic Editor+.

"Most users tell us how delighted they are with their Electron, but ask if it is still worthwhile upgrading or should they change to a second-hand BBC Micro or Master 128", a Pres spokesman told Electron User.

"We try to remove any doubts by designing, where possible, products that Electron owners can use with other Acorn computers".

Meanwhile, sources close to Slogger say the firm is developing for release in the

autumn a souped up rom box that will give the Electron "everything the BBC Micro has got including rom cartridge sockets, RS423, user port, 1MHz bus and printer sockets".

And hopes are high that Slogger will take over production of Pace Micro Technology's RS423 interface for the Electron.

The Manchester show proved once again that there is still plenty of computing left in the Electron. Despite unpleasant weather, crowds exceeded expectations with queues stretching right round UMIST and the doors having to be closed several times.

Visitors praised the high quality of the re-introduced seminars and enjoyed the Treasure Hunt with its more than 150 prizes.

The next Electron & BBC Micro User Show takes place at the New Horticultural Hall, Westminster, London, from May 13 to 15. Ticket details are on Page 4.

## Flip look at floppies

A FREE booklet which takes a lighthearted look at floppy discs and data storage has been published by Fuji Photo Film.

Called The Floppy Disc story, it explains how to protect discs and get the best from them.

Richard Ferrand, Fuji's

sales and marketing manager said: "Although floppy discs are now a familiar part of computing, people still need to be educated on how and why they should be cared for".

The booklet can be obtained from Fuji Photo Film UK (01-586 5900).

# Winner collects his prize

WINNER of Tynesoft's massive Winter Olympiad competition which attracted thousands of entries from all over Europe was young Electron owner James Yerkess.

The competition, which ran concurrently in the UK and Europe, was open to all users of Winter Olympiad 88, regardless of machine.

James successfully listed the attributes that go to make a perfect skier, winning through a tiebreaker in the face of stiff opposition.

His reward was an all-expenses-paid trip for two to the winter olympics in Calgary.

In his seven days there he managed to take in most of



Winner James in Calgary

the major events, as well as finding time to see the sights.

Back home, 16-year-old James spends a lot of time with his Electron - despite the fact that his computer studies teacher swears by the BBC Micro.

"After my success, however, he might just change his opinion that you can't do much on an Electron", said James.



Heidi Kinseler at the show

# Electron's a hit

THE Electron is a big hit with physically handicapped members of the Newbridge Resource Centre in Stockport.

The centre was among many groups from schools and organisations which visited the Electron & BBC Micro User Show in Manchester.

One of the members, Heidi Kinseler - who suffers from spina bifida - was particularly impressed by the Fun School program which features 10 games to help the learning process.

"I was surprised to see how easy the Electron is to use", said Heidi. "We have a computer at the resource centre but there are so many people who want to use it that it was a nice change to be able to

have a machine to myself" she added.

The Newbridge centre was founded two years ago to help the physically handicapped achieve their full learning potential.

Courses in typing and computer programming are all carried out on a single machine which is causing a bit of a backlog for enthusiastic students who want to use it.

Currently the centre is trying to provide more computers for its members to use, but cost is a major problem.

"We were persuaded to go along to the show by one of our members, Gavin Key, who is just crazy about the Electron", said Gail Godfrey.

THE  
GALLUP  
CHART

TOP 10

ELECTRON SOFTWARE

THIS MONTH	LAST MONTH	TITLE (Software House)	PRICE
1	1	COMBAT LYNX <i>Alternative</i>	1.99
2	6	STAR FIGHT <i>Alternative</i>	1.99
3	2	SOCCER BOSS <i>Alternative</i>	1.99
4	•	PRO GOLF <i>Atlantis</i>	2.99
5	3	PAPERBOY <i>Elite</i>	9.95
6	5	FOUR GREAT GAMES <i>Micro Value</i>	3.99
7	•	THAI BOXING <i>Anco</i>	5.95
8	4	AROUND THE WORLD IN 40 SCREENS <i>Superior</i>	6.95
9	•	PLAY IT AGAIN SAM 2 <i>Superior</i>	9.95
10	7	SUPERIOR COLLECTION VOL 3 <i>Superior</i>	9.95

Compiled by Gallup/Microscope

The chart is quite static this month which is expected at this time of the year. However, there are three new entries - Thai Boxing is an old title from Anco and enters at number seven, while Superior's Play it Again Sam 2 enters in ninth position. Highest entry is the budget priced Pro-Golf from Atlantis. Yet the budget label with the first three spots is Alternative. Superior Software hold the bottom of the chart with its full-priced compilations.

FREE MYSTERY GIFT WITH EVERY ORDER!

# AMAZING OFFERS

**VIEW ROM** £20.95  
(Word Processor) £14.95  
**VIEW SHEET ROM** £20.95  
(Spreadsheet) £14.95  
**ACORN PLUS 1** £50.95  
(limited Stock) £43.95

**SCOOP PURCHASE**  
**ELECTRON**  
**COMPUTERS IN**  
**STOCK NOW**  
Power Supply Included  
3 Months Warranty  
£59.95

**CUMANA**  
**DISC DRIVE**  
**INTERFACE**  
Only  
£64.95

**PACKAGE 1**  
PLUS 1 £49.95  
VIEW £14.95  
VIEWSHEET £20.95  
**OFFER PRICE** £65.95

**PACKAGE 2**  
ELECTRON COMPUTER £59.95  
PLUS 1 £49.95  
VIEW ROM £14.95  
£134.95  
**OFFER PRICE** £99.95

**Lloytron** **NEW**

**DATA**  
**RECORDERS**  
Suitable for the  
Electron  
only £19.95

ACORN ELECTRON POWER SUPPLY ONLY £9.95

## HOME INTEREST BUSINESS

Crazy Tracer	£6.99	Business Games	£6.99
Snapper	£6.99	Desk Diary	£6.99
Boxer	£6.99	Graphs & Charts	£6.99
Panfold	£6.99	Theatre Quiz	£14.95
Turtle Graphics	£6.99	Watch Your Weight	£6.99
Chess	£6.99	The Complete Cocktail Maker	£6.99

Any Five for Only £7.95

## VOLTAGE TWIN JOYSTICKS

for use with Plus  
One or BBC  
Normally £10.95  
Now Only £17.95

Micropower Magic  
Compilations 1 & 2  
Only  
£5.95 each

Electron Joystick Interface  
and Software  
£14.95

Quickshot II Turbo Joystick  
£13.95

Buy Both for only  
£25.00!

## NEW GAMES

Beau Jolly Five Star Games  
II or III  
Computer Hits 1, 2, or 3  
Acornsoft Hits I or II  
Superior Collection Vol III  
Cass  
Codename Droid\*  
Strykers Run  
Crazee Rider\*  
Palace of Magic\*  
Spitfire  
Play It Again Sam\*  
Spellbinder  
Bonecruncher  
Quest!  
Play It Again Sam II  
Winter Olympiad  
Skirmish  
Kourtyard  
Cassette £6.95 £7.50!  
3.5" Disc £14.95 £11.50!  
\*Available on 3.5" disc  
The Life of Repton  
Cassette £6.95 £5.95!  
Phone for details of very latest  
release!

## MICROPOWER GAMES

Felix In the Factory	£2.95	Stock Car	£2.95
Croaker	£2.95	Swoop	£2.95
Bumble Bee	£2.95	Jetpower Jack	£2.95
Gauntlet	£2.95	Cybertron Mission	£2.95
Killer Gorilla	£2.95	Galactic Commander	£2.95
Rubble Trouble	£2.95	Moonrider	£2.95
Electron Invaders	£2.95	Bandits at 3 O'Clock	£2.95
Felix Fruit Monsters	£2.95	Adventure	£2.95
Chess	£2.95	Swag	£2.95
Danger UXB	£2.95	Escape from Moon Base	£2.95
Frenzy	£2.95	Ghouls	£2.95
Felix meets the	£2.95	The Mine	£2.95
Evil Weevils	£2.95	Gyroscope	£2.95
Classic Adventures	£2.95		

Any Five for Only £7.95

## EDUCATION SPECIALS

Unikword Spanish	£14.95	Maths 'O' Level II	£12.95
Unikword Italian	£14.95	Where?	£6.95
Talkback	£6.95	Biology	£12.95
Workshop	£6.95	English	£12.95

BBC & ELECTRON AVAILABLE  
ANY TWO FOR £3.95

## BBC PUBLICATIONS

Maths with a Story I + II (4-8 years)  
BBC/ELE Cass £14.95 9.95 each  
**ASK SOFTWARE** (7-11 years)  
The best 4 language programs (set)  
The best 4 maths programs (set)  
BBC/ELE Cass £24.95 17.95 per set

## NEW

## ELECTRON REPAIR SERVICE

Phone for details

## Fantastic Offer


Brand New  
Ferguson 12" Green  
Screen Monitors (MM02)

Only £59.95

ELECTRON or BBC lead supplied FREE!

Logo cartridge	£69.95	£29.95
Lisp cartridge	£29.95	£9.95
Lisp Cassette	£69.95	£2.95
Turtle Graphics Cassette	£69.95	£2.95
Elite	£11.95	£9.95
Plus 3 Games Disc	£10.95	£4.95
Superior Collection Vol III (plus 3 disc)	£14.95	£11.95
Magic Mushrooms	£12.95	£2.95
Me and My Micro	£2.95	£1.00
Advanced User Guide	£9.95	£2.95

Name \_\_\_\_\_  
Address \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
I Claim my Mystery Gift  
EUS



**SOFTWARE BARGAINS** A division of The Micropower Group  
Dept EUS, 8.8A Regent Street, Chapel Allerton, Leeds LS7 4PE  
Tel: 0532-687735  
Ansaphone out of hours

Please make cheques/P.O. payable to Software Bargains & add 95p P&I

# MACHINE CODE

## It's routine work

LOTS to do this month, so straight down to work with Program I. Before you say "Oh no, not more of that beeping code", take another look at it — it's changed:

```
10 REM Program I
20 MODE 6
30 P% = 62000
40 [ \ enter the assembler
50 LDA #7 \ put 7 in the acc
  unulator
60 JSR &FEE \ invoke a subr
 outine
70 RTS \ go back to basic
80 ] REM leave the assembler
90 CALL &2000
```

The difference lies in the comments attached to each mnemonic. These comments come after the backslash \, which is the assembler equivalent of Basic's REM.

Take my advice and use comments liberally. If you don't, assembly language programs rapidly become unintelligible.

Notice that the comments also appear in the assembly listing produced. Figure 1 shows what each field in the listing contains.

Not that I'm obsessed with beeps, or afraid that you might fall asleep reading this, but Program II produces another beep. And while the code produced is the same, the techniques used to produce it are very different and well worth getting into the habit of using:

```
10 REM Program II
20 MODE 6
23 codeStart = 62000
25 number = 7
27 oswrch = &FEE
30 P% = codeStart
40 [ \ enter the assembler
45 .start
50 LDA #number \ put 7 in th
  e accumulator
60 JSR oswrch
70 RTS \ go back to basic
80 ] REM leave the assembler
90 CALL codeStart
```

For a start, three new lines are squeezed in between lines 20 and 30. The first —

line 23 — sets up a variable *codeStart* which holds the address of the first location you want the code to be assembled at. Later on P% is set to this address.

The next variable, *number*, holds seven, the bell code. Finally, the address of our tame operating system — or os — routine is held in the strangely named variable *oswrch*.

Actually there's good reason for calling it *oswrch*, as the routine at &FEE is known as *oswrch* — Operating System call to Write a Character.

These variables are then used with our familiar assembly language mnemonics. Line 50 now LDAs *number* rather than 7, while line 60 JSRs to *oswrch*. And once we leave the assembler we find that the CALL is to *codeStart*.

Using these variables makes the mnemonics more intelligible and flexible. To see what I mean try changing where the code starts. You could have *codeStart* as &2100 or &2200 or whatever.

Just be wary that you don't go into areas of memory used by the operating system or Basic. You'll soon know if you do!

Still ringing the changes, try using other values for *number* such as 65 or 66. You'll see that what *oswrch* does depends on the value in the accumulator.

Experiment with these, but avoid the values below

32; these are control codes and can cause odd things to happen if you don't know what you're doing.

One other technique is introduced in Program II. This is labelling assembly code. Line 45 introduces our label, *start*, using a dot to tell the assembler that this is a label.

When the assembler comes across this it makes a note of the location it's up to and whenever it comes across *start* again it knows that it refers to this address.

In this case the label is at the beginning of the code and we've told the assembler (via *codeStart* and P%) to start the code at location &2000.

Hence *start* takes the value &2000 and you could,

if you wanted, use the line:

```
90 CALL start
```

to get the routine working.

Notice that you don't need the leading dot, that's just there when it's initially used. The rules for labels are the same as for variable names, and it is good advice to use meaningful ones.

One last thing about labels: The assembler uses them but they don't appear in the opcodes produced. They're just notes used at the time of assembly to help the assembler keep track of the locations involved in a routine. Look at Program II's assembly listing if you don't believe me.

Also note that *number* and *codeStart* don't appear




Figure 1: Output from running Program I. What each bit means



In the opcodes, the assembler substitutes 7 and &FFEE (in the annoying about-face style that the 6502 uses for addresses).

Because of this, the actual code produced by Programs I and II is exactly the same,

## Memories are made of this ...

A quick way of seeing what's in location &2000 and its successors is to set up a function key to do the job. Just enter:

```
* KEY 1 X=&2000:FOR I=0 TO 8
:PRINT "X+I, "X+I:NEXT I:MIG
```

Now whenever you press function key 1, the contents of locations &2000 to &2008 are displayed, along with the seemingly obligatory beep.

despite the obvious differences in appearance of the two.

I leave it to you to decide which is the more intelligible program.

Program III shouldn't detain you for too long. It's as easy as ABC. However, there's a lot to learn from it if you're willing to spend some time messing about with the code:

```
10 REM Program III
20 MODE 6
30 codeStart=&2000
40 number=65
50 oswrch=&FFEE
60 PX=codeStart
70 [ \ enter the assembler
80 .A
90 LDA #number \ put 65 in the accumulator
100 JSR oswrch \ displays A
110 .B
120 LDA #number+1 \ put 66 in the accumulator
130 JSR oswrch \ displays B
140 .C
150 LDA #number+2 \ put 67 in the accumulator
160 JSR oswrch \ displays C
170 RTS \ go back to basic
180 ] REM leave assembler
190 CALL codeStart
```

For a start, lines 120 and 150 show that you can use

## A question of ?

Most Basics allow you to examine the contents of a location or change its value. Electron Basic does the same, only it replaces the usual PEEK and POKE with the rather more sophisticated indirection operators 7, I and \$.

The ? operator stands for the "contents of location" and can be used to find out what's in a memory byte or to change the value held in that byte.

If you want to see what's in location &2000 you just use:

```
PRINT ?&2000
```

If you try this after running Program I, you'll find that you get 169, not A9 as you might expect. This is the decimal value held in location &2000.

The Electron will convert it to hexadecimal for you using the tilde, ~ as in:

```
PRINT "~169
```

Of course it's easier to use:

```
PRINT "?&2000
```

in the first place.

? can also be used to give an offset from a base address taking the form:

```
baseaddress?offset
```

which is handy for use in loops.

expressions inside the assembler, which is quite clever enough to calculate number+1 and substitute that value in the code produced.

You can even use Basic functions, as you'll see if you make line 90:

```
LDA #ASC("A")
```

Observant readers will see that I've used three labels, A, B and C. What do you think will happen if you use CALL C or CALL B or CALL A in line 190? Try it and see.

Program IV uses assem-

Oddly, the base address has to be a variable holding the location value, it can't be the actual numeric address. Hence:

```
base=&2000
PRINT*base?2
```

gives the contents of memory location &2002 whereas:

```
PRINT &2000?2
```

just gives the decimal value of &2000 followed by the contents of memory location 2.

? can also be used to alter a location's contents. This takes the form:

```
?address=new.value
```

Since each location is a byte wide, it can only hold values between 0 and 255.

As an example, run Program I and alter location &2001 with:

```
?&2001=66
```

Check that you've got it right with:

```
PRINT ?&2001
```

and then:

```
CALL &2000
```

Can you explain what's happened to the code?

bly language to look at the keyboard, and echo the key you press to the screen. To do this it employs three os routines:

```
10 REM Program IV
20 MODE 6
30 codeStart=&2000
40 PI=codeStart
50 osrdch=&FFEE
60 oswrch=&FFEE
70 osnewl=&FFEE
80 [ \ enter the assembler
90 JSR osrdch \ get keyboard character
100 JSR oswrch \ display this character
110 JSR osnewl
120 RTS \ go back to basic
130 ] REM leave assembler
140 CALL &2000
```

The first is osrdch - Read Character. Found at address &FFEE0, this routine examines the keyboard and places the Ascii value of the key pressed into the accumulator.

Oswrch we've met before. The third routine is osnewl, which you can contact via &FFEE7. This provides a carriage return and a line feed giving, in effect, a new line. Leave out line 110 and see what happens.

Readers of an ingenious and inquiring mind with a knowledge of some of those control codes may wonder

Turn to Page 10 ►

# Programming

◀ From Page 9

why they can't use the following routine to get a new line:

```
newline
LDA #10 code for CR
JSR oswrch
LDA #13 code for LF
JSR oswrch
```

The trouble is that this is long-winded. What's really needed is osasci, which can be found at &FEE3. This routine does the same as oswrch and in addition, adds a line feed to any carriage return.

I leave it to you to knock

Routine	Address
Oswrch	&FEE
Osrch	&FEE0
Osnewl	&FEE7
Osasci	&FEE3

Table 1: Some routine addresses

up the required routine as an exercise. Otherwise stick to osnewl when you want a new line. Table 1 shows the routines and their addresses.

Our final program this month, Program V, shows how we can use assembly language to produce

Before	Assembler	After
Mnemonics	become	Opcodes
Variables	become	Values
Functions	become	Values
Labels	become	Addresses

How the assembler interprets your program

```
10 REM Program V
20 codeStart=&2000
30 PI=codeStart
40 oswrch=&FEE
50 [
60 .modeChange
70 LDA #22 \ select vdu
80 JSR oswrch \ tell the operating system
90 LDA #5 \ select the mode
100 JSR oswrch \ inform the os
110 .draw
120 LDA #25 \ vdu choice - PLOT
130 JSR oswrch
140 LDA #0 \ pick DRAW option
150 JSR oswrch
160 .coordinates
170 LDA #255 \ x coordinate, low byte
180 JSR oswrch
190 LDA #0 \ x coordinate, high byte
200 JSR oswrch
210 LDA #255 \ y low
220 JSR oswrch
230 LDA #0 \ y high
240 JSR oswrch
250 RTS
260 ]
270 CALL codeStart
```

graphics. In effect we use the VDU codes

VDU 22,5

to select Mode 5 followed by:

VDU 25,0,255,0,255,0

to draw a line from 0,0 to 255,255.

This is done by successfully loading the accumulator with the VDU code numbers and their parameters, passing the data over to the Electron's operating system using the versatile oswrch routine:

Try altering Program V, giving the parameters different values and see what happens.

● That should keep you busy until next month, when we'll be learning about other registers and the mnemonics that go with them.

## NEW LOW PRICES!

5.25" BULK PACKED-TOP QUALITY	10	25	50	100	150	250
Single Sided 48T P.I.	£5.49	£10.50	£18.50	£32.50	£41.50	£81.50
Single Sided 96T P.I.	£5.95	£10.75	£19.00	£33.50	£43.00	£83.00
Double Sided 48T P.I.	£5.95	£11.00	£19.50	£34.50	£45.00	£86.00
Double Sided 96T P.I.	£6.95	£11.50	£20.50	£36.00	£46.50	£89.50
Double Sided Coloured 96T P.I.	£7.95	£13.75	£25.75	£48.50	£57.50	£99.75
Double Sided Reversible 48T P.I.	£7.95	£15.00	£28.50	£50.50	£60.50	£102.50
Coloured & Reversible 48T P.I.	£8.95	£17.25	£32.75	£53.25	£66.25	£129.75
Coloured & Reversible 96T P.I.	£9.95	£18.75	£34.50	£56.50	£69.75	£143.75

Packs of 10 5.25" Disks come with Free Plastic Library Case (worth £1.49)

Coloured Disks come in five colours (Red, Blue, White, Yellow, Green)

Reversible disks have two index holes and two notches!

Coloured and reversible disks come in five colours (Red, Blue, White, Yellow, Green) and have two holes and notches

All Centec disks are packed with a protective jacket (envelope) and come with a full user set, including a label and a write protect tab. The disks are manufactured to top international standards and have a hub ring for added protection. All disks carry our no quibble replacement guarantee and are certified 100% error free



### Storage Boxes

3.00" Lockable - Holds 25	£7.49
3.00" Lockable - Holds 60	£8.49
3.50" Lockable - Holds 40	£7.49
3.50" Lockable - Holds 80	£8.49
5.25" Lockable - Holds 50	£7.49
5.25" Lockable - Holds 100	£8.49
5.25" Lockable - Holds 120	£10.95
3.5" Cleaning Disc	£4.99
5.25" Cleaning Disc	£3.99
Disk Notcher	£3.49
Archimedes BBC Printer	
Cable	£8.49

### PROFESSIONAL PRINTER STAND

This new printer stand is very space efficient as it takes hardly any more room than your printer. Due to the unique positioning of the paper guide mechanism and refeed compartments that is one above the other, the desk space is effectively halved. The space saving design allows easy access to the paper from both sides, the special dial with controlled paper feed system with adjustable deflector plates ensures smooth paper flow and automatic refeeding.

80 Col	£29.95
132 Col	£34.95

## COPY HOLDERS



YU-H32 Copy Holder with Adjustable Arm

Size 9.5" x 11.5" with smooth side line guide - £19.95

YU-H33 Copy Holder with Adjustable Arm

Size 19" x 12" (A3) - £29.95

## BRANDED 3.5" COMPUTER DISKS

Sony MF2-DD	£29.95	Sony MF1-DD	£19.95
Goldstar MF2-DD	£24.95	Maxell MF1-DD	£19.95
3M MF2-DD	£29.95	3M MF1-DD	£24.95
Verbatim MF2-HD	£49.95	Verbatim MF2-DD	£29.95
Verbatim MF1-DD	£19.95	JVC MF2-DD	£24.95

## VERBATIM OR 3M BRANDED 5.25"-PRICE FOR 20 DISKS

SS DD 48TPI	£24.99	DS DD 48TPI	£28.99
DS DD 96TPI	£35.99	DSHD	£48.99

## SPECIAL OFFER BOXES

100 5.25" DS-DD Disks plus 100 Capacity Looking Disk Box	£38.99
75 3.5" DS-DD Disks plus 80 Capacity Looking Disk Box	£36.99
25 Coloured 3.5" DS-DD Disks plus 40 Capacity Looking Disk Box	£41.99

## 3.5" TOP QUALITY BULK PACKED DISKS

	10	25	50	100	150	200
Single Sided 135T P.I.	£12.49	£23.95	£46.95	£91.95	£129.95	£189.95
Double Sided 135T P.I.	£14.49	£26.95	£52.95	£98.95	£145.95	£189.95

## Rainbow Pack of five colours - New product!

Single Sided 135T P.I.	£17.95	£35.95	£82.95	£119.95	£189.95	£219.95
Double Sided 135T P.I.	£19.95	£39.95	£75.95	£145.95	£224.95	£279.95

Packs of 10 3.5" Disks come with Free Plastic Library Case (worth £1.49)

All discs are supplied with labels and are certified 100% error free

## CENTEC DISK SUPPLIES

UNIT 3, THE METRO CENTRE, BRIDGE ROAD, ORPINGTON, KENT BR5 2BE

TEL: (0689) 35353 (6 Lines) (24 Hours) Fax: 0689 77737

Please note we operate a call stocking system. Outside office hours a telephone answering machine will take your order.

Remember - all prices include VAT and delivery! There are no hidden extras to pay! Personal callers welcome: Monday-Friday 9.30am-4.30pm



VISA

# The plume of my tante

**OK — it's not perfect, but PIERRE DUPONT's DIY translator is a step in the right direction**

FOREIGN languages are the bane of most peoples' lives. But now you can translate any word processed file from one language to any other, with the help of a pocket dictionary.

Text Translator — for disc users only — uses a simple, brute-force method for converting a file from one language to another.

It must first be fed some words, together with their best approximate translations, before you can set it to work.

It then scans through any named text file on disc, printing the translations of any words it recognises.

The only drawback is that you won't end up with a grammatical result. Things like past and present tenses will be ignored, and word order may be back to front — *la chaise verte* will end up as *the chair green* — but the program will still give you the gist of what the text is about.

To set up Text Translator, select option two from the main menu — Add to the dictionary. This is where you supply the words to the program's internal store.

Up to 150 words and their translations can be stored — a relatively small number, but surprisingly meaningful results can be obtained if the words are chosen with care.

You will be asked to enter a word, followed by the Return key. Next, type in the closest translation in the target language for that word.

Pocket dictionaries, like those in the Collins series, are perfect for this part of the proceedings.

When you think you have

entered enough translations press Return in place of the next expected word, and you will be taken back to the main menu.

It would be wise to save the dictionary at this point, and option four will do this for you.

You will be prompted for a filename — any pathname may be entered if you have the ADFS — and warned if there is already a file of the same name present on disc.

Option three will load a previously created dictionary back from disc, wiping over any currently stored words.

Option five lists the current dictionary, pausing at the foot of every screenful until Shift is pressed, while option six will completely wipe the internal dictionary.

If you select this by mistake, either press the Escape key, or press the N key at the warning prompt.




Figure 1: The main menu

Now we finally move on to option one — Translate a text file. When you select this option, you will be asked for the name of the file in question, and the program will verify its existence for you.

Then you will be asked whether a hard copy — a printout — is required — to which you answer yes or no by pressing the Y or N keys.

Finally, Translator will ask you whether you would like

the result of the translation spooled to disc.

This is a very valuable part of the program, because it enables you — after translation — to load in a dictionary which contains translations going the opposite way, and re-translate the spooled file back to its original state.

This way you can see quickly if the choice of

Turn to Page 12 ►




Figure 2: The French translation of a short Wordwise file — but it's rather fractured!




Figure 3: The re-translation back into English tests the accuracy of your dictionary

## ACTION

## 4 From Page 11

words in your dictionaries are the best. If the re-translation reads nothing like the original text, you have made some bad choices somewhere, because hopefully you should end up with a sort of a pidgin version of the source file - strange-sounding, but readable.

It can also be great fun translating something from, say, English to French and back again. Many a laugh will be heard from passers by, intrigued at this apparent compulsion to write like Inspector Clouseau.

Any words which Text Translator cannot find in its dictionary will be printed in the original, surrounded by

a hash symbol on either side.

This way you can see just what the program is making of your precious text, while invariably producing something hilariously similar to Miles Kingston's Franglais column in Punch magazine.

Language teachers might cringe at this program, but there is no denying its usefulness - especially when going on holiday, or if Latin comprehension homework is involved.

Text Translator will understand View, Word-wise, Mini Office and just about any other possible formats for storing text that you can think of and will function quite happily in Slogger 64k or Turbo modes.

```
10 REM Text Translator
20 REM By Pierre Dupont
30 REM (c) Electron User
40 REM
50 ONERRONGOTO620
60 MODE4:PROCSetup
70 CLOSE#0:PROCMenu:GOTO7
```

```
80 DEFPROCSetup:DIMdics(1
50,1)
```

```
90 dics="Unnamed":maxl=0:
maxltem=150:puncs=".,?,:":
puncs=FALSE
```

```
100 ENDPROC
110 DEFPROCMenu:PROCtitle(
"Foreign Language Text Trans-
lator"):PRINTTAB(2,5):By Pie-
rrre Dupont (c) Electron User
:COLOUR0:COLOUR129:PRINTTAB
(15,12):PROCbig("Main Menu")
:PRINT":COLOUR1:COLOUR12
```

```
8
120 PRINTSPC(1) Translate
some text"
```

```
130 PRINTSPC(2) Add to di-
ctionary"
```

```
140 PRINTSPC(3) Load dict-
ionary"
```

```
150 PRINTSPC(4) Save dict-
ionary"
```

```
160 PRINTSPC(5) List dict-
ionary"
```

```
170 PRINTSPC(6) Wipe res-
dent dictionary"
```

```
180 PRINTTAB(3,8):"dictiona-
ry"::COLOUR0:COLOUR129:PRI-
NTdics:COLOUR1:COLOUR128:PRI-
NTTAB(26,8):Words"::COLOUR
0:COLOUR129:PRINT":maxl
```

```
190 PRINTTAB(9,31):"Select
Option (1-6)"::COLOUR1:COL-
OUR128:REPEAT:GX=GET+48:UNTIL
LGX=0 AND GX<7:ONGOTO200,2
10,220,230,240,250
```

```
200 PROCtranslate:ENDPROC
210 PROCadd:ENDPROC
```

```
220 PROCload:ENDPROC
230 PROCsave:ENDPROC
```

```
240 PROClist:ENDPROC
250 PROCwipe:ENDPROC
```

```
260 STOP
```

```
270 DEFPROCbig(BS):FORM=1
TOLENBS:XX=0:YX=89:"8900=ASC
(MIDS(BS,MX,1)):X=10:CALL&F
FF1:LT=1
```

```
280 FORX=224TO225:VDU23,X
Y:FORX=0T03:VDU7:(8900+L1):V
DU7:(8900+L1):LT=L1+1:NEXT:NE
XT:VDU224,8,10,225,11:NEXT:E
NDPROC
```

```
290 DEFPROCtitle(BS):VDU28
,0,31,39,0:CLS:VDU23,1,0,0;0
;0:COLOUR0:COLOUR129:FORX=
0T03:PRINTMIDS(BS,X,1):NE
XT:PRINTTAB(28,LENBS+2,1):P
ROCBIG(BS):COLOUR1:COLOUR128
:VDU23,1,1,0,0;0;0:ENDPROC
```

```
300 DEFPROCload:PROCtitle(
"Load dictionary"):INPUT
"Filename":dics=in$OPENIN
dics:IFin$=0:PROCtitle("No
such file - SPACE for Main M-
enu"):REPEAT:UNTILGET=32:EN
DPROC
```

```
310 PROCtitle("LOADING 'd-
ics' - Please wait"):maxl=1
:REPEAT:INPUTin$,dics(maxl,
0):INPUTin$,dics(maxl,1):ma
x=maxl+1:UNTIL EOFin$CLOS
E#maxl:maxl+1:ENDPROC
```

```
320 DEFPROCsave:IFmax=0 E
NDPROC ELSE PROCtitle("SAVE
dictionary"):INPUT"File
name":dics
```

```
330 in$=OPENIN dics:IFin$>
0:PROCtitle(dics) exists -
Replace (Y/N)?":REPEAT:GX=GET
AND 225:UNTIL GX=ASC"Y" O
R GX=ASC"N":IF GX=ASC"N" VDU
7:CLOSE#0:ENDPROC
```

```
340 PROCtitle("SAVING 'd-
ics' - Please wait"):CLOSE#0
:out$=OPENOUT dics:FORLT=1TO
maxl:PRINTout$,dics(LT,0):P
RINTout$,dics(LT,1):NEXT:CL
OSE#0:ENDPROC
```

```
350 DEFPROCwipe:IFmax=0 E
NDPROC ELSE PROCtitle("WIPE
dictionary (Y/N)?"):REPEAT:GX
=GET AND 223:UNTILGX=ASC"Y"
O CHRG63="N":IF CHRG63="N"
=VDU7:ENDPROC
```

```
360 dics="Unnamed":maxl=0:
ENDPROC
```

```
370 DEFPROCadd:IFmax=maxl
teml VDU7:ENDPROC ELSE PROC
title("Add to the dictionary")
:VDU28,0,31,39,5
```

```
380 REPEAT:maxl=maxl+1:PRI
NT"Word: maxl;" (or RETURN
to quit)":INPUTws:IFws="
maxl=maxl+1:UNTILws="":ENDPR
OC
```

```
390 dics(maxl,0)=ws:INPUT
"Translation":dics(maxl,1)
TS:PRINT:UNTILmaxl=maxl+1teml
400 DEFPROCtranslate:IFmax
=0 VDU7:ENDPROC ELSE PROCti-
tle("TRANSLATE text")
```

```
410 INPUT "Filename":F
$in$=OPENIN F$:IF in$=0 PRO
Ctitle("No such file - SPACE
for Main Menu"):REPEAT:UNT
ILGET=32:ENDPROC
```

```
420 PROCtitle("Hard copy (
Y/N)?"):REPEAT:GX=GETAND223:
UNTILGX=ASC"Y" O R GX=ASC"N"
:IF GX=ASC"Y" print$=TRUE EL
E print$=FALSE
```

```
430 PROCtitle("Spool outpu-
t (Y/N)?"):REPEAT:GX=GETAND2
23:UNTILGX=ASC"Y" O R GX=ASC
"N":IF GX=ASC"Y" spool$=TRUE:
INPUT"Filename for spool
ing":spool ELSE spool$=FALSE
```

```
440 PROCtitle("Translating -
ESC to quit"):INPUT$=GET+17
EN:84900$=SPOOL "sp$":XX=0:Y
=9:CLL&FFFF7
```

```
450 VDU28,0,31,39,5:CLS:IF
print$ VDU2,2
460 REPEAT:eof$=FNFetch:PR
OCeofch:PROCOutput:UNTILeof$
:VDU5:CLOSE#0:IF spool$ THEN
$SPOOL
```

```
470 COLOUR:COLOUR129:PRIN
T"Press SPACE for Main Men-
u":COLOUR1:COLOUR128:REPEAT:
UNTIL GET=32:ENDPROC
```

```
480 DEFPROCmatch:REPEAT:BI=0
GET#in$:CL=INSTR(puncs,CHRB
0):IFCL=0 UNTILCL=0:BS=MI0S
puncs,CL,1):=FALSE
```

```
490 UNTIL(BI=64 AND BI=91)
OR (BI=96 AND BI=123) OR EO
F#in$:IF EOF#in$ THEN =TRUE
```

```
500 BS=BXAND223:BS=CHRB0X:
REPEAT:BI=BXGET#in$:IF EOF#in
$ THEN 530
```

```
510 CL=INSTR(puncs,CHRB0X)
:IFCL=0 BS=MI0S(puncs,CL,1):
puncs=TRUE ELSE puncs=FALSE
```

```
520 IF (BI=64 AND BI=91) O
R (BS=96 AND BI=123) BS=BS+C
HRA(BIAND223)
```

```
530 UNTIL (BIAND223)<65 OR
(BIAND223)>90 OR EOF#in$:IF
EOF#in$ THEN =TRUE
```

```
540 =FALSE
550 DEFPROCmatch:CL=INSTR(
puncs,v$):IF CL=0 BS=WS:ENDP
ROC ELSE FX=0:FORLT=1TOmaxl:
IF FX=0 THEN IF WSdics(LT,0)
FX=1:BSdics(LT,1)
```

```
560 NEXT:IF FX=0 BS=WS+v$
=v$
570 ENDPROC
```

```
580 DEFPROCOutput:PRINTMS;
:IF puncs PRINTMS:ENDPROC EL
SE IFeof$ ENDPROC
```

```
590 PRINT":ENDPROC
600 DEFPROClist:IFmax=0 V
DU7:ENDPROC ELSE PROCtitle(
"LISTING dictionary"):VDU28,0
,31,39,5,14
```

```
610 FORLT=1TOmaxl:PRINTLT;
:":dics(LT,0),dics(LT,1):N
EXT:PRINT:COLOUR0:COLOUR129
:PRINT"Press SPACE for Main
Menu":COLOUR1:COLOUR128:REP
EAT:UNTILGET=32:ENDPROC
```

```
620 IF ERR#17 GOTO 70
630 PROCtitle("ERROR - pre-
ss SPACE for Main Menu"):PRI
NT":REPORT
640 REPEAT:UNTILGET=32:GOT
O70
```

## LISTING dictionary

```
1: MAN
2: CAT
3: HOUSE
4: SCHOOL
5: FOG
6: TIME
7: GREEN
8: LARGE
9: KEY
```

```
HOMME
CHAT
MAISON
ECOLE
BROUILLARD
TEMPS
VERT
GRAND
CLEF
```

Press SPACE for Main Menu

Figure IV: Listing the dictionary

This listing is included in this month's cassette tape offer. See order form on Page 53.



## Rocky original

GOLDEN  
electron  
user  
GAME

Product: Boulderdash  
 Price: £9.95  
 Supplier: Tynesoft, Unit 3,  
 Addison Industrial Estate,  
 Blaydon, Tyne & Wear  
 NE21 4TE.  
 Tel: 091-414 4611

BEFORE you say wearily, "Oh no, not another Repton-type game", let me put the record straight. Boulderdash has the enviable reputation of being the game which inspired Repton and all its clones all those years ago.

So why is it finally being released for the Electron/BBC Micro market, which by now must surely be saturated to bursting point with diamond-digging maze games? The answer is, as ever, that the original is usually the best. Not always, but in this case it is certainly true.

I, like many others, cracked my maze-digging teeth on Repton long before I ever heard of Boulderdash. I first played Boulderdash on an Amstrad CPC464 about a year ago, and thought to myself that Repton had better watch out.

Little did I know that this newcomer actually predated my favourite by quite a stretch, albeit on a different machine – the old 8 bit Atari.

Well, here it is at last on the Electron, and jolly good it is too. You play the part of Rockford, a cute little character who is a right little hoarder, and addicted to those big glistening diamonds scattered about the place just waiting to be scooped up.

Unfortunately, opposition to Rockford's greed lies in the form of hundreds of lethal boulders, deadly butterflies and a rapidly-growing, pulsating amoeba.

You won't meet the amoeba until the later levels



– there are 16 in all – but the other hazards are present right from the start.

Most obviously dangerous are the boulders. Although this doesn't need explaining to Repton fans, the boulders are imbedded in earth and digging for diamonds undermines their support. If a boulder falls on Rockford, it's curtains.

A large element of strategy is involved in turning things to your advantage. Boulders may be pushed either left or right, and as they will topple off the edge of a precipice – which can be dug carefully to suit your requirements – traps can be laid for the mutant butterflies.

Dropping a boulder on a butterfly mutates it into nine separate diamonds. As a set quota has to be collected,

butterfly crushing is a necessary pastime – especially on levels deliberately low in their supplies of diamonds.

Collecting the full quota for a given screen causes a door somewhere in the maze to be activated. It won't always be near you, so when you hear the bang which signifies its opening, a quick dash is indicated, especially if time is running short – there is a time limit for each level.

The green amoeba encountered on later levels is a real pain. It grows at a phenomenal rate and after a certain point it will turn into hundreds of boulders, which will then rain destruction on Rockford's head. Another incentive to hurry things up.

What surprised me the

most about Boulderdash was the way the screens have been copied faithfully from the original version on the 8 bit Atari. The two micros are worlds apart and the programmer has done a good job in converting the game.

As far as I could tell, every single diamond and boulder is in the same location as in the original version, and it was with great excitement I realised that I could complete level after level using exactly the same techniques that I had spent so long working out a year ago on the Amstrad.

That is the mark of a truly successful game conversion. Even the sprites are identical, except that the Electron/BBC Micro version runs in Mode 5, using just four colours – but then so does Repton.

My only niggle, oddly enough, was in the keyboard control. Rockford simply would not stop smartly on the spot when I released the keys.

Instead – during what were usually tightly calculated manoeuvres – he would plough ahead for one more move, totally mucking up the strategy and sometimes getting himself crushed under a deadly impromptu rockfall.

My verdict is that Boulderdash is the original diamond digging game and it's still the best ever. Buy it, even if you are an unshakeable Repton fan – you'll be amazed at just how addictive it can be.

There are many, many more secrets further into the game which I'm not going to spoil by revealing here.

Chris Nixon

Sound.....	7
Graphics.....	6
Playability.....	9
Value for money.....	10
Overall.....	9

# PRES

## \*PRICE BREAKTHROUGH\*

### THE ADVANCED PLUS 3

Now you can turn your Electron (fitted with +1) into a full disc system - no more waiting for tape loading or 'bad block' 'data'!

- messages, A.P.3. gives you ...
- 1. A 1770 interface
- 2. 80 track 3.5" disc drive (320k capacity)
- 3. Separate PSU (Conforms to BS)
- 4. Acorn ADFS
- 5. Welcome disc
- 6. Utilities
- 7. Full documentation

All the advantages of the original Plus 3 PLUS extra ROM socket and possible upgrade to A.P.4, from ACP. All this without dramatically increasing the required desk space!

### \*EXTRA BONUS\*

3 games on disc - SNAPPER - DRAUGHTS - REVERSI

### COMPLETE PACKAGE ONLY

£99.00 excl VAT; £113.85 inc VAT

**ADVANCED PLUS 1** ... The plus 1 is the main expansion for the Electron. It provides the Centronics parallel printer, printer port, joystick interface and 2 cartridge slots into which go ROM cartridges including View, ViewSheet, Pascal, Logo and our own popular AP4 disc upgrade. £43.43 excl VAT; £49.95 inc VAT

**ADVANCED PLUS 6** ... a fully buffered 6 ROM expansion module for the Electron user. AP6 is fitted inside the advanced Plus 1 or a modified Acorn Plus 1 (when used with the Acorn Plus 3, 5 ROM sockets are available). All sockets are designed to accept either ROM/EPROMS or RAM chips. A further feature is the optional AP7 upgrade. £33.00 excl VAT; £37.95 inc VAT

**UPGRADE SERVICE** for the original Acorn Plus 1 to Advanced Plus 1 and AP6. This will provide all the benefits of AP6 and also includes the printer circuit modification for some modern printers. (AP6 can be fitted to original Plus 1 by users with soldering experience) for upgrade service add £7.00 + VAT to AP6 price to

£40.00 excl VAT; £48.00 inc VAT

This price includes modification, fitting AP6, testing and return postage. Address for returning your Plus 1, P.R.E.S. Service Department, PO Box 34, Bradford BD17 6DE

### ADVANCED ROM ADAPTER 2

An Acorn approved cartridge containing a card with special 'zero' profile sockets that allow you to fit compatible 8k or 16k EPROMS/ROMS. The cartridge is fully enclosed providing complete protection for your ROMS. Simple to use - No switching - complies fully to the Acorn (sideways) Rom filing system.

\*The best ROM cartridge is by far the ARA 2...A&B Dec 86 £13.00 excl VAT; £14.95 inc VAT

### ADVANCED BATTERY-BACKED RAM

A standard Acorn approved cartridge but containing 32k (2 x 16k) of sideways RAM. The added bonus is the battery-backed feature that holds the RAM contents when the power is switched off! Different ROM images can be loaded into either bank from ROM images previously saved. The banks can also be locked to imitate ROM use. Now it is possible to have View & ViewSheet in one cartridge every time you switch on. Other uses include &E00 ADFS, printer buffer, ROM software development. The use of ABR is simplified by the newly written PRES software utilities which include: SaveROM, LoadROM, Lock, Unlock, Printer Buffer, Zero and MakeROM a new utility to put your own software from disc or tape into ABR & use the ROM filing system. All software is supplied in ABR with a simple menu to transfer the utilities to your own media. No hardware switching - totally software controlled. Instructions for using supplied software and necessary information for users developing their own applications.

"It's a superb add-on and a must for all serious Electron users" Electron User

£34.77 excl VAT; £39.95 incl VAT

### ADVANCED QtrMeg RAM

A quarter megabyte is a whole 256k of extra sideways RAM. AQR provides this in a standard size, Acorn approved cartridge. Although ROM images can be loaded (with the appropriate software) into the various 16 banks of 16k RAM, AQRs primary and best use is as a RAM DISC. On an Electron this is achieved by using our ADFS 1.1 or ADFS &E00, both supplied with the necessary initialisation software to configure AQR as a 256k RAM DISC (the latter also regains 3.75k of main user memory on a Plus 3 system).

£69.52 excl VAT; £79.95 inc VAT

## \*NEW PRODUCT\*

### NEW \*\* ADVANCED PLUS 2 ROM

We feel this is one of the best, low cost, additions we have produced for the Electron & +1 user, especially for Plus 3, AP3 & ABR users.

Now with this easy to fit upgrade you can add:

1. Fix for Tape filing system in Hi-res screen modes.
2. \*ROMS
  - to display all ROMs/ROM images present on the system.
  - disable ROM/RAM image.
  - enables or inserts a previously unplugged ROM.
3. \*UNPLUG
4. \*INSERT
5. \*KILL
6. \*LOCK
  - to totally disable the Plus 1.
  - to lock a sideways RAM bank in ABR, AQR, AP7.
7. \*LROMS
8. \*UNLOCK
  - to lock all sideways RAM banks found.
  - to unlock a sideways RAM bank in ABR, AQR, AP7.
9. \*UROMS
  - to unlock all sideways RAM banks found.
10. \*SAVEROM
  - saves a copy of a ROM image to the current filing system.
11. \*LOADRUN
  - loads a ROM image from the current FS into a RAM bank.
12. \*FORMAT
  - will format an ADFS disc for Plus 3 or AP3.
13. \*VERIFY
  - reads and tests every sector on an ADFS disc.
14. \*VFORM
  - formats and verifies an ADFS disc in one command.
15. \*BUILD
  - creates a text file that can be used by \*EXEC (ie IBOOT).
16. \*LIST
  - displays a numbered listing of a text file.
17. \*TYPE
  - displays a file on screen with no line numbers.
18. \*DUMP
  - to view a file's contents on screen.
19. \*LANG
  - selects a default language to be booted on <<CTRL BREAK>>
20. \*HELP
  - provides a full 'help' list on all the ROM's commands
21. \*AQRPAGE
  - selects the specified page in any AQR present.

Now there is no need to search for your utilities disc every time you want to Format/Verify a disc, Build a Boot file or Lock/Unlock/Load a ROM image into ABR PLUS much more - the ideal companion for the company that produces the Acorn Plus 1

£11.00 ex VAT; £12.65 inc VAT

### NEW \*\* USER PORT \*\*

A new low cost unit for those who just require a user port interface. Supplied in a standard size, Acorn approved cartridge, with the standard connector on top. Inside is a spare ROM socket which can also be configured for high priority use such as mouse software.

£19.99 ex VAT; £22.95 inc VAT

### NEW \*\* ADVANCED PRINTER BUFFER

Newly written software from PRES that will use sideways RAM (ie ABR) to take text on its way to a printer from the computer & then continue to 'feed' the printer on demand while the computer is freed as soon as it has delivered up to 14k of text to the buffer. As printers are much slower than computers, this means you can carry on editing text in View while the printer takes text from the buffer at its own speed. Included are commands to turn the buffer ON/OFF, purge the buffer, control the effect <ESCAPE> has on the buffer and produce a buffer status report. Supplied on 3.5" ADFS or 5.25" DFS disc.

£9.00 ex VAT; £10.35 inc VAT

**ADFS VERSION 1.1**

Suitable for existing Plus 3 or A.P.4 users. This new version has the software fixes for Zysyshep, write protect disable & compaction. Also Winchester code has been replaced with the necessary driving software to handle AQR as a 256k RAM DISC. Please note - ADFS is Acoms adopted standard linc system supplied on the Plus 3, Master 128, Master Compact & now the Archimedes. Supplied on 16k ROM with Welcome disc, utilities & full documentation.

£19.95 ex VAT; £22.55 inc VAT

**ADFS EOO**

For Electron users with either Plus 3 or A.P.4 and 32k of S/W RAM i.e. ABR. All the benefits of ADFS but without all the loss of RAM! Includes all the software 'fixes' as in version 1.1 as well as the AQR/RAM DISC code and an 'FX' call for managing the new & original ADFS. One of the most frequent questions we are asked: "How do I get back the memory lost on my Plus 3 system?" Answer: PRES ADFS £8.00 regains 3.75k leaving page @ £8.00 the same as Tapel Supplied on 3.5" disc.

£19.95 ex VAT; £22.95 inc VAT

+5.25" Disc £17.35 ex VAT; £18.95 inc VAT

**NEW \*\* PRES ABR SOFTWARE**

The new PRES ABR software now available separately containing: SaveROM, LoadROM, Lock, Unlock, Printer Buffer, Zero and MakeROM a new utility to put our own software from disc or tape into ABR & use the ROM linc system. Supplied on 3.5" ADFS or 5.25" DFS disc.

3.5" £9.99 ex VAT; £11.49 inc VAT

5.25" £8.99 ex VAT; £10.34 inc VAT

**NEW \*\* ADVANCED GAMES COMPENDIUMS - ON DISC**

With so many of our products providing more 'serious' add-ons for the Elk, we thought it was time to allow easy access to some of the favourite games ON DISC! Three volumes of popular games, previously only available on tape, now 'instantly' loadable from menu on disc. Titles such as Croaker, Felix & Fruit Monsters, Killer Gorilla, Danger UXB, Swoop, Ghouls, Invaders, Swag, Galactic Commander, Felix in the Factory, Bumble Bee, Gauntlet, Frenzy, Moonrider, Positron etc. etc. Each volume contains EIGHT menu selectable games (titles per volume not finalised when going to press). Available on 3.5" ADFS or 5.25" DFS

Vol. I	Vol. II	Vol. III
Invaders	Felix and the Fruit	Danger UXB
Jot Power Jack	Monsters	Ghouls
Killer Gorilla	The Mine	Felix and the Evil
Stock Car	Rubble Trouble	Woolvia
Bandits @ 3	Swag	Adventure
Bumble Bee	Cybertron Mission	Positron
Croaker	Moonrider	Swoop
Felix in the	Frenzy	Chess
Factory	Escape Moonbase	Galactic Command
	Alpha	

3.5" £9.99 ex VAT each volume; £11.49 inc VAT

5.25" £8.99 ex VAT each volume; £10.34 inc VAT

**DISC DRIVES**

	Ex VAT	+VAT
Cumana 5.25" db/sided 40/80 track, switchable, inc. psu.	£129.56	£149.00
Cumana 5.25" sing/sided 40 track, inc. psu.	£112.17	£129.00
Cumana 3.5" db/sided 80 track, inc. psu.	£112.17	£129.00
PRES special 3.5" sing/sided 80 track, inc. psu.		
	ONLY £59.00	£67.85

**DISCS**

35" 1" in plastic library box - ideal for Plus 3 users	£19.95
5.25" 1" 0ble/sided db/sided	£12.99
5.25" 1" 0ble/sided sing/dens	£8.99
5.25" Twin Gift Pack	£14.99

**VIEW CARTRIDGE** ... the Acomsoft word processor for the Electron and Plus 1. Inc. full documentation. £14.95

**VIEW SHEET CARTRIDGE** ... the Acomsoft spreadsheet for the Electron and Plus 1. Inc. full documentation. £14.95

**VIEW & VIEW SHEET** ... both products as above \*special price\*. £22.00

**LISP CARTRIDGE** ... the Acomsoft language cartridge for the Electron and Plus 1. £9.99

**ACCESSORIES****NEW \*\* ELECTRON POWER SWITCH**

For those who are fed up with removing the power connector every time when resetting the computer or for those whose jack-plug connector has become unreliable by removing the power at random! This useful accessory provides a double-pole in-line switch with a new power jack-plug already attached: just connect to the existing lead, having removed the old jack-plug.

£3.44 ex VAT; £3.96 inc VAT

**AP3 2nd DRIVE LEAD**

Replaces existing drive cable with one containing an extra connector for adding a second drive configured as Drive 1.

£4.95 ex VAT; £5.69 inc VAT

**PLUS 3 2nd DRIVE ADAPTOR**

Converts the fitting at the back of the original Acom Plus 3, to take a standard disc drive connector when adding a second drive which has been configured to Drive 1.

£6.91 ex VAT; £7.95 inc VAT

**A.D.F.S. Guide Manual**

£5.00

**SPECIAL PACKAGE PRICES**

AP1 + AP3 ..... £130.39 ex VAT £149.95 inc VAT

AP1 + AP6 ..... £69.52 ex VAT £79.95 inc VAT

AQR + ADFS 1.1 ..... £78.00 ex VAT £89.70 inc VAT

ABR + ADFS E00 ..... £47.78 ex VAT £54.95 inc VAT

**\*\*\* NEW EXCLUSIVE MAIL ORDER PRODUCT FROM PRES \*\*\*****THE TIMES COMPUTER CROSSWORD VOLUME 1**

	Ex VAT	+VAT
ADFS 5.25"	£13.00	£14.95
ADFS 3.5"	£13.00	£14.95
DFS 5.25"	£11.26	£12.95
Cass	£8.65	£9.95

**\*\*\* NEW \*\*\***

AP3 INTERFACE ONLY ..... £52.00 ex VAT £59.80 inc VAT

**PRINTER**

Printer ideal for Electron Plus 1. Panasonic KX-P1081 Graphic Epson Compatible NLO ready to connect including cable, delivery and VAT £155.65 ex VAT £179.00 inc VAT

**ELECTRON ADVANCED USER GUIDE** ... further reading and information for the Electron user. £3.95

**ELECTRON ASSEMBLY LANGUAGE** ... book by Bruce Smith containing many examples of how to program in assembler. £2.95

Software on disc for the above 3.5" ADFS £3.50 - 5.25" DFS £2.50

**COMING SOON**

**ADVANCED PLUS 7** ... upgrade for AP6 allows for 2 banks of 16k battery backed sideways ram which can be fully write protected.

**HYBRID'S MUSIC 5000** ... as widely used on the BBC computers has been fully versioned for the Electron & Plus 5.

**USER PORT CARTRIDGE** ... a new single user port in standard size cartridge at budget price. £T.B.A.

**1MHZ bus** ... a new single 1MHZ bus in standard size cartridge at a budget price. £T.B.A.

Please send order to:-  
P.R.E.S. LTD.  
6 Ava House, High Street,  
CHOBHAM, Surrey, England.  
GU24 8LZ Tel: 0278 72046  
(Mail order only)  
All our prices include  
UK delivery & VAT



(in event of any query—  
please include your tel. no.)

Name .....

Address .....

Postcode .....

Tel. ....

Product Qty @ Total

.....

.....

.....

.....

.....

.....

.....

I enclose payment for £

Exp date

(Ref E105)



# Phantom of the skies

**Product:** Phantom Combat  
**Price:** £9.95  
**Supplier:** Doctor Soft, P.O. Box 66, East Preston, West Sussex BN16 2TX.

THIS is the single computer version of a program demonstrated on BBC Television's Micro Live. You may have heard of Doctor Soft's now famous Double-Phantom flight simulator, where two BBC Micros are linked together via their RS423 ports.

Each computer controls a separate jet, but both occupy the same air space and each is visible out of the cockpit window to the other player.

Phantom Combat is the single player version of the same game – or should I say, single computer version, because Phantom Combat does support a kind of two-player option.

The instrument panel at the bottom of the screen is

superbly drawn in full colour with analogue dials and digital readouts. I have never seen as good an instrument display on the Electron. There is also a black and white version of Phantom Combat further on the tape, in Mode 4 for extra speed.

Flying is easier said than done. Although the manual lists all the keys, I kept fumbling because of the illogical and confusing choice for pitch and roll. However, all the other keys were sensible enough.

The handling characteristics of the Phantom feel good and Mach II flight can be achieved very quickly. When in combat mode, your adversary appears as a delta-wing shape.

The enemy planes are based on two real life jets – the Soviet Mig 21 and Su 15 – and supposedly mimic their big brothers' accurately. I couldn't really tell, but they are certainly deadly

enough and quite intelligent.

The cassette inlay takes great pains to stress the fact that this is a proper simulator and doesn't rely on arcade sprites to depict the objects. Everything, we are assured, is calculated and drawn on the screen at the rate of 15 frames a second.

I must agree that I wouldn't consider a game to be a true simulator either if the landscape and objects were drawn as sprites. But no flight simulator does this, so I can't see why Doctor Soft makes such a big thing of it.

And I must take issue with the claim of 15 frames a second animation. The flicker is dreadful. The techniques rather than the Electron's slow speed are at fault here – the display is constantly being drawn and wiped again, resulting in it being blank for 50 per cent of the time.

Phantom Combat is a



good simulator, marred only by a flickering screen display and a brief manual. This is a program which probably only comes into its own as the dual computer BBC Micro version, but as a stand-alone Electron simulator it is a good buy.

Chris Nixon

Sound	2
Graphics	8
Playability	6
Value for money	7
Overall	6

# Battling buzzards

**Product:** Skirmish  
**Price:** £9.95  
**Supplier:** Godax, 12 Chiltern Enterprise Centre, Theale, Berkshire RG7 4AA.  
**Tel:** 0734 302600

IMAGINE a world in which you sit astride a giant ostrich and engage in medieval-style jousting contests with opponents riding giant buzzards. This is the setting for Joust, Atari's smash arcade hit.

It sets itself apart from most other games by taking the idea of a two player game one stage further – you play not only against another human player, but also against a number of other computer opponents. Thus half a dozen combatants can be on the screen at once.

Now we have Skirmish, a superb conversion of this arcade favourite. Once loaded, three landing stages

are displayed and you are invited to start the game.

I found that the player sprites look rather messy because of the crammed-in detail. Aside from this minor point, Skirmish faithfully recreates all the additive qualities of the original.

The controls are simple: Left, right and flap. The last control causes your bird to flap its wings once. Press it repeatedly to hover and faster still to gain height.

Skirmish features three different types of computer controlled rider – the bounders, wearing armour, are fairly easy to defeat, the Hunters are more cunning and the Shadow Lords are almost impossible to dismount.

To win a joust you must fly into an opposing player making sure your lance is higher than his. A vanquished human opponent loses a life and reappears

somewhere else on the screen.

However, a computer opponent falls off his mount and turns into an egg, while his riderless buzzard flies off into the distance. You must grab the egg quickly or it will hatch, spawning a rider of the next grade.

If your lance is lower than your opponent's, you will die and your bird will fly mournfully away. You soon learn to fly to the top of the screen as quickly as possible, but even this commanding position is by no means safe.

When all the computer controlled riders have been defeated the next wave begins. Later stages add even more nasties: The lava troll that stalks along the bottom of the screen ready to grab any foolhardy contestant who comes too close. And the indestructible pterodactyl that flies

backwards and forwards until the wave has ended. The pterodactyl can appear on earlier waves if you take too long to dispose of your opponents – give it lots of air space.

Skirmish provides all the useful features that make all the difference to any good game: Pause/restart, sound on/off and quit game are all included. I can recommend it wholeheartedly – and it's even better if you have a Slogger Turbo board fitted.

It is one of the most playable games I have seen this year and will certainly lead to many late nights. To quote the loading commentary: Prepare to joust, buzzard bait.

Martin Reed

Sound	7
Graphics	7
Playability	9
Value for money	6
Overall	8



# Quality compendium

**Product:** *Play it again Sam 2*  
**Price:** £9.95  
**Supplier:** Superior Software,  
 Regent House, Skinner  
 Lane, Leeds LS7 1AX  
**Tel:** 0532-459453

THIS is Superior's follow-on to *Play It Again Sam*, and once more we have four classic hits packaged together for the price of one. First on the twin-cassette pack is **Repton 3**, the sequel of the original diamond digging arcade adventure game *Boulderdash* — also reviewed this month.

*Repton 3* features the now famous little character who loves digging for diamonds. The object is to defuse a time bomb present in each of the 24 screens, but first every diamond in the screen has to be collected, as well as a fabulous golden crown.

The puzzles are many and varied, and there is also a

**Stryker's run part 2** — there's a map to this in this month's Arcade Corner. *Stryker's Run* was one of my favourite games, but until now I hadn't played its sequel — and I was impressed with what I saw.

For a start, Commander Stryker's animated figure moves even more realistically, if that is possible, and he can even crawl on his belly to negotiate low objects.

The plot behind *Code-name: Droid* is, yet again, to foil the evil Volgans in their plot for world supremacy. This time your mission is to secretly land on the planet Volga and steal their revolutionary new spacecraft — *Code-name Z11* — from under their green noses.

To aid you, jet packs are to be found in various places to enable you to fly over obstacles and chasms. You also have a very sophisticated wrist terminal from which you can obtain lots of information about your current whereabouts.

To reach the enemy spacecraft, 12 levels of the complex must be descended. There are lifts, but you must first collect a



descend the tougher their armour becomes, requiring more blasts from your laser to turn them into nicely animated skeletons.

This game is much more complex than its predecessor and so much is involved that I can do no more than recommend you buy this compilation and find out more.

The second cassette is devoted to games by Kevin Edwards, who first hit the charts with his excellent *Galaforce*, nearly two years ago (doesn't time fly?), and it is now doing the rounds again on this compilation.

If you didn't buy *Galaforce* the first time round, you must not miss this opportunity to play what is, in my opinion, the best shoot-'em-up ever for the Electron and BBC Micro.

This praise is unqualified by any niggling moans. The game is sheer excellent programming, totally addictive and graphically stunning —

you'll never see sprites this big move so fast on your Electron again.

Wave after wave of different aliens sweep down upon



*Galaforce*

you in set patterns and the art of playing *Galaforce* is to memorise as many alien formation types as possible — if you don't, you won't last more than a few seconds in each zone.

I noticed that even the soundtrack has been faithfully copied from the BBC Micro version. Even though the Electron can't support more than one channel sound, the three

Turn to Page 18 ▶



*Repton 3*

deadly fungus to avoid. This grows and grows until you are eventually swallowed up and the only way to halt its progress is to surround it with rocks.

On the flip side of cassette one is *Code-name: Droid* —

security pass — which is only valid for transport either down or up one level.

Volgan guards abound and will shoot as soon as you approach them. To keep you on your toes, the further into the complex you

## ◀ From Page 17

part harmony has been broken down, each part played in succession so you don't miss out on the full effect.

What surprised me was the scrolling star backdrop. I had assumed that its inclusion in the Electron version would slow things down. Nothing could be further from the truth.

The action, while not quite as blindingly fast as on the BBC Micro, still comes thick and furious. I think the compilation is worth the

cash for this game alone.

Moving on to the final offering on the reverse of cassette two, **Craze Rider**, I was slightly disappointed. This is Kevin Edwards' second game for Superior, but it is – pardon the pun – streets behind *Galaforce*.

Faced with a motorcycle racing game, I was all settled in for an exciting session. The credits looked promising, fading in and out nicely and with mounting anticipation I pressed Space to start the race.

It says in the instructions that you can knock other

riders off the track, and that this is especially effective during the crazy scramble at the start of each race.

Well, try as I may I could only hit one or two other bikes, because my acceleration was so lousy compared to everyone else's that I couldn't match speeds with any other riders until the race was well under way.

I dare say that devotees of this game will just say hard cheddar for being a useless player, but as someone who could consistently win the race in *Revs* on the BBC

Micro with a lap time in the top three best, I couldn't help but feel that there was something missing with *Craze Rider*.

Perhaps it isn't fair to compare a full racing simulation like *Revs* with what is obviously a knock-'em-off fun game, but it really lacked that satisfying feeling – for me, at any rate.

Chris Nixon

Sound.....	7
Graphics.....	8
Playability.....	9
Value for money.....	10
Overall.....	9

## Spring into adventure

Product: *Quest*

Price: £9.95

Supplier: Superior Software,  
Regent House, Skinner  
Lane, Leeds LS7 1AX  
Tel: 0532-459453

RELEASES from Superior's stable are always to be taken seriously, and the latest game, *Quest*, is no exception. It is an arcade adventure – always one of Superior's favourite themes – in which you play the part of Walter Cobra, a clever but absent-minded young chap who has two favourite hobbies – exploring and inventing.

One day you stumble across a faded old map which shows the route to a buried object marked as the Golden Dragon. The starting point is a wishing well

which is still at home. However, having come this far you decide to press on regardless, and so – according to the cassette inlay – begins the greatest adventure of your life.

The objective is to seek and retrieve the legendary Golden Dragon shown on the original map. In the process, 12 power crystals must be collected and you must destroy three reactors. Destroying a reactor is achieved by getting inside it and firing a stun grenade – one of Walter's little inventions.

You control Walter with three keys: Left, right and jump. He is equipped with another of his little inventions – a pair of jet boots which will only function in rooms containing large triangular objects called transmogrifiers.

A great deal of the game's strategy derives from how you use these boots. Some rooms are so lethal it is safer if you fly through them. But no transmogrifier means you have to build up enough momentum from a neighbouring location to literally coast across in free fall.

Scattered throughout the maze are eight computer terminals, which can be interrogated if you are carrying the right object and know the password.

I played this game for a



long while without ever encountering a terminal, let alone a crystal. This goes to show just how large the adventure is, and it should certainly keep the old grey matter buzzing for a long time.

*Quest* lacks the clean-cut feel present in some of Superior's other games. While remaining an extremely challenging and very stimulating arcade adventure, little things niggled me. The screens are very cluttered and sometimes it's not too clear just what is going on.

Some floors can look solid, but you will fall through them because the

screen seems to contain some actual program data, which lies across the bottom of the picture.

Summing up, *Quest* is a nice arcade adventure, following in the footsteps of *Citadel* and *Palace of Magic*. The addition of gimmicks like the jet boots and computer terminals keep the interest up and I can certainly recommend it for its addictiveness alone.

Barry Wood

Sound.....	5
Graphics.....	8
Playability.....	9
Value for money.....	9
Overall.....	8



located a couple of miles from your home.

The next day you amble over to the well and climb down it. Only after reaching the bottom of the well do you remember the map,

# Tackle typing terrors!

**Improve your key bashing skills with ROLAND WADDILOVE's devious typing tutor**



THIS fast and furious arcade shoot-'em-up is actually a typing tutor, and is designed to improve your hand-eye coordination and knowledge of the keyboard.

Unlike other tutors, this one is intended to be both fun and addictive, while teaching you important skills at the same time.

The game places you at the controls of a strategic defence missile silo and it is your task to save the Earth from hordes of marauding alien invaders.

These bug-eyed monsters appear out of hyper space and drop down through the

upper stratosphere toward the ground. Little do they know what is in store for them!

Underground are many missile silos, built for just such an invasion. Each has its own control button and pressing it sends a missile to meet the oncoming extraterrestrials.

The keys to press are printed at the bottom of the screen and change with every wave of invaders.

The first fleet of aliens descend slowly, but later ones move more quickly. You shouldn't experience any problems dispatching

the first lot, but the others may prove a little more difficult — it all depends on how fast you can hit the appropriate letters.

If any aliens land they explode leaving a large crater and the blast will reduce your energy — indicated by a horizontal energy meter just above the control keys.

There is a great temptation to cheat and simply hit every key on the keyboard as fast as you can. To prevent this, your energy is

reduced slightly every time you hit a wrong key, so accuracy is just as important as speed.

The whole game — apart from the instruction screen — is written in assembly language for speed.

Be careful when entering the listing as a single typing error could make the Electron hang up, or at least print an obscure and meaningless error message.

To be on the safe side, save the program before running it.

```

10 REM Typing Terrors
20 REM By R.A.Waddilove
30 REM (c) Electron User
40 MODE <:FX16
50 PROCassemble
60 PROCInstructions
70 Wt:=1:landed:=37
80 REPEAT
90 PROCscreen
100 CALL code
110 UNTIL 1:landed=0
120 VDU28,2,15,17,18,12:CO
LOUR 3
130 PRINT TAB(1,1)"You're d
ead! TAB(2,3)"Another game?"
140 FOR i:=0 TO 2000:NEXT:~
FX21
150 IF INSTR("Y,GETS") RU
N
160 MODE 6
170 END
180
190 DEF PROCInstructions
200 VDU23,254,170,85,170,8
5,170,85,170,85
210 OSCILL:FX211":~FX4,1
220 PROCbig("Typing Terror
s",350,1000)
230 PRINT TAB(0,5)"Alien i
nvaders are attacking the Ea
rth"
240 PRINT:PRINTOnce More.
Your task is to save the'
250 PRINT:PRINT"planet fro
m destruction. You have 10
260 PRINT:PRINT"missile ba
ses each controlled by a'
270 PRINT:PRINT"separate k
ey - printed at the bottom"
280 PRINT:PRINT"of the scr
een. Press a key to fire a
290 PRINT:PRINT"missile."
300 PRINT TAB(0,20)"Press
SPACE to start..."
310 REPEAT UNTIL GET
320 VDU22,5,23,1;0;0;0;0;
330 ENDPROC
340
350 DEF PROCscreen
360 COLOUR 1:CLS
370 COLOUR 2:PRINTTAB(3,10
)"Get Ready...:TAB(4,12)"Fo
r Wave "Wt;..."
380 COLOUR 129:VDU28,0,31,
19,26,12,26:PRINT TAB(0,26)S
TRINGS(40,CHRS(254))
390 GCOL0,0:MOVE 16,116:DR
AW 16,40:DRAW 1264,40:DRAW 1
264,116:DRAW 16,116
400 MOVE 32,148:DRAW 1250,
148:MOVE 32,144:DRAW 1250,14
4
410 FOR I:=1 TO 7:landed+1
420 ~:C(679C2+I*8)=60F:~(67
9C3+I*8)=60F
430 NEXT
440 GCOL0,3:MOVE 24,152:DR
AW 1256,152:DRAW 1256,148:DR
AW 24,148:DRAW 24,152
450 Wt:=Wt+1:ks="
460 PRINT TAB(1,31)"Wave:
Wt;TAB(9,31)"Score:0000";
470 FOR i:=0 TO 9
480 REPEAT as=CHRS(64+RND(
26)):UNTIL INSTR(ks,as)=0:ks
=ks+as
490 I?keys=ASC(as)
500 PROCbig(as,32+1+128,10
6)
510 NEXT
520 IF Wt<4 ?speed=4-Wt EL
SE ?speed=0
530 COLOUR 128
540 PRINTTAB(0,10)STRINGS(
60,"")
550 COLOUR 129
560 ENDPROC
570
580 DEF PROCbig(as,Xt,Yt)
590 VDU5:MOVEXt,Yt
600 FOR I:=1 TO LENas
610 At=GCOL0+(ASC(MID$(as,
I))-32)*8
620 VDU23,255,At,At,At?1
,At?1,At?2,At?2,At?3,At?3
630 VDU255,10,8
640 VDU23,255,At?4,At?4,At
?5,At?5,At?6,At?6,At?7,At?7
650 VDU255,11

```

Turn to Page 21 ►

# ICARUS

**£9.95** cassette  
BBC Model B, B+,  
Master and Electron

**£11.95** disc  
BBC series:  
5 1/4 or 3 1/2"



Split-screen action with different views for each player. When you are both in the same area the views are the same.

Crack the code to the forcefield, pass through the portals to raid the area of valuable credits, then head for the lift.

Now **TWO**  
can play – and  
experience ...

## THE CHALLENGE OF A LIFETIME!

Starship Icarus is plummeting towards the sun, and the only hope of averting the impending cataclysm is for you to teleport on board, disable the master computer and regain control...

This spectacular fast-action game has a unique split-screen which means that one player can complete the game on his own – or play simultaneously with a friend – to fight the trigger-happy droids which infest the ship. With 20 levels of nerve-racking excitement, forcefields, mines,

electronic doors, emergency lifts, movable walls, and opportunities to build up your armour, blaster and health ratings, this is one game you won't complete in a few weeks!

There can be no doubt that Icarus, with its incredible one- or two-player action, is one of the most exciting games ever created for the BBC Micro and Electron.

✚ Check it out for yourself –  
and take up the challenge!

Icarus is the result of six months intensive work by Powerhouse Software, the programming team which developed the top-selling Durgint. A full three months has been spent play-testing and fine-tuning to produce an addictive challenge with a gameplay that's really out of this world!



# MANDARIN

SOFTWARE

Europa House, Adlington Park,  
Adlington, Macclesfield SK10 4NP.

TELEPHONE ORDERS: 0625 879920 ENQUIRIES: 0625 879940

Available from all good stockists or order direct by sending a cheque or postal order made payable to Mandarin, together with your name and address. Access or Visa owners: Phone our hotline or send your card number with your order. Price include P&P



## ◀ From Page 19

```

600 NEXT
670 VDU4
680 ENDPPOC
690
700 DEF PROCassemble
710 DIM code 1200
720 osbyte!&20A:oswrch!&
28E
730 d1a#0
740 new#&50:temp#&52
750 columns#&54:rows#&55
760 temprows#&56:speed#&57
770 account#&58:lcount#&59
780 inkey#&5A:wave#&5B
790 delay#&5D:lended#&5E
800 keys#&59
810 FOR pass#0 TO 2 STEP 2
820 PTCcode
830 OPT pass
840
850 .start
860 LDA #0:STA wave:LDA #5
:STA wave+1
870 LDY #9:STY lcount 110
aliens
880 LDA #9:d1a:STA account
890 .loop
900 JSR BAF51:LDA &2A:ORA
A1
910 LDY account
920 STA aliens+2,X:STA ali
ens+4,X
930 LDY lcount:LDA keys,Y:
STA aliens+7,X
940 TYA:ASL A:ASL A:STA al
iens,X
950 LDA #0:STA aliens+3,X
960 STA aliens+6,X 110 n:
s1le
970 SEC:LDA account:SBC #d1
a:STA account
980 DEC lcount:BPL loop
990
1000 .main
1010 JSR delay.loop
1020 LDA #9:d1a:STA account
1030 JSR input
1040 LDA lended:BEQ exit
1050 .loop
1060 SEC:JSR move.aliens:CL
I
1070 LDA lended:BEQ exit
1080 JSR fire
1090 LDA #0:LDY #&FF:LDX
#0:JSR osbyte
1100 TYA:BNE exit
1110 SEC:LDA account:SBC #d1
a:STA account
1120 BPL loop
1130 DEC wave:BNE .main
1140 DEC wave+1:BNE .main
1150 .exit
1160 RTS
1170
1180 .input
1190 LDA #0:LDX #0:LDY #0
:JSR osbyte
1200 TYA:BEQ keyp
1210 LDY #0:JSR end.input
1220 .keyp
1230 TAX
1240 LDY #0
1250 .loop
1260 CRP keys,Y:BEQ end inp
ut
1270 DEF:BPL loop
1280 JSR power
1290 .end.input
1300 STA inkey
1310 RTS
1320
1330 .power
1340 STY temp:STX temp+1
1350 LDA #7:JSR oswrch
1360 LDY lended:INX:LDY #21
B:JSR convert
1370 LDA #0:TYA:STA (new),Y
:INX:STA (new),Y
1380 DEC lended
1390 LDY temp+1:LDY temp
1400 RTS
1410 .score
1420 LDA #7:JSR oswrch
1430 LDA #31:JSR oswrch:LDA
#15:JSR oswrch:LDA #31:JSR
oswrch
1440 LDY #2
1450 .loop
1460 INC digits,X
1470 LDA digits,X:CMP #ASC
#10:BNE SC ok
1480 LDA #0:STA digits,X
1490 DEF:BPL loop
1500 .sc.ok
1510 LDY #0
1520 .loop
1530 LDA digits,X:JSR oswrch
B
1540 (NX:CPX #3:BNE loop
1550 LDY account
1560 RTS
1570 .digits EQU$ 0000
1580 .delay.loop
1590 LDA speed:BEQ del.end:
STA delay
1600 .loop
1610 LDA #19:JSR osbyte
1620 DEC delay:BPL loop
1630 .del.end RTS
1640
1650 .fire
1660 LDY account
1670 LDA aliens+6,X:BEQ new
.miss
1680 LDA aliens+2,X:BNE mov
e.miss
1690 SEC:LDA aliens+5,X:SBC
aliens+1,X:CMP #20:BCC move
.miss
1700 LDA #2:STA aliens+3,X
1710 JSR score
1720 .miss.off
1730 LDY aliens+5,X:LDA ali
ens+6,X:TAX:JSR convert
1740 LDA #0:LDY account:STA
aliens+6,X
1750 LDA #blank MOD256:STA
pdata+1:LDA #blank DIV256:ST
A pdata+2
1760 LDY #1:LDY #12:JMP pri
nt
1770 .move.miss
1780 LDA aliens+3,X:BEQ mis
s.off:SEC:LDA #4:NEW STA ali
ens+5,X
1790 TYA:STA aliens+6,X:TAX
:JSR convert
1800 LDA #missdata MOD256:ST
A pdata+1:LDA #missdata DIV
256:STA pdata+2
1810 LDY #1:LDY #12:JMP pri
nt
1820 .new.miss
1830 LDA aliens+7,X:CMP ink
ey:BEQ put.miss:RTS
1840 .put.miss
1850 CLC:LDA aliens,X:ADC #
1:STA aliens+6,X:LDA #190:JM
P nn
1860
1870 .move.aliens
1880 LDY account
1890 LDA aliens+2,X:BNE new
alien
1900 LDA aliens+3,X:BEQ ali
en.ok
1910 DEC aliens+3,X:BEQ era
se
1920 .start exploding
1930 LDY aliens+1,X:LDA ali
ens,X:TAX:JSR convert
1940 LDA #pdata MOD256:STA
pdata+1:LDA #pdata DIV256:
STA pdata+2
1950 LDY #4:LDY #17:JMP pri
nt
1960 .erase
1970 LDA aliens+4,X:STA ali
ens+2,X
1980 LDY aliens+1,X:LDA ali
ens,X:TAX:JSR convert
1990 LDA #blank MOD256:STA
pdata+1:LDA #blank DIV256:ST
A pdata+2
2000 LDA #4:LDY #17:JMP pri
nt
2010 .alien.pt
2020 INC aliens+1,X:LDY ali
ens+1,X
2030 CPY #197:BNE .ok
2040 LDA #2:STA aliens+3,X
2050 JSR power
2060 .ok
2070 LDA aliens,X:TAX:JSR c
onvert
2080 LDA #pdata MOD256:ST
A pdata+1:LDA #pdata DIV25
6:STA pdata+2
2090 LDY #4:LDY #17:JMP pri
nt
2100 .new.alien
2110 DEC aliens+2,X:BNE ne
w.alien
2120 LDA #0:STA aliens+1,X:
TAX
2130 LDA aliens,X:TAX:JSR c
onvert
2140 LDA #pdata MOD256:ST
A pdata+1:LDA #pdata DIV25
6:STA pdata+2
2150 LDY #4:LDY #17:JMP pri
nt
2160 .new.exit
2170 LDY #0:LDY #0:BEQ BNE l
oop
2180 RTS
2190
2200 .aliens
2210 EQU$ STRING$(10+d1a,CH
#00)
2220
2230 .print
2240 STX columns:STY rows
2250 LDY #0:LDY #0
2260 LDA new:STA temp:LDA n
ew+1:STA temp+1
2270 .loop1
2280 LDY rows:STA temprows
2290 .loop2
2300 .pdata LDA &3000,X:STA
(new),Y
2310 INX
2320 LDA new:AND #7:CMP #7:
BEQ pb
2330 INC new:BNE pnext:INC
new+1:JMP pnext
2340 .pb
2350 LDA new:ADC #&30:STA n
ew:LDA new+1:ADC #1:STA new+
1
2360 .pnext
2370 DEC temprows:BNE loop2
2380 LDA temp:ADC #8:STA ne
w:STA temp:LDA temp+1:ADC #0
:STA new+1:STA temp+1
2390 DEC columns:BNE loop1
2400 RTS
2410
2420 .convert
2430 LDA #0:STA new+1:TXA:A
SL A:ASL A:ROL new+1:ASL A:R
OL new+1:STA new
2440 TYA:AND #7:ADC new:STA
new:LDA new+1:ADC #8:STA ne
w+1
2450 TYA:LSR A:LSR A:LSR A:
ASL A:TAY
2460 LDA table,Y:ADC new:ST
A new:LDA table+1,Y:ADC new+
1:STA new+1
2470 RTS
2480
2490 .table
2500 OPT Fntable
2510
2520 .blank
2530 EQU$ STRING$(174,CHRS
0)
2540 OPT Fnsprite.data
2550 .missdata EQU$ &30B:E
QU$ &30B0303:EQU$ &30B3:EQU
$ 0
2560 ]
2570 NEXT
2580 ENDPPOC
2590
2600 DEF Fntable
2610 FOR i#0 TO 31
2620 [OPT pass:EQU$ &500+i
*64]:0
2630 NEXT
2640 #pass
2650
2660 DEF Fnsprite.data
2670 Fnspre
2680 sprdata#PI:exdata#sprd
ata+4*17
2690 FOR i#0 TO 244+17-1 ST
EP 4
2700 READ a$
2710 [OPT pass:EQU$ EVAL'G
+a$]:1
2720 NEXT
2730 #pass
2740
2750 .NEW SPRITE
2760 NEW x#4/Y#17
2770 DATA 3010000,7343412,7
60707,3010303,6907000,C1C1
E1E1,F0F0F0,F0F0E4
2780 DATA 0000000,3070700,7
F0F0F0,F0120F,F,0400000,E
0EC2C2,C0E006,60C00C
2790 .NEW EXPL
2800 NEW x#4/Y#17
2810 DATA 100,2000100,10002
,100,20000,3040100,40300701
,2000410,4000000
2820 DATA 20000200,C00B0C0
,20020,4,8,040000,000,8

```

# JOYSTICKS—THE COMPLETE SOLUTION



DELTA 35 SINGLE-MASTER COMPACT or ELECTRON FIRST BYTE INTERFACE \$12.95

The same light, hand-held, fast, light action of a 38 but fitted with switches for use with a switched joystick interface, such as a First Byte.

FIRST BYTE INTERFACE \$19.95

PLUS 1 INTERFACE \$29.95

SLOGGER JOYSTICK INTERFACE \$19.95

To run a Delta 35 switched joystick on a Plus 1 which runs many of the new

Acorn compatible joystick programs.

SPECIAL OFFERS

Buy a DELTA 35 and a FIRST BYTE INTERFACE together for \$29.95

Buy a DELTA 38 SINGLE and PLUS 1 INTERFACE together for \$59.95

Buy a DELTA 35 and SLOGGER JOYSTICK INTERFACE together for \$29.95

NEW III DELTA 350 SINGLE-MASTER COMPACT or ELECTRON FIRST BYTE

INTERFACE \$19.95

Optical Feed Back. The joystick is fitted with 5 coloured lights to show you exactly when a switch has operated, so you need only move the joystick a minimum amount, and can be certain that you have given a true diagonal signal to the computer.



Available from your dealer  
or direct from us



\$12.95

DELTA 38 SINGLE-BBC B or ELECTRON PLUS 1  
A single joystick that in some ways can act as two. The custom made special 'low noise' potentiometers are wired so that it will work as a left hand or right hand joystick. It can even run some programs written for two joysticks and has the fire buttons of both.

## SPECIAL OFFERS

Webware	\$1.99
Region 2	\$2.99
Both for	\$4.49

## DELTA 38 TWIN-BBC B or ELECTRON PLUS 1

\$19.95

A direct but improved alternative for the original ACORN joysticks, with 2 joysticks wired to one plug. As with all our joysticks they have the fast action sprung to centre return of the steel shafted nylon covered joystick. The light action makes them ideal to hold and the 3 fire buttons allow left or right-handed use.



Unit 9 (Dept. EU)  
Bondor Business Centre  
London Road  
Baldock  
Herts SG7 6NF  
Telephone: (0462) 894410

# Voltmace

QUAL-SOFT

## WORLD OF SOCCER

Sports  
simulations

ARE YOU A POTENTIAL 1st DIVISION MANAGER?  
ARE YOU A POTENTIAL ENGLAND MANAGER?

Football management is not a mental arithmetic exercise. Deciding whether a skill level of 6 is a better choice than a skill level of 4 has nothing to do with a knowledge of soccer. Football management is about judgement; YOUR JUDGEMENT! Judgement about a players skills. Judgement of how skills combine to make a successful team. And judgement of the performance of the team on the field of play. Our "WORLD OF SOCCER" games are not so much computer games as computer SIMULATIONS of the world of the soccer manager.

DARE YOU TEST YOURSELF?

## SOCCER SUPREMO

A LEAGUE MANAGEMENT SIMULATION

## MEXICO '86

A WORLD CUP MANAGEMENT SIMULATION

TAPE 1  
6 Seasons  
League Division 1  
The F.A. Cup

TAPE 2  
European Cup  
U.E.F.A. Cup  
Cup Winners Cup

TAPE 1  
Friendlies  
World Cup  
Qualifiers

TAPE 2  
World Cup Finals  
Phase 1 (groups of 4)  
Phase 2 (last 16 knockout)

STILL THE ONLY ELECTRON SOCCER MANAGEMENT GAMES WITH GRAPHICS!

\*SPECIAL OFFER: Soccer Supremo & Mexico '86 (4 tapes and 2 manuals packaged as 2 games) £14.95

Both games are sent by return post, 1st class. Access authorisation accepted over the 'phone

QUAL-SOFT Tel: 0438  
Dept. EU, 721936  
18 Hazlemere Road  
Stevenage SG2 8RX



Please supply:  
Soccer Supremo ☐ £9.95  
Mexico '86 ☐ £9.95  
SS & M'86 ☐ £14.95

Name: \_\_\_\_\_  
Address: \_\_\_\_\_  
Access No. (if applicable) \_\_\_\_\_

# STAYING IN THE SHADOWS

HOPEFULLY some of you have already been dabbling a little, poking and peeking your hidden ram using the methods I explained in last month's issue.

If there is still some doubt about how to go about it safely, read on as I'll show you how to use the lower 12k of bank zero as a huge text storage area.

For those of you who missed Part I of the series, we are exploring ways of using the unused memory provided by Slogger's Master Ram Board, and you can still catch up with the action this month because the programs are fully self-contained.

The short piece of machine code from last month's article is going to stay with us for the duration of the series, as it is the central core of all the utilities I will be presenting.

And to keep things straightforward, I will be resorting to using machine code for other purposes only where strictly necessary.

Take a look at Program I. It is a collection of three short procedures, which when used together provide a sort of ram filing system.

Making sure that you are in 64k mode, type in Program I and save it. Don't try

to run it in its present form, as it is designed to be merged on to the end of an existing Basic program, and so must first be spooled to tape or disc.

Type \*SPOOL ASCII and press Return, making sure you have a disc in the drive or a tape in the recorder. Now list the program, pressing Shift to scroll if necessary. When the Basic prompt re-appears, type \*SPOOL by itself and press Return.

The program is now stored in Ascii format, ready for attaching to any Basic program which is to work in shadow ram and also needs

extra text storage space.

Program II is just such a program, so type NEW and enter the listing. When you have finished, rewind the tape if using one, and type \*EXEC ASCII.

The recently spooled file will be added line by line to Program II in memory. Ignore any syntax errors which may appear.

You can list the program and see that Programs I and II are indeed merged. It would be wise at this point to save the complete program to avoid having to merge both programs again if something unfortunate should happen.

Program II is just a demonstration of how to use the procedures from Program I, but before you run the merged program an explanation of what Program I does is needed.

PROCassem assembles

our shadow ram poke and peek routines, and should be called with PROCassem at the start of any program using these procedures.

PROCput stores any string in ram bank zero, using a similar method to the example listing from last month. The two parameters are the string to be stored and its ram file number.

The file number is very important. In order to be able to find your strings at a later date, a file number is needed to indicate where in bank zero ram they are held.

It works by assuming that a fixed record length is being used, which means the length of any strings stored is dictated by the variable size% - pre-set to 50 by Program II.

PROCput places a string in the hidden ram at locations which are multiples of whatever value is currently in size%.

In this case the file number tells it how many chunks of 50 bytes must be skipped over before placing the string.

A carriage return character - CHR\$(13) - is added to the end of all stored strings, so PROCget knows when each one ends. PROCget

```
30000 DEFPROCassem
30010 DIM code% 100
30020 FOR pass% = 0 TO 2 STEP 2
30030 P% = code% : OPT pass%
30040 .get
30050 LDA #0:PHA:PLP:JMP EFB
30060 .put
30070 PHA:LDA #64:PHA:PLP
30080 PLA:JMP EFB
30090 :NEXT:ENDPROC
30100 :
30110 DEFPROCget(ss,P%)
30120 LOCAL AX,IX,YX,LX
30130 IF LEN$(S%) > size% * VDU7
30140 :PRINT"String too long:"S%:
30150 STOP
30160 ptr% = size% * P%
30170 FOR LX = 1 TO LEN$(S%)
30180 LX = ptr% MOD 256
```

Program I

```
30170 YX = ptr% DIV 256
30180 AT = ASC(LEN$(S%,LX,1))
30190 CALL put:ptr% = ptr% + 1
30200 NEXT:AT = 13
30210 ptr% = ptr% MOD 256
30220 YX = ptr% DIV 256
30230 CALL put:ENDPROC
30240 :
30250 DEFPROCget(PX)
30260 LOCAL AX,IX,YX,LX
30270 ptr% = size% * PX
30280 S% = "" : REPEAT
30290 IX = ptr% MOD 256
30300 YX = ptr% DIV 256
30310 AT = USR(get) AND EFB
30320 S% = S% + CHR$(AT)
30330 ptr% = ptr% + 1
30340 UNTIL LX = 13: S% = LEFT$(S%,
30350 LEN$(S%))
30360 ENDPROC
```

Program II

```
10 REM String store
20 REM By Chris Nixon
30 REM (c) Electron User
40 REM
50 MODE 6:PROCassem
60 size% = 50:FOR LX = 0 TO 4
70 INPUT LINE TEXT "AS
80 PROCput(AS,LX):NEXT
90 PRINT:FOR LX = 0 TO 4
100 PROCget(LX):PRINT S%
110 NEXT:END
```

Turn to Page 24 ►

# Programming

## ◀ From Page 23

also needs you to specify a file number, which again is multiplied by the current value of `size%` to calculate the address at which the string is stored.

It then retrieves the string and places it in `SS` character by character until it finds the carriage return marker.

You can only change the value of `size%` to allow storage of strings up to 255 characters long, because Basic cannot handle strings bigger than this.

Remember that if the record size is too long, after 40 or 50 strings you may begin to corrupt the screen memory, which is just above our 12k storage space in bank zero.

This won't affect your program in the slightest, but it will disturb the strings stored in this area the next time anything is printed on

screen. Note also that changing the value of `size%` mid-way through a program is not recommended, because unless you are very sure of what you are doing you could corrupt previously stored strings.

Now you can run the merged program, which will ask you to type in five lines of text. When you have finished, all five lines will be printed again on the screen. Not very inspiring, you might think, and with good reason.

Program II really illustrates the power of the procedures in Program I, because no variables were used to store the five lines of input – apart from `AS` and `SS`, which are just temporary data carriers between the main program and the store/retrieve procedures.

You could adapt the program to store up to 245 different strings of 50 bytes

## Shadow Ram Mini-Database By Chris Nixon - (c) Electron User

### Main Menu

- 1) Search for an entry
- 2) Add a new entry
- 3) Delete an entry
- 4) Save data bank
- 5) Load data bank
- 6) Wipe current data

Select option (1-6):

each – even in Modes 0, 1 and 2.

Moving on to Program III, we have yet another way of utilising the procedures from Program I, in the form of a mini database which

uses bank zero for its storage space. Again, type NEW, enter Program III, rewind your tape and type \*EXEC ASCII.

What you now have is a program which utilises the unused 12k in bank zero as a sort of ram disc. Although a touch slow, you should appreciate that it is entirely written in Basic.

The database allows up to 120 entries, each 100 bytes long. Use it for addresses, telephone numbers, filing your record collection or anything you like.

When you add an entry to the database, type it in as a continuous string; full-stops and commas are accepted, because of Basic's INPUT LINE command.

When you display an entry it will be neatly formatted, with no words broken over the end of a line.

Included in the database is an option to save the whole lower 12k of bank zero which holds our data to tape or disc.

To achieve this, the program uses simple sequential file handling techniques involving no more commands than OPENIN, OPENOUT, PRINT# and INPUT#. The real nitty-gritty is still performed by PROCput and PROCget.

● That little lot should keep you going until next month, when I'll show you how to have two 12k programs in memory at the same time.

```
10 REM Mini Database
20 REM By Chris Nixon
30 REM (c) Electron User
40 REM
50 OVERRRGOTO40
60 MODE 1:PROCasse
70 PROCSetup:REPEAT
80 PROCMenu:UNTIL0
90 DEFPROCSetup:sz:=101
100 IFZ=69:ENDPROC ELSE Z
Z:=69:AS=CHR$0:FORL:=0:TO119:F
ORL:=AS,LZ:=NEXT:ENDPROC
110 DEFPROCMenu:PROCTitle(
'Shadow Ram Mini-Database':
PRINTAB(3,5):By Chris Nixon
- (c) Electron User:COLOUR
1:COLOUR3:PRINTTAB(16,18):
Main Menu:COLOUR3:COLOUR28
32B PRINT"SPC(10) Search
for an entry"
130 PRINT"SPC(2) Add a n
ew entry"
140 PRINT"SPC(3) Delete
an entry"
150 PRINT"SPC(4) Save da
ta bank"
160 PRINT"SPC(5) Load da
ta bank"
170 PRINT"SPC(6) Wipe cu
rrent data"
180 PRINT"SPC(8):COLOUR2
:PRINT"Select option (1-6):
:COLOUR3:REPEAT:GET=48:
UNTIL0:0 AND 5:7
190 ONGSGOTO208,210,220,23
0,250,260
270 PROCSearch:ENDPROC
210 PROCAdd:ENDPROC
220 PROCDelete:ENDPROC
230 PROCsave:ENDPROC
240 STOP
250 PROCload:ENDPROC
```

```
260 PROCWipe:ENDPROC
270 DEFPROCTitle(T$):LOCAL
LZ:=COLOUR(COLOUR29:FO
R L:=1:TO5:PRINTTAB(19,LENTS/2
,LZ)STRINGS(LENTS/2,""):NEX
T:PRINTTAB(20,LENTS/2,2)TS:C
OLOUR3:COLOUR28:ENDPROC
280 DEFPROCJustify(J$):prL
:=LENJ$
290 CX:=INSTR(J$,"",PT$)11
FC:=0:PRINTRIGHTS(J$,LENTS-p
TX-1):ENDPROC
300 sz:=CX+1:prL:=CX+sz
310 IFCT<40:PRINT:CT:=1:GOTO
290
310 PRINTMDS(J$,prL,sz):
prL:=prL+sz:GOTO 290
320 DEFPROCDelete:PROCTitle(
'DELETE an entry'):LZ:=IN
PUT"String to search for
",sz:IFsz=0:sz=CHR$3
330 PROCTitle('SEARCHING -
Please wait ...'):REPEAT:PR
OCget(LZ):FZ:=INSTR(SS,sb):LZ
:=LZ+1:UNTILLZ=120 OR FZ=0:IF
FZ=0:ENDPROC
340 PROCTitle('Press D to
delete, SPACE to search'):PR
INTAB(0,18):PROCJustify(SS)
:REPEAT:GET:=UNTILG=32 OR
G=45:7:IF G=32:GOTO330
ELSE:LZ:=1:AS=CHR$0:PROCTu
(A$,LZ):ENDPROC
350 DEFPROCSearch:PROCTitle(
'SEARCH for an entry'):LZ=
0:INPUT"String to search
for",sz:IFsz=0:sz=CHR$3
360 PROCTitle('SEARCHING -
Please wait ...'):REPEAT:PR
OCget(LZ):FZ:=INSTR(SS,sb):LZ
:=LZ+1:UNTILLZ=120 OR FZ=0:IF
FZ=0:ENDPROC
```

```
370 PROCTitle('Press SPACE
to search for more'):PRINT
AB(0,18):PROCJustify(SS):REP
EAT:UNTILGET=32:GOTO340
380 DEFPROCAdd:PROCTitle(
'ADD an entry'):PRINT"REP
EAT:INPUTLINEInput entry ,
s$:UNTILLeng$=sizeL:PROCTitl
e('Looking for a free slot .
...')
390 LZ=0:REPEAT:PROCTitle(
LZ:=LZ+1:UNTILLZ=120 OR SS=
CHR$0:IF SS<>CHR$0:PROCTitle(
'No free slots - SPACE for
Main Menu'):REPEAT:UNTILGET=
32:ENDPROC
400 LZ=LZ+1:PROCTitle(s$,LZ)
:ENDPROC
410 DEFPROCsave:PROCTitle(
'SAVE data bank'):INPUT"Fi
lename",FS:CH:=OPENOUT FS
:FORL:=0:TO119:PROCTitle(LZ):PR
INTWCHT,SS:NEXT:CLOSE#0:ENDP
ROC
420 DEFPROCload:PROCTitle(
'LOAD data bank'):INPUT"Fi
lename",FS:CH:=OPENIN FS
:FORL:=0:TO119:INPUTWCHT,SS:PR
OCput(SS,LZ):NEXT:CLOSE#0:EN
DPROC
430 DEFPROCwipe:PROCTitle(
'WIPE all entries - sure (Y/
N)?'):GET=GET:IF G="Y":PROCT
itle('Wiping - please wait
...'):AS=CHR$0:FORL:=0:TO119:
PROCTitle(A$,LZ):NEXT:ENDPROC
ELSE:VOUT:ENDPROC
440 IF ERR#17 RUN
450 PROCTitle('ERROR - Pre
ss SPACE for Main Menu')
460 REPORT:REPEAT:UNTILGET
=32:RUN
```



I SHOWED you last month how to use ViewSheet to predict future profit and loss in a small software company.

Now we'll take a look at how to keep the boss happy, by producing encouraging bar charts of the year's profits to pin on his wall.

In the process we'll be tackling two of ViewSheet's other powerful functions — windows and replication — and afterwards, hopefully dispel some of the mystery associated with these features.

First though, I want you to load in last month's Clever Soft profit calculator sheet, and add to it the spreadsheet description in Listing 1, using the method I described last time.

If you are in Mode 0 or 3, you should end up with a display similar to Figure 1. This is a mock-up of Clever Soft's monthly profits, from January through to December.

The value shown in slot B30 is taken directly from January's net profit column in slot C18, and to simplify things all the other monthly results have been invented just for our bar chart.

I mentioned that ViewSheet deals with three types of slot contents — labels,

# CHARTING YOUR SUCCESS

## Part 3 of CHRIS NIXON's series on ViewSheet shows you how to produce instant bar charts

Slot	Contents
A30	90.125
A31	88.34
A32	85.75
A33	83.925
A34	79.64
A35	74.391
A36	79.914
A37	88.692
A38	125.254
A39	140.657
A40	170.264
A41	236.518

Listing 1

values and formulae — and if a slot contains a formula ViewSheet will always display its result, rather than

the actual slot contents.

What I didn't point out was that there are actually two ways of displaying a value or a formula's result.


ViewSheet is, if directed, capable of representing a slot's value by a row of asterisks, the exact number being determined by the value or result of a formula in the slot. This is, of course, rounded to the nearest whole number.

For instance, if slot A1 contains the value 32, or if it contains a formula whose result is 32, then a row of 32 asterisks could be displayed instead, starting at the first character of the slot and extending toward the right

of the screen. It is this feature that enables us to create bar charts from all sorts of sheet layouts.

Imagine a column of 20 values, all represented instead by a row of asterisks and you can see how it works.

However, this method of displaying slot contents can



mess up the look of your sheet if not used with care, so there are certain conventions to be followed when setting up such a display.

The first involves the use of windows. ViewSheet is capable of partitioning the screen to show up to 10 different areas of your sheet at the same time. These partitions are known as windows, and are similar to Basic's text window facility.

Each one can only be as big as there is available room on screen, and usually

Figure 1: The sheet after entering Listing 1

Turn to Page 27 ►

# Feature




Figure 11: The sheet after using the replicate function

## ◀ From Page 25

It is impractical to set up more than four at once. We are going to use just two windows, one in which to display our bar chart and the other to provide a constant display of the top of the sheet.

The main reason for using windows in this case is that the bar chart display facility can only operate on whole windows, not individual slots.

As ViewSheet by default uses one window all the time, everything else on the sheet would appear as long strings of asterisks as well as our chart!

We neatly avoid the problem by partitioning our screen half-way down, with the lower half set to display slots in bar chart format.

There are other advantages to using windows – each one is capable of independent scrolling in any direction, while all other windows stay put.

This means you can be occupied in the top window, changing values and moving around, while the bottom bar chart display remains stationary, but will be updated in real time as you fiddle about.

Now on to setting up our bar chart. Before we start

work on the window setup, we must first use the profit mock-up table – which you have just entered – to create another table which will make up our bar chart.

The reason why we can't directly use the table shown in Figure 1 is that some of the values would go way off screen. What we need to do is create a second table where the results from the first are divided down a little before being displayed as a bar chart.

Move the slot cursor down the sheet to slot A50, and enter the formula: B30/3.5. You should immediately see the result, 25.75, appear under the cursor.

Dividing by 3.5 ensures that the finished bar chart will stay within the limits of the screen, unless the profits are made much larger.

In which case simply increase the division constant to four or more until the values look OK. The maximum displayable bar is 70 characters wide, so use this as your yardstick.

Now we need to copy this formula into A51-A61, using the same division formula. We could do this manually, slot by slot, but this is an ideal opportunity to introduce one of ViewSheet's most powerful fea-

tures, replication.

Replication is called in whenever you need to copy a block of slot entries to another part of a sheet. It is fast, very flexible, and once mastered you can build extremely powerful sheets in a very short time.

Press Func+1, shown on the keycard as Replicate. You are prompted at the top of the screen: "From – To?". At this point we must examine the way replication will interpret your answer.

You can replicate just one slot at a time, in which case you would reply with: slot1-slot2, where slot1 is the slot you wish to copy and slot2 is the destination. However, you can also copy a whole row or column at a time, and this needs a little more thought.

A contiguous group of slots is called a range and may lie either horizontally or vertically on the sheet. In our case we are interested in the vertical range A51-A61.


To copy slot A50 into all the slots in this range, we would reply to the "From – To?" prompt with: A50-A51A61. Look at this carefully and you will see how easy it is. We have simply entered the sheet reference for the slot we want to copy, followed by a dash, and the top and bottom slot references of our range.

Note the top and bottom of the range is run together with no space in between. This is vital to ViewSheet's interpretation of what we want to do, because replication can be applied in many different ways, and we need to be specific about what we want.

ViewSheet will attempt to copy the slot into the range as soon as you press Return, but will stop almost immediately with the query:

Relative, No change?  
B30/3.5

The slot reference B30 is inverted black on white, and what ViewSheet is asking is



whether you want the reference to slot B30 to be copied verbatim or be adjusted relatively for each slot it is copied into.

If this sounds confusing, think about it like this. If you pressed N at this point, signifying that you want to copy the formula verbatim, then every slot in the range A51-A61 would contain the same formula. Not much use for our purposes here.

Therefore press R and the formula will be adjusted relatively through all of the slots into which it is being copied. The result is that slot A51 will contain B31/3.5, A52 will contain B32/3.5, and so on.

Viewsheets always highlights any slot reference found during a replication and asks you this question. You must answer with care, because in a complex formula some slot references may have to remain the same throughout the replication process.

So in case you haven't already done so, press R in response to the replication prompt, and after half a second or so all the slots in the specified range will be filled with the formula from A50, but adjusted properly for their different vertical positions.

Check Figure II, which

should be the same as your screen display at this point.

As I mentioned earlier, replication can take many forms, and we will cover the rest of them in later articles. Now we want to move on and create a twin-window display.

Press Func+2, labelled Edit Window on your keycard, and you will be greeted with the prompt "Window?". We first want to redefine the current window - which is number zero - so type 0 and press Return.

The current window definition will appear on the editing line, consisting of eight parameters printed below eight headings. The parameters control how wide and tall the window is, its position relative to others and various other functions.

With the arrow keys, move the cursor under the heading TopL, which is the slot reference of the current top left of the screen.

Overtyping the value shown with A30 and move beneath the heading BotR, the slot reference for the current bottom right of the screen.

Again overtype the value shown, but this time with I41. This should ensure our top window now only shows the figures entered previously from Listing I.

Now move to below the heading Opt. This part contains the various option settings of the window, concerning how it is displayed. Type T, then S.

This means that we want to disable both the Top and Side margins for that window, thereby tidying the screen and at the same time allowing more to be displayed. Press Return, and the new definition will be digested.

If there is anything wrong with it, such as an illegal parameter, ViewSheet will beep and list the definition again ready for editing, with the cursor under the offending parameter.

If the new window is accepted, the screen will change immediately to look like Figure III. Notice that there is indeed no top or side margin any more.

This is the usual practice with finished sheets, as it looks much neater and allows more of the window to fit on screen.

Press Func+2 again, and this time answer the prompt with 1 and press Return. Move under TopL and overtype the value shown with A50. Move under BotR and type A61.

Now move under the heading Cw, which stands for column width and type

70. This parameter controls the width of all slots in that window and can be used if you need to display more text or bigger numbers. We are using it to allow up to 70 asterisks to be displayed per slot.

The window will be only one column wide, but it will fill the screen from left to right.

Now move under the Opt heading, which should read: TS0. The 0 means that the window is currently off, which is the default state of windows 1-9. Overtyping this character with a C, which signifies that we want this window to be displayed in bar chart mode, and press Return.

Immediately you should have a screen that looks like Figure IV. Now you can see the year's profit as a much more readable bar chart. The exact figures are still displayed above for reference.

As you are inside window one at the moment, press Func+3 - Next Window - on your keycard. This key moves you from one window to another in sequence. As we only have two windows at present, it will act as a toggle between them.

Once in the top window, you can alter the values and watch the bar chart change as you experiment. You can, of course, scroll this window in any direction - even down to the location of the bar chart itself.

However, if you do this all you will see are the numeric values, because window zero is not set for bar chart mode.

Press Escape and save your new sheet, bearing in mind that not only will the current window definitions be saved along with the sheet, but also your current cursor position and the number of the window you were last in.

● Next month we'll replace the dummy profit figures with full monthly breakdowns, and see our sheet really come to life.




Figure III: The finished sheet

THIS puzzle was first put forward by the French mathematician Lucas around 100 years ago and presents an intriguing problem to the logically minded.

The game was originally played on a white wooden board using red and blue counters. Marked on the board were nine squares in a line.

The first four are occupied by four blue counters and the last four squares by red ones. Your objective is to swap the positions of the blue counters.

The moves are quite straightforward and there are only three rules to remember:

- Blue counters can only move right, while the red counters move left.

- If the square on the right of a blue counter or left of a red counter is vacant it can slide across.

- A counter can jump over one of the opposite colour providing there is a space beyond it.


To move a counter press the corresponding letter above it. If you get into a situation where you cannot move, press the Escape key to try it again.

The number of moves are recorded and at the end you'll be told how many you took. The aim is to take the least number of moves.

My best is 24. Can you beat this?

# LUCAS' PROBLEM

ARTHUR LINDON brings an old puzzle up to date



```
10 REM Lucas Problem
20 REM By Arthur Lindon
30 REM (c) Electron User
40 ON ERROR RUN
50 MODE 1
60 VDU 23,224,60,126,255,
255,255,255,126,60
70 DIM A$(9)
80 VDU 19,2,4,0,19,0,3,0;
90 COLOUR 130
100 CLS
110 VDU 28,6,11,32,9
120 COLOUR 131
130 CLS
140 VDU 26
150 VDU 23,1,0,0;0;0;
160 GCOL 0,2
170 FOR I=284 TO 1028 STE
P 96
180 MOVE 11,732
190 DRAW 11,648
200 DRAW 11,4,648
210 DRAW 11,4,732
220 NEXT
```

```
230 FOR I=1 TO 4
240 A$(I)=2
250 A$(I+5)=1
260 COLOUR 2
270 VDU 31,3,11,4,10,224
280 COLOUR 1
290 VDU 31,3,11,4,19,10,224
300 NEXT
310 COLOUR 130
320 COLOUR 3
330 FOR I=1 TO 9
340 VDU 31,3,11,4,6,11,64
350 NEXT
360 CNT=0
370 COLOUR 0
380 PRINT TAB(13,1)"Lucas'
ProblemTAB(33,4)":"Moves
390 PRINT TAB(0,13)"Trans
pose the red and blue counte
rs by"
400 PRINT" sliding or jum
ping over a counter of"
410 PRINT" opposite colour
r to a vacant square."
```

```
420 PRINT:PRINT
430 PRINT" Blue can only
move to the right and"
440 PRINT" red to the lef
t. To move a counter
450 PRINT" press the lett
er above it."
460 PRINT:PRINT
470 PRINT" Press Escape t
o try again."
480 GCOL 0,3;MOVE 0,0;DRAW
0,1023;DRAW 1278,1023;DRAW
1278,0;DRAW 0,0
490 REPEAT
500 COLOUR 130
510 COLOUR 3
520 IF A$(1)=1 AND A$(2)=1
AND A$(3)=1 AND A$(4)=1 AND
A$(6)=2 AND A$(7)=2 AND A$(
8)=2 AND A$(9)=2 PRINT TAB(1
2,4)"You've done it in:"VDU7
:6:GET:END
```

```
530 REPEAT
540 K2=(GET AND 223)-64
550 CNT2=CNT2+1
560 PRINT TAB(30-CNT2,10)
,4);CNT2
570 UNTIL K2=0 AND K2=10
580 COLOUR 131
590 IF A$(K2)=2 PROCmove(I
,2) ELSE IF A$(K2)=1 PROCmov
e(-1,1)
600 UNTIL FALSE
610
620 DEFPROCmove(D1,C1)
630 COLOUR C2
640 IF A$(K2+D2)=0 A$(K2)=
0:A$(K2+D2)=C1:VDU31,3,K2+4,
10,32,31,3,K2+4+3*D2,10,224
ELSE IF A$(K2+D2)=3-C2 AND A
$(K2+D2)=0 A$(K2)=0:A$(K2+
2+D2)=C1:VDU31,3,K2+4,10,32,
31,3,K2+4+6*D2,10,224
650 ENDPROC
```



## Get yourself in a flap with Skirmish!


Sit astride a giant blue ostrich and engage in exciting futuristic jousting contests against opponewnts riding giant green buzzards.

This superb one-or-two-player game features beautifully animated sprites, with a plabability that's second to none.

"I can recommend Skirmish wholeheartedly. It is one of the most playable games I have ever seen and will certainly lead to a severe case of repeated late nights."

Playability: 11 out of 10"  
— *Hac-Man, The Micro User, March 1988*

SAVE  
UP TO  
£5



Suitable for	Product	Format	RRP	Special reader offer	YOU SAVE	Offer including subscription	YOU SAVE
Electron	Skirmish	Tape	£9.95	£7.95	£2	£19.95	£5

**TO ORDER PLEASE USE THE FORM ON PAGE 53**

# Adventure Anthology

This superb collection contains four of the best adventures taken from the pages of Electron User. In addition there is an unpublished masterpiece written by Bill Trevelyan, one of the magazine's foremost contributors. They range

**The Golden Crown:** The King has been robbed of his crown by a devious adversary. A knighthood and countless wealth is promised to whosoever can recover the crown.

**Johnny:** In this adventure by Bill Trevelyan you are cast in the role of a young boy. Your objective is to get to school on time. This is no simple task though, and many pitfalls and puzzles await you along the way.

*These exciting adventures will keep you engrossed for weeks – and at less than £1 each this has to be one of the best bargains for intrepid adventurers ever devised.*

**Dracula:** Take a deep breath and step across the threshold into Dracula's castle. Find Drava's Scroll of Runes and retrieve the lost fortunes.

**Craak:** A classic adventure in which you have to find the magical crown and return it to its rightful owner.

**Necromancer:** A peaceful village has been terrorised by an evil wizard. Search him out and take back the stolen treasures.

from mini adventures ideally suited to the novice adventurer, right through to large, complex programs containing many mind-boggling puzzles designed to test the most experienced player.



To order please turn to the form on Page 53

Only  
**£4.95**

# 3 TANTALISING TITLES FOR YOUR ACORN ELECTRON!

## Ransack

SAVE  
UP TO **£6!**



Control AI, the globular droid, in a revenge mission against the eight rebellious planets of the Ryvian system. Ransack, the latest game from top programmer Peter Scott, is a high-speed arcade game that will tax your skill and reactions to the limit!

"This is one for every collection"  
— *Guilden, Electron User, January 1987*

Please note: If you are a subscriber, you can renew your subscription early to take advantage of these very special offers.

## Computer Hits 10 Vol. 4

SAVE  
UP TO **£6!**



Some of the very best games for the Electron have been crammed onto two cassettes – and they're guaranteed to keep you entertained for months!

There's Repton, Thrust and Deathstar from Superior Software, Killer Gorilla, The Mine and Ghouls from Micro Power, Psycastria and Bug Eyes 2 from Audiogenic, Zalaga from Aardvark and Blagger from Alligata.  
**PLUS two extra games:** Superior's Galaforce and Karate Combat – making a grand total of 12 different games.

This is a compilation that's not to be missed!

## Life of Repton

SAVE  
UP TO **£4!**



Here's an exciting new collection of screens for you to try and crack! Start out as a baby and work your way through the five different life stages, from infancy to old age – a total of 40 new mazes with a dazzling range of graphics. It's just what you've been waiting for! And the Repton 3 main program is included with every copy.

"If you're a fan, that alone should be enough for you to go out and buy a copy...Sound 10, Graphics 10 Playability 9, Value for Money 10 Overall 9"  
— *Ian Waugh, Electron User, January 1988.*

Suitable for	Product	Format	RRP	Special reader offer	YOU SAVE	Offer including subscription	YOU SAVE
Electron	Computer Hits 10 Vol. 4	Tape	£9.95	£6.95	£3	£18.95	£6
Electron	Ransack	Tape	£9.95	£6.95	£3	£18.95	£6
Electron	Life of Repton	Tape	£6.95	£5.45	£1.50	£17.95	£4
Electron	Life of Repton	5 1/4 Disc	£7.95	£5.95	£2	£18.95	£4

**TO ORDER TURN TO THE FORM ON PAGE 53**

Wendy Jones has designed the Electron 11 with drive sockets for up to 16 16k banks of discs – just like the BBC Micro.

Through the BBC Micro's expansion system, you can add up to 16 16k banks of discs to the Electron, ready for the day when the Electron's drive sockets are needed, despite the fact that the standard machine was provided with no spare rom sockets.

So it wasn't until the release of Acorn's Plus 1 expansion that roms could be added to the Electron, and then only by the use of rom cartridges.

These were – and still are – relatively expensive and only two dual-rom cartridges could be inserted into the Plus 1 at one time.

Since then several companies have produced sideways rom and ram boards to fill the gap left by the rather limited Plus 1 – you'll find a full review of them in the February 1987 issue of *Electron User*.

At one time a separate external rom board was available, but the manufacturers have since ceased production. This has left Slogger providing possibly the only Electron rom board, in the form of its own version of the Plus 1 – the Rombox Plus.

Now, for the first time, comes the Advanced Plus 6, or AP6 – a unit which not only allows up to six roms to be inserted into the board, but will also accept ram chips in any of the sockets.

Standard static ram chips can be bought cheaply and fitted into the sockets exactly as if they were roms.

This provides the ability to load rom images from disc into the ram chips – known as sideways ram when used in this fashion – as and when needed.

Here they will be treated as physical roms by the Electron, and once loaded rom images will remain in ram until the power is turned off. (It's worth noting that the extra ram can't be used for Basic programs.)

This allows you, in effect, much more than just the Electron's 16 rom maximum, without having to physically insert and



## More room for your roms

**CHRIS NIXON looks at the new Pres Advanced Plus 6**

remove rom chips – a potentially damaging task if repeated frequently on the same roms.

What's more, sideways ram provides the perfect environment for writing your own roms, if you are so inclined.

This isn't as difficult as you may think – anyone with a smattering of 6502 machine code knowledge can write a rom, using some of the many books on the subject as tutorials.

We published an article on how to write your own rom in the February 1986 issue of *Electron User*.

The AP6 is quite a breakthrough for its designers, Pres, and as the unit is mounted unobtrusively inside an existing Plus 1 it reduces the number of gadgets hanging off the back of your Electron.

The only snag is that you must already have an Advanced Plus 1 from Pres in which to place the AP6.

Owners of the original Acorn Plus 1 will have to either set soldering iron to PCB to make the necessary alterations, or they can add £7 (plus VAT) to their order

for a complete upgrade service. Of course the old Plus 1 must be posted with your order if going for the upgrade.

The unit is a marvellous piece of design, strong, neat and compact, and it won't crowd the Plus 1 to the point of overheating.

Each socket is easily accessed with a screwdriver for removing roms, unlike some boards where delicate capacitors always seem to be in the way.

Using static ram chips in place of roms/eproms is achieved by simply inserting them in any of the sockets, but they must be 32k chips rather than the cheaper 8k ones.

The AP6 worked perfectly and I was able to use all my Electron roms indiscriminately in any of the six sockets, with no problems.

One point worth noting: If you have the Acorn Plus 3, only five of the six sockets will be available for other roms. Owners of ACP's own disc interfaces will not be affected, as these sit in the Plus 1 cartridge slots.

Coming soon from Pres is the AP7. This is an enhance-

ment for the AP6 which will provide two 16k banks of battery backed sideways ram with full write-protect option.

This will mean that while the write-protect is on, rom images will remain in the machine after the power is switched off, and will be – to all intents and purposes – permanent roms.



Some links on the AP6 board are provided in readiness for the AP7, and these are simply changed over when you fit the new board.

Overall, the AP6 is an excellent unit, providing for the first time in one package all the aspects of sideways ram and ram expansion facilities your Electron needs.


Together with the AP7, the AP6 will make your Electron just about as powerful in the sideways ram/ram department as can be imagined.

If you are a serious Electron user and don't already have the facilities provided by the AP6 in other forms, don't hesitate – buy it.

Product: Advanced Plus 6  
Price: £37.95  
Supplier: PRES, 6 Ave  
House, High Street, Chob-  
ham, Surrey GU24 8LZ  
Tel: 0276 72046























# STRYKER'S RUN

## Part 3 The Map



### KEY

-  Energy cell
-  Passcard
-  Micro film
-  Plutonium rods
-  Mystery package
-  Jet-pack
-  Rom, navigation
-  Key
-  Spring
-  Spanner
-  Remote activator
-  Control button
-  Computer disc
-  'Herbert' droid
-  Fuel for jet-pack

WE have been looking so far at different ways of printing sprites and have developed quite an array of machine code print routines, including ones that will move sprites in front and behind other objects on the screen.

We'll leave this topic for the moment and see how the screen displays for large multi-screen arcade games are created.

The techniques used in both this and next month's article will show how top-selling games such as Superior Software's Citadel, Palace of Magic and Repton are written.

As you'll know if you've played these games, there can be up to 100 beautifully drawn screens featuring superb graphics. So how are these all squeezed into the Electron's small memory? A single Mode 5 screen is 10k, and two is 20k, and on top of this of course, room must be left for the program itself.

As I promised last month, I'm going to show you a powerful method of compacting Mode 5 – or Mode 2 for that matter – screens into as little as eight bytes.

Enter and run Program I to see the technique in action. Tap the spacebar to flick

# Pouring gallons of graphics into the Electron's pint-sized memory

**In Part 4 of his sprites series ROLAND WADDILOVE shows how to create multi-screen games**

through the screens – there are five in all, though many more could easily be put in.

They are labelled *scr0*, *scr1*, *scr2* ... in the listing, and each consists of two EQU statements. So how is it done?

Each screen is built up from blocks five bytes wide by 32 bytes high. As the Mode 5 screen is 40 bytes wide, eight blocks will fit neatly across the screen.

And as there are eight bits in a byte, each row of blocks can be stored in a single byte – each bit set indicating the presence of a block. The

screen is 256 bytes deep so we can fit eight 32-byte high blocks down it. So there are eight rows of eight blocks all stored in just eight bytes of data. Simple when you know how.

This means you could fit 128 Mode 5 screens in just 1k of ram. And assuming the code for an arcade game takes around 5k, you could easily squeeze well over 1,500 screens into memory.

The chunk of assembly language at the start of the program – lines 340 to 470 – decodes the compacted screen data and decides whether to call *print* to draw a block or *blank* to print a blank space.

It's worth examining how the screens are stored. You'll see a table of pointers at line 510 holding the address of each screen.

The screen number is used to index into this table to find the real address of the screen data – stored in lines 580 to 620.

The main problem with Program I is the lack of variety and the chunky blocks making up the screen display. There is only one type of block and that's brick – fine if you like hundreds of screens made up of bricks, but it can get a bit monotonous.

You could design a different type of block, but the screens would still be made

up of this single type. What is needed is a slightly more advanced technique that will allow us to add variety.

Enter and run Program II. There are only two screens this time – though you can add many more – but they are far more complex than in Program I. Tap the spacebar to flick between them.

The screen data is stored at the end of the listing, so take a look at this first. What I have done this time is to use 4 byte wide by 24 byte high blocks.

Exactly 10 blocks will fit across the screen and there can be 15 different types. The reason for having 15 block types is that we can fit the numbers zero to 15 in one nybble.


There are two nybbles in a byte, so we need five bytes per row of blocks. We can also fit 10 blocks down the screen – leaving a couple of spare lines for the score, lives, energy and so on – so this makes a total of 50 bytes per screen.

Although this is not as compact as Program I's screens, remember that each screen in Program II can be made up from any combination of 15 types of block.

This program gives us far more variety and some quite complex screen displays can easily be built up –



A typical screen from Program I



The two sample screens included in the demonstration routine - Program 11

at the expense of a few extra bytes of memory. Still, you can fit 20 screens in 1k of ram, or well over 250 in an average length arcade game.

You'll see a table of pointers to screen addresses in the listing starting at line 980 and the screen number is used to index into this. Although there are only two entries, you can add as many as you like.

There's also a 96 times

multiplication table at line 570. This is because each screen block is made up of 96 bytes of data and each entry is used to index into the sprite data table to pick out the correct block for printing.

● Next month I'll continue with the same theme of maps, but move on to scrolling ones like those used in Ravenskull and the Repton series of games.

## Special: Arcade game creator

ALL the programs from this series revealing the secrets of writing fast-action arcade games have been put on a special cassette (£3.95) and disc (£4.95). On it you'll find everything you need to create your own machine code games.

The programs include:

- A Mode 5 sprite editor for designing your own multicoloured characters.
- A selection of fast print routines that will move sprites both in front or behind other objects on the screen.
- Map generators that will squeeze a Mode 5 screen into eight bytes.
- Scrolling maps.
- Score print routines

...and much more. This is an offer no aspiring games programmer can afford to miss!

To get this great offer, use the order form on page 53.

### Program 1

```

10 REM Maps 1
20 REM By R.A.Waddilove
30 REM (c) Electron User
40 PROCassemble
50 MODE 5:VDU23,1,0;0;0;0
::=FX16
60 COLOUR131:COLOUR0
70 AL=0
80 REPEAT
90 CALL $900
100 PRINT TAB(5,1)"Hit Sp
ace"
110 AZ=(AZ+1)MOD 5
120 UNTIL GET=FALSE
130 END
140
150 DEF PROCassemble
160 wap=$50
170 addr=$51
180 xcount=$53:ycount=$54
190 taddr=$55
200 index=$57
210 FOR pass=0 TO 2 STEP 2
220 PT=$500
230 [ OPT pass
240 SET
250 ASL A:TAT \screen*2
260 LDA table,Y:STA screen
+1:LDA table+1,Y:STA screen+
2
270 LDY #58:STY addr+1:LD
Y #60:STY addr
280 STY index
290 LDA #8:STA ycount
300 .yloop
310 LDA addr:STA taddr:LDA
addr+1:STA taddr+1
320 LDY index
330 .screen LDA $3000,Y:ST
A wap
340 LDA #8:STA xcount
350 .xloop
360 ASL wap:BCC block
370 LDA addr:STA new+1:LDA
addr+1:STA new+2
380 JSR print:MP skip
390 .block
400 LDA addr:STA bloop+1:L
DA addr+1:STA bloop+2
410 JSR blank
420 .skip
430 LDA addr:ADC #5#8:STA
addr:BCC w1:INC addr+1:.w1
440 DEC xcount:BNE .xloop
450 LDA taddr:ADC #4#8:STA
taddr+1:STA taddr+2
460 LDA taddr+1:ADC #4#8:STA
taddr+3:STA taddr+4
470 INC index
480 DEC ycount:BNE .yloop
490 CLI
500 RTS
510 .table
520 EQUW scr0
530 EQUW scr1
540 EQUW scr2
550 EQUW scr3
560 EQUW scr4
570
580 .scr0 EQUW $21AB9FF:E
QUD $FF818BA0
590 .scr1 EQUW $84D591FF:E
QUD $EFA5B1BF
600 .scr2 EQUW $F9581FFF:E
QUD $F791BD05
610 .scr3 EQUW $89A9BD:E
QUD $F9185D
620 .scr4 EQUW $BF1185FF:E
QUD $F794B581
630
640 .print
650 LDA #brick MOD256:STA
ploop+1:LDA #brick DIV256:ST
A ploop+2
660 LDA #4
670 .loop
680 LDY #5#8-1
690 .ploop

```

Turn to Page 36 ►

# Programming

## ◀ From Page 35

```

700 LDA brick,Y;new STA &
5000,Y
710 DEF:BPL loop
720 CLC:LDA new+1:ADC #&0
:STA new+1:LDA new+2:ADC #&1
:STA new+2
730 LDA loop+1:ADC #&0:ST
A loop+1:BCC p1:INC loop+2
:p1
740 DEX:BNE loop
750 RTS
760
770 .blank
780 LDX #4
790 .loop
800 LDX #5+&B-1
810 LDA #0
820 .bloop
830 STA &5000,Y
840 DEF:BPL bloop
850 CLC:LDA bloop+1:ADC #0
40:STA bloop+1:LDA bloop+2:A
DC #&1:STA bloop+2
860 DEX:BNE loop
870 RTS
880
890 .brick
900 OPT Fndata
910 ]
920 NEXT
930 ENDPROC
940
950 DEF Fndata
960 RESTORE
970 FOR IX=0 TO 5+32-1 STE
P 4
980 READ as
990 [ OPT pass
1000 EQU EVAL(''+as)
1010 ]
1020 NEXT
1030 =pass
1040
1050 REM Brick
1060 DATA F0F0F0F,F0F0F0F,
40B4B4B,F0B4B4B,F0F0F0F,F0
F0F0F,F0B4B4B,F0B4B4B,F0F
0F0F,F0F0F0F,2020202,F0202
02,F0F0F0F,F0F0F0F,2020202
0,F020202,F0F0F0F,F0F0F0F,
40B4B4B,F0B4B4B,F0F0F0F,F0
F0F0F,F0B4B4B,F0B4B4B,F0F
0F0F
1070 DATA F0F0F0F,40B4B4B
,F0B4B4B,F0F0F0F,F0F0F0F,2
020202,F020202,F0F0F0F,F0
F0F0F,2020202,F020202,F0F0
F0F,F0F0F0F,40B4B4B,F0B4B4
B
80 REPEAT
90 CALL &000
100 VDU1,T,1+3*(AX AND 1)
;
110 AX=(AX+1)*0D 2
120 UNTIL GET=0
130 END
140
150 DEF PROCassemble
160 map=&50
170 addr=&52
180 xcount=&54
190 ycount=&55
200 index=&56
210 new=&70
220 FOR pass=0 TO 2 STEP 2
230 PT=&9000
240 [ OPT pass
250 SEI
260 ASL A:TAT
1:screen+2
270 LDA table,Y:STA map
1:map address
280 LDA table+1,Y:STA map+
1
290 LDA #&0:STA addr
1:screen address
300 LDA #&5:STA addr+1
310 LDY #0:STY index
1:map byte index
320 LDY #10:STY ycount
330 .yloop
340 LDA addr+1:PHA:LDA addr
r:PHA
350 LDA #5:STA xcount
360 .xloop
370 LDA addr:STA new:LDA a
ddr+1:STA new+1
380 LDY index
390 INC index
400 LDA (map),Y
1:opt map byte
410 PHA
420 LSR A:LSR A:LSR A:LSR
A:left block
430 JSR print
440 LDA addr:ADC #4+&B:STA
new
450 LDA addr+1:ADC #0:STA
new+1
460 PLA
470 AND #0F
1:right block
480 JSR print
490 LDA addr:ADC #8+&B:STA
addr:LDA addr+1:ADC #0:STA a
ddr+1
500 DEC xcount:BNE loop
510 PLA:ADC #(3+&14)*0D25
6:STA addr
520 PLA:ADC #(3+&14)*0D25
6:STA addr+1
530 DEC ycount:BNE yloop
540 CLI
550 RTS
560
570 .mult
580 EQUW 0
590 EQUW 1+96
600 EQUW 2+96
610 EQUW 3+96
620 EQUW 4+96
630 EQUW 5+96
640 EQUW 6+96
650 EQUW 7+96
660 EQUW 8+96
670 EQUW 9+96
680 EQUW 10+96
690 EQUW 11+96
700 EQUW 12+96
710 EQUW 13+96
720 EQUW 14+96
730 EQUW 15+96
740
750 .print
760 ASL A:TAT
1:sprite+2
770 LDA mult,Y
780 ADC #sprites MOD256
1:set data
790 STA loop+1
800 LDA mult+1,Y
810 ADC #sprites DIV256
820 STA loop+2
830 LDX #3
840 .ploop
850 LDY #31
860 .ploop
870 LDA &3000,Y:STA (new),
Y
880 DEX:BPL loop

```

This is one of hundreds of programs available FREE for downloading on

**MicroLink**

In addition to these many BBC Micro programs in the MicroLink library will also run on the Electron

```

84B,F0F0F0F,F0F0F0F,40B4B4
B,F0B4B4B,2020202,F020202
,F0F0F0F,F0F0F0F,2020202,F
020202,F0F0F0F,F0F0F0F
1230 REM Pillar bottom
1240 DATA 0,B,0,FAFCFCFB,FC
FCFB,F0F0F0F,F0F0F0F,0,0,0
,0,FCFBFA,FCFCFB,F0F0F0F
0,F0F0F0F,0,0,0,33331111,F
FAFB,F0F0F0F,F0F0F0F,F0F0F
0,0,C0C00000
1250 REM Pillar top
1260 DATA 11113333,0,F0F0F0
F0,FAFCFBFB,F0F0F0F,F0F0F0
0,0000C0C0,0,0,0,0,FCFCFB,FC
FCFBFA,F0F0F0F,F0F0F0F,0,0
,0,0,FCFCFBFA,F0F0F0F,F0F0
F0F0,F0F0F0F,0,0
1270 REM Stone
1280 DATA 20162503,205A205A
,AS5A50F,AS5A55A,AS5A50F,
AS5A55A,864A000,AS4B54B,2
05A205A,205A205A,AS5A55A,AS
5A55A,AS5A55A,AS5A55A,AS4
B45A,AS4B45A,255A205A,1122
516,AS5A55A,AS5A55A,AS5A55
A,AS5A55A,AS4B45A,0,0C064A
1290
1300 DEF Fnscreen
1310 RESTORE 1400
1320 scr=PI*50
1330 scr=PI*50
1340 FOR IX=0 TO 1
1350 FOR Y=1 TO 10
1360 READ as
1370 FOR IX=1 TO 10
1380 [ OPT pass
1390 EQU EVAL(''+LEFTS(as
,2))
1400 ]
1410 as=MID$(as,3)
1420 NEXT
1430 NEXT
1440 NEXT
1450 =pass
1460
1470 REM Screen 1
1480 DATA 1111111111
1490 DATA 0303000000
1500 DATA 0202000000
1510 DATA 1111100011
1520 DATA 0000000000
1530 DATA 0000000000
1540 DATA 1111001011
1550 DATA 0303000030
1560 DATA 0200000020
1570 DATA 1111111111
1580
1590 REM Screen 2
1600 DATA 4444444444
1610 DATA 0000000401
1620 DATA 0000000301
1630 DATA 4444000201
1640 DATA 0000044441
1650 DATA 0000400001
1660 DATA 4444000001
1670 DATA 0300000003
1680 DATA 0200000002
1690 DATA 1111111111

```

### Program 11

```

10 REM Maps 2
20 REM By R.A.Waddilove
30 REM (c) Electron User
40 PROCassemble
50 MODE S:VDU23,1,0;0;0;0
;
60 PRINT TAB(6,1)"hit a k
ey"
70 AX=0

```

This listing is included in this month's cassette tape offer. See order form on Page 53.



WE constructed a simple anemometer for measuring wind speed last month, and considered a simple Basic program which could be used with the hardware to calculate the approximate number of revolutions per second.

We also found the major problem with such a simple program is that it hangs up when no pulses are coming into the PB input.

The solution is to use events—the interrupts of the Electron. An event is an occurrence, such as the completion of a conversion of the analogue to digital converter, which can cause the Electron's 6502 to leave what it's doing and run a second program.

The clever thing is that once the second program has completed its activities the 6502 can take up where it left off on the first program, hopefully with no ill effects.

The first program is said

# Happy event to tame the wind

**JOE PRITCHARD continues his series on building the Electron weather station**

to be interrupted by the event, and the second one is often called an interrupt service routine, as it often carries out some particular task in response to the event.

It should, however, leave all the CPU registers with the same values they held when the routine was entered, and on the Electron

should take no more than a couple of milliseconds to complete.

One event supported by the Electron is the interval timer crossing zero event, where an interrupt is generated by an interval timer when it reads zero. This is accessed using osword 3 and 4, and is incremented 100 times a second.

To generate an event after, say, five seconds we set the timer to -500 and start it off. Five seconds later the event is triggered and all we need to do is write a routine to use this event.

The program listed here shows how I've used the event just described to solve the problem we had last time when no pulses are coming in.

The counting loop is in Basic, but the REPEAT...UNTIL loops now check the value in address &70 as well as the status of the PB line.

The event is used to ensure address &70 is set to

hold a value of one after five seconds, and this exits the loop even if a full rotation of the anemometer disc hasn't occurred.

How does this work? Let's take a quick look at the program. Lines 50 to 70 initialise the number printing format, set up the machine code and set the screen mode.

Lines 80 to 180 form the counting loop, similar to the program we saw last month. The only difference is the presence of the ?&70 at the end of lines 100, 120 and 130.

It also prints "Still Air" if the time-out caused by the event occurring finished the loop, rather than a revolutions count.

Line 90 kicks off the event timer by calling PROCevent\_on, and line 160 disables it by calling PROCevent\_off.

Lines 200 to 540 assemble the machine code. The label

```

10 REM Pulse Counting
20 REM By Joe Pritchard
30 REM (c) Electron User
40 :
50 PROCassemble
60 IN=620209
70 MODE 6
80 REPEAT
90 PROCevent_on
100 REPEAT:UNTIL(ADVAL(0)A
NO3)=100?&70=1
110 TIME=0
120 REPEAT:UNTIL (ADVAL(0)
AND3)=000?&70=1
130 REPEAT:UNTIL(ADVAL(0)A
NO3)=100?&70=1
140 T=TIME/100:IF ?&70=0T=
1/7 ELSE T=0
150 IF T=0 PRINTTAB(6,10)'
Still air!
ELSE PRINTTAB(6,10):' Rev
s. per Second
160 PROCevent_off
170 UNTIL FALSE
180 END
190 :
200 DEFPROCassemble
210 DIM code% 100
220 DIM clock 20
230 FOR pass=0 TO 2 STEP 2
240 P=code%
250 I
260 OPT pass
270 .event-service
280 PHA
290 PHP
300 LDA #1
310 STA &70
320 PLP
330 PLA
340 RTS
350 :
360 .event-on
370 LDX #clock MOD 256
380 LDY #clock DIV 256
390 LDA #4
400 JSR &FFFF1
410 LDA #14
420 LDY #5
430 JSR &FFFF4
440 RTS
450 :
460 .event-off
470 LDA #13
480 LDY #5
490 JSR &FFFF4
500 RTS
510 :
520 J
530 NEXT pass
540 ENDPROC
550 :
560 DEFPROCevent_on
570 Lc=0 : &FFFFBC: cl
ack% = 0
580 old.event=%&220
590 old.event=%&221
600 ?&220=event-service MO
D256
610 ?&221=event-service D1
V256
620 ?&70=0
630 CALL event_on
640 ENDPROC
650 :
660 DEFPROCevent_off
670 ?&220=old.event
680 ?&221=old.event1
690 CALL event_off
700 ENDPROC

```

Turn to Page 38 ▶




Figure 1: Grey code

# Hardware Projects

## ◀ From Page 37

*event\_service* is our interrupt routine. The processor status register and the accumulator are stored on the stack.

The contents of &70 is set to one and the registers are restored before the routine finishes. This is only called when the interval timer reaches zero.

Lines 360 to 440 are responsible for setting up the clock using *osword* 4 and then enabling the relevant event using *osbyte* 14. Lines 460 to 500 disable the event using *osbyte* 13.

Lines 560 to 640 are responsible for loading a five byte block of memory *clock* - with the value -500. The interval timer counts up from this value and generates the event when crossing zero.

The usual contents of &220 and &221 - the event vector - are copied into the variables *old\_event* and *old\_event1*.

The event vector is reset to point to the *event\_service* routine. Finally, a call to *event\_on* starts things up.

Lines 660 to 700 disable the event and restore the normal event vector contents.

Running this program will cause the routine to exit every five seconds with the message "Still Air" if it was




Figure II: The specially shaped disc

caused by the time-out. Otherwise the count of revolutions per second will be displayed.

If you're interested in a more general application for this program you could write the counting loop in machine code as well, which would allow recording of higher rates of revolutions. However, as it stands it should be suitable for most locations, even in Basic.

The anemometer is a little awkward to calibrate into km/h (mph for the traditionalists), and so is really only useful for comparative readings. If anyone comes up with a calibration method for the anemometer please let me know.

## Wind direction

Converting wind direction into an electronic signal isn't easy. Most methods use something called a grey code shaft position encoder,

shown in Figure I.

The problem here is that four separate digital inputs to the computer are required. This isn't too much of a problem on, say, the BBC Micro, where we've got an 8 bit digital input port.

However, on the Electron we don't have such a luxury, so we have to use a different technique.

The method I used uses a specially-shaped disc and an LDR/light bulb combination, as shown in Figures II, III and IV.

As you can see, the disc is shaped like a cam rather than a circle. At different positions of shaft rotation the disc will cover a different amount of the LDR surface, and so will interrupt the light falling on it to a greater or lesser degree.

Thus the resistance of the LDR will be dependant upon the position of the shaft. If we connect the shaft to a wind vane the resistance of the LDR will be related to the position of the vane, and hence wind direction.

This method is not as accurate as the one shown in Figure I, but is cheaper to set up and does not require four digital input lines. (In a couple of month's time I'll be building a 6522 VIA port for the Electron, and anyone interested might like to try the grey code method then).

The preset resistor in Figure III forms the other half of a potential divider, turning the resistance into a voltage in the range 0 to 1.8 Volts.

We need to provide a light source for this project, as the LDR/disc assembly

really needs to be boxed for protection. I used a torch bulb - 6V, 40mA - and ran it from the 5V output of the Electron Plus 1.

Remember that the bulb will get warm, so it should be mounted a few centimetres away from the disc/LDR, but close enough to provide sufficient light. You should also consider putting ventilation holes in the box.

The only complication with this method is the shaping of the disc. It needs to be opaque - thick plastic card or cardboard will do the trick.

It's a good idea to cut a disc out in thin card first and try rotating it on the shaft to




Figure IV: The circuit

get a reasonable voltage change as the shaft is rotated.

The software for testing the wind vane can be a simple loop to read values back from the ADVAL channel to which you've connected the potential divider output.

Rotate the shaft and disc, and make sure there is a reasonable voltage change over the whole rotation. The preset resistor can be adjusted to bring the voltage into the middle of the zero to 1.8V swing that can be recorded by the ADC.

The full software to convert readings from the windvane into directions will be given next month, when I'll also pull together the different parts of the weather station project.

● I'll also provide a simple program to monitor all the hardware interfaces and display results to the screen or printer or save information to a file.




Figure III: Wind vane circuit

# LION'S LAIR

Get your words in apple pie order with this fun educational game by **STEPHEN and ANDREW WEIR**



LION'S Lair is a great game for children who are learning to spell, and up to four can play at once, making it much more fun.

A number of friendly lions have wandered on to your screen, each with a name printed below it. The idea is to arrange the lions in alphabetical order, and as the game becomes more difficult more lions begin to appear.

Each player is allowed up to three mistakes before dropping out of the game, eventually leaving just one player as the winner.

At first just two lions will

be on your screen. Using the spacebar, move the two large arrows until they enclose the lion whose name comes alphabetically first.

Press Return to select that one as your choice, and its name will appear at the head of a list shown at the bottom of the screen.

Next, move the arrows to enclose the second lion and press Return again. Its name will appear below your previous selection.

If you have chosen correctly, a large tick will appear at the bottom right, otherwise you will be rewar-

ded with a large cross. Two more lions will appear and the game continues until you have completed half a dozen screens or so.

Now you will have three lions to deal with, and eventually—if you are a very good speller—six will appear together.

If you can survive to the end, you can record your

name in the high score table among the names of a few feline friends.

The game is thoroughly error-trapped and you can't select the same lion twice. Full instructions are printed at the start, and there is even a little background tune which you can turn on and off by pressing the 1 key.

## PROCEDURES

<b>assemble</b>	Assembles machine code instructions
<b>get_names</b>	Gets the players' names
<b>lion</b>	Prints a lion
<b>tune</b>	Plays a tune

```
10 REM Lions Lair
20 REM By Andrew and Step
hen Weir
30 REM (c) Electron User
40 REM
50 SUBROUTINE:REM Initialise
60 PROCInitn
70 REM Initialise
80 in=0
90 MODE5
100 sound%-1:code=8900:PR
OCasemble
110 rfx=11,0
120 rfx=220,1
130 rfx=202,48
140 rfx=4,1
150 ON ERROR MODE6:REPORT:
PRINT at line %:ERL:END
```

```
160 ONERROROFF
170 DIMnames$(5),level%(5),
score%(5),question%(5),wrong
%(5),his$(11,2),pos$(5,6),wor
ds$(200),words$(6),answer%(6)
180 RESTORE200:FORI=1TO5:
FORJ=1TO11:READpos$(I,J)
J:NEXTJ:NEXT
190 RESTORE210:FORI=1TO10:
:READhis$(I,1),his$(I,2):NEX
T
200 DATA4,6,4,5,6,1,3,7,9,
1,3,5,7,9,1,2,3,7,8,9
210 DATAAtopcat,1000,Fluffy
,900,Purr,800,Leo,700,Trigger
,600,Paws,500,Runtun,400,Mac
avity,300,Mystoffolees,200,G
```

```
us,100
220 VDU23,140,170,85,170,8
5,170,85,170,85
230 RETURN
240 DEF PROCsprite.data
250 DIM left 3+2+2:right
3+2+2,1:ion 5+8+2
260 RESTORE180:PROClocate
(lion)
270 RESTORE1180:PROClocate
(left)
280 RESTORE1210:PROClocate
(right)
290 ENDPROC
300 DEF PROClocate(loc) LO
CALbyte,data,count,offset,x,
y:READx,y:locus:=1(loc-1):sy:
loc:=loc+2:byte=0:REPEAT READ
```

```
data:IFdata%#byte?loc=data
310 IFdata%#1:READcount,dat
a:FORoffset=1TOcount:byte?lo
c:=data:byte:=byte+1:NEXT ELSE
byte:=byte+1
320 UNTILdata%-9:ENDPROC
330 DEF PROCcasemble
340 oswrch=87FE:osword=EF
FF:news=87B:rows=872:columns
=873:temp=874:place=876
350 FORpass=0TO2STEP2:PX=c
ode:OPPass
360 d STAB:LBA+18:LX+9b A
ND255:LDB+0:DV256:JSRsword
:LBA+0:STA+1:d LBA+23:JSRsw
wrch:LBA:ORA+224:JSRswrch:
```

Turn to Page 40 ▶



## ◀ From Page 39

```
5:PROCcol(6,3):VDU12,17,129,  
17,2:PRINTSTRING$(60,CHR$(40
```

```

(IX,2))>VAL(his(IX-1,2))SX=V
AL(his(IX,2));his(IX,2)=his(

```





1:VDU5,18,0,0:MOVE208,1000:P  
ROCBIG(Roaring Scores)

1800 VDU4,17,128:FOR12=1101  
0:VDU17,2,31,0,4,12:2:PRINTh  
18(1,1):VDU17,3,31,20:LENh  
18(1,2):VDU17,3,31,20:LENh  
21:NEXT:VDU17,1,31,3,31:PPH  
TPress SPACE BAR:ENDPROC

1050 REM Lion

1100 DATA 8,56

1110 DATA -1,11,0,16,1,16,1  
-1,5,0,48,48,112,88,64,64,9  
6,50,36,112,37,66,5,80,5,18,  
32,-1,14,0,16,17,-1,7,0,1,18  
37,82,165,98,165,98,165,123  
226,106,49,112,12,240,210,  
240,180,240,97,112,225,218,2  
25,18,165


1120 DATA 98,180,98,180,56,  
-1,5,48,16,18,18,35,48,48,11  
2,112,112,225,218,180,124,24  
8,0,0,64,37,98,165,98,165,98  
165,98,165,120,180,121,241,  
24,3,226,230,247,247,240,240,  
225,98,165,98,165,98,180,120  
240,120

1130 DATA -1,10,240,180,240  
180,120,180,240,120,240,240  
240,224,224,128,-1,4,0,16,1  
61,98,165,98,165,98,165,210,  
240,252,254,254,118,252,210,  
240,225,240,225,98,165,98,16  
5,210,180,120,-1,14,240,180,  
240,180

1140 DATA 240,180,98,33,10,  
40,114,116,0,0,16,37,98,165,

98,165,98,165,240,240,240,22  
5,98,165,98,165,98,165,98,16  
5,98,165,74,164,72,4,-1,4,0,  
-1,9,128,192,192,224,240,240  
240,210,180,240,180,120,210  
240,240

1150 DATA 240,0,0,0,6,72,16  
5,98,165,98,165,98,164,74,16  
5,98,165,98,165,98,165,74,16  
4,72,132,72,128,-1,14,0,16,1  
6,97,-1,7,240,224,192,12,128



**Tania**

128,-1,6,0,128,72,132,74,16  
0,18,128,0,0,128,8,128,0,1  
6,48,48

1160 DATA 112,112,112,240,  
14,224,96,-1,6,112,224,224,  
164,192,72,132,72,-1,4,12  
8,-1,17,0,64,4,88,133,98,165

74,164,196,132,192,128,-1,3  
5,0,-9

1170 REM Left arrow

1180 DATA 3,24

1190 DATA -1,9,0,17,17,51,5  
0,118,50,51,17,17,-1,9,0,36,  
34,102,102,238,234,234,234,2  
43,240,240,240,234,234,234,2  
34,238,102,102,34,36,-1,11,8  
238,243,241,243,238,-1,0,0,  
-9

1280 REM Right arrow

1210 DATA 3,24

1220 DATA -1,11,0,119,252,2  
48,252,119,-1,11,0,68,68,102  
102,119,117,117,116,252,240  
240,240,252,116,117,117,119  
102,102,68,68,-1,9,0,136,13  
6,284,196,238,196,284,136,13  
6,-1,4,0,-9

1230 REM Tune data

1240 DATA 52,52,52,52,0,80,  
0,52,68,0,68,80,80,80,80,80,  
80,52,52,52,68,68,68,68,68,  
68,68,68,68,68,68,68,68,68,  
48,32,32,32,52,52,0,52,52,8  
52,8,52,68,0,68,80,80,80,80,  
0,68,52,52,52,68,68,68,68,68,  
32,48,48,48,52,52,52,52,52,52,  
52,0,0,0,0,0,0,0

1250 DATA -9

1260 DEF PROC Tune READp:IF  
p1=98STORE1240:READp:IFup  
ping1 pitch=pitch+1:IFpitch  
1-3pitch=1  
1270 IFp1=98SOUND1,0,0,TELSE

1fsound1 SOUND1,-6,p1+50:p1+  
ch1,3ELSESOUND1,0,0,3

1280 ENDPROC

1290 REM Name data

1300 DATA Cico,Leo,Bill,Bob  
Suzi,Jack,Jill,Jake,Bob,Ja  
ne,Hans,Anne,Abel,John,Mike,  
Avis,Andy,Billy,Bret,Carl,Cut  
y,Brad,Ross,Rob,Joe,Ron,Jock  
Pick,Fred,Kate,Jane,Zoe,Pete  
San,Ben,Rick,Joan,Anna,Sara  
Nik,Tia,Pat,Phil,Dave,Matt,  
Len,Wal,Hank

1310 DATA Tom,Evan,Kim,Jose  
Zico,Tony,Paul,Mark,Russ,Gu  
sien,Ella,Liz,Emma,Jodi,Kat  
h,Paws,Tigs,Rolf,Rail,Rena,T  
odd,Lisa,Judi,Lyn,Harry,Mar  
Winn,Ali

1320 DATA Phil,Katie,Steve  
Craig,David,Timmy,Nicky,Car  
li,Warry,Billy,Lane,Dean,Ni  
col,Berny,Peter,Chris,Sarah,  
Brent,Brett,Heath,John,Keit  
h,Kerry,Franz,Jane,Penny,K  
yle,Shane,Susan,Ruth,Grant,G  
arry,Kylie,Mitch,Riles,Davis  
Pider,Elton,Ken

1330 DATA Fran,Trudy,Shena,  
Kaye,Fiona,Tania,Sofie,Kelly  
Sven,Kana,Benji,Terry,Terri  
Nikki,Swaan,Jason,Frank,Rob  
yn,Robin,Olive,Lynne,Sandy,H  
elan,Milly,Megan,Karen,Lewis  
Cassy,Perry,Marc,Wayne,Wil  
l,Zane,Willy,END

## M&S ASSOCIATES

40 Meyrick Drive, Newbury, Berks  
RG14 6SX. Telephone: (0635) 454774  
Fax: (0635) 523235. Telex: 84675

YOUR COMPLETE ELECTRON STOCKIST

**SLOGGER DEALER**

All products stocked

MAKES OFF 2.5% OFF RRP

**PROJECT EXPANSIONS SOLE DISTRIBUTOR**

(Dealer enquiries welcome)

Sound Cartridge, User Ports, etc.

**ELECTRON STARTER PACKS ..... £72.50**

Includes computer, PSU, leads, Acorn Data Recorder,  
User Guide, Intro Cassette, Me & My Micro

**ACORN PLUS 3 DISC SYSTEM ..... £155.00**

**ACORN PLUS 1 UNITS ..... £45.00**

Various Printers, Monitors, Disc Drives, Expansion  
Systems, ROM Kits, RAMS, etc. etc.

All software also available

S.A.E. for full price lists, availability, etc.

ALL PRICES INCLUDE VAT

ADD £3.50 P&P ORDERS OVER £20

CASH OR CHEQUE PAYMENT ONLY

All orders processed on receipt, allow 5 to 21 days  
delivery

## MITHRAS SOFTWARE

Best selling software for your Electron at Bargain prices  
New titles available from day of release

	Cms	RRP		Cms	RRP
Iconus	9.95	7.50	Rick Hansen Trilogy	23.95	15.90
Quest	9.95	7.50	The Lost Crystal	11.95	10.50
Slamsh	9.95	7.50	French on the Run	9.95	7.50
Impact	9.95	7.50	The Quil	19.95	19.95
Tetris	8.95	8.95	The Hunt	9.95	7.50
Indoor Sports	9.95	7.50	Project of Lost Souls	9.95	7.50
Winter Olympiad III	9.95	7.50	Phantom	9.95	7.50
10 Computer Hits Vol 4	9.95	7.50	Myron	9.95	7.50
Five Star Games Vol 3	9.95	7.50	Kayash	7.95	6.50
Star Wars	9.95	7.50	Onbridge	7.95	6.50
Ziggy	9.95	6.95	Kat Kelly	9.95	7.50
Ramscak	9.95	7.50	Wheel of Fortune	9.95	7.50
Outpatch Rider	9.95	8.95	Cosmic Frankenstein	4.95	4.50
Play It Again Sam Vol 2	9.95	7.50	Quest for Holy Grail	4.95	4.50
Play It Again Sam Vol 2	9.95	7.50	Kingdom of Kew	4.95	4.50
Palace of Magic	9.95	7.50	Ring of Solomon	4.95	4.50
Bonemarcher	9.95	7.50	The Nine Dancers	3.95	3.50
Cosmosphere Drift	9.95	7.50	Wyndwood	3.95	3.50
Elvis	9.95	7.50	The Puppet Man	3.95	3.50
Spellblazer	9.95	7.50	Stranded	2.50	2.50
Superior Collection Vol 3	9.95	7.50	Golden Baton	2.50	2.50
Amused World 40 Screens	9.95	5.50	Warriors	2.50	2.50
The Life of Napoleon	9.95	5.50	Pearson and Anderson	2.50	2.50
Blackboard	9.95	7.50	Escape from Pulver 7	2.50	2.50
Pagan Boy	9.95	7.50	Adventure	2.50	2.50
Kuonjind	9.95	7.50	Secrets of the Sphinx (3 Adv)	2.50	2.50
Spy vs Spy	9.95	7.50	DISCS	5.25*	5.25*
Software 40	9.95	7.50	Bonemarcher	9.95	7.50
Evening Star	9.95	7.50	Spellblazer	9.95	7.50
Phantom	7.95	6.50	Elvis	12.95	12.95
Cosmosphere Drift	9.95	7.50	Life of Napoleon	6.50	6.50
Football Manager	2.99	2.99	Play It Again Sam	9.95	12.90
Sector Base	1.99	1.99	Palace of Magic	9.95	12.90
Warehouse	2.75	2.75	Superior Collection Vol 3	12.95	12.95
Plan B2	2.95	2.95	Cosmosphere Drift	12.95	12.95
5 Computer Hits	1.99	1.99	Elvis	10.50	10.50
Steve Davis Snooker	1.99	1.99			

\* A full set of our Electron Hits II sold with each order

ALL PRICES INCLUDE VAT & P&P IN UK. ORDERS NORMALLY DESPATCHED WITHIN  
24 HOURS OF RECEIPT BY FIRST CLASS POST BUT PLEASE ALLOW 7 DAYS  
(Orders to Europe and Eire add 50p for each item. Worldwide add £1 for 1st and 50p for each extra item. Please  
send cheque payable through a UK bank or give full details of your Visa, MasterCard or Eurocard.)  
(Please Quote Electron I A BBC list is available on request) send cheque, P.O. Access or Visa number and  
cardholder's name to:



**MITHRAS SOFTWARE**

PO Box 151, Maulden, Bedford, MK45 2YH

Tel: (0525) 402630





# Adventures by Pendragon

TWO new adventures have appeared on my table this month and both deserve a mention before I sit down to the enjoyable task of reviewing them.

First to arrive was the new Elk Adventure Club release entitled *Axe of Kolt*. As with Larry Horsefield's previous two escapades with *The Quill*, this adventure has to be loaded in a number of parts.

However, there the similarity to *Magnetic Moon* and *Starship Quest* ends. *Axe of Kolt* is a mini epic of Middle Earth fantasy, and as such is a world away – pardon the pun – from his two science fiction classics.

The *Axe of Kolt* is a magical weapon forged more

## New adventures are on the way

than 200 years ago by Magor the sorcerer. The hero, Kolt, had wielded it when he vanquished the Xixon – an evil race of reptilian men who invaded the kingdom of Hectate.

Now the axe is needed again, as the Xixon have returned to wreak their revenge. The axe was buried along with Kolt when

he died, and the location of his tomb has long been forgotten.

Your task soon becomes apparent as you set out on your journey to recover the axe. This adventure is not quite in the Robico league, but at only £5.95 it should not be missed by any discerning buyer.

The second goody to be

dropped in the courtyard was the much awaited sequel to *Suds*, titled strangely enough, *American Suds*.

This is another four part adventure which pokes fun quite cleverly at American soaps.

The experience begins with a plane journey which parodies the classic film,

### Readers Hall of Fame

#### *Rick Hanson – Robert Hales*

Here is the final sequence needed to complete this adventure which was unfortunately omitted from the September 1987 issue of *Electron User*.

Return to the top of the ladder and go E, E, N, N, E, E, S. To open the door in the alcove, type in the numbers from the church. Open the next door with the screwdriver. Kill Garantz with the razor – don't use the gun. Victory is yours!

#### *Enthar Seven – The Boss (continued from last month)*

We now begin the final phases of this eternal quest. Equip yourself with the oar, Y shaped twig, vial of poison, flask filled with water from the washroom, fan and pair of pliers. You should now teleport to sector five, the desert.

Carefully divine your way through the desert taking care not to make one mistake. The fan and flask are simply insurances against making such a mistake in this arid maze. You will soon descend a flight of steps which lead to a river bank.

Hide in the hedge from the hunters in the canoe. While in hiding, you will discover a teleport bracelet which should be worn for the remainder of the game. If you remember the instructions contained in the manual you

found earlier in sector two, you will be able to put the bracelet to good use.

Once the hunters have disembarked you can steal their canoe and paddle it through the rapids. When you crash land you must remember to gather all your belongings together and replace the bracelet on your wrist.

Journeying North East in the swamp will lead to a ramshackle hut which has a padlocked door. The pliers can be used judiciously to cut the chain. Inside the hut you will discover a muffler which will prove invaluable in the final stage of this adventure.

A trek South East in the swamp will lead to a carnivorous plant which must be poisoned. You may then surmount the steps which lead to the teleport chamber.

Next month, our year-long solution comes to its end.

#### *Village of Lost Souls – Peter Youde*

Leave the ring of stones and deal with the thieving dogs. E, NE, IN, UP, GET HAMS, DOWN, OUT, DROP HAMS. Collect the bow and arrow to kill the thieving bird. SW, E, N, IN, IN, GET ARROW, OUT, OUT, SW, S, E, SW, S, SW, GET BOW.

Get the chalice from the nettles by the river and when bird appears, fire the arrow then drop the bow. NE, N, SE, N, N, N, IN, IN, E, N, N, E, GET CHALICE. Go and fill the chalice from the church font. W, S, S, W, OUT, OUT, SW, S, SE, IN, FILL CHALICE WITH WATER. Use the water to

Turn to Page 44 ►

Daniel Lippert must drop a

Finally in *The Hunt*, Andrew Learmouth must find a way to foil the lasers if he is to travel in safety along the East-West corridor near the market. This is one adventure where I found that drawing a map was essential to survival and progress.

May 1988 ELECTRON USER 43

## Adventurer's Glossary

(continued from last month)

**Gas:** You will need to wear some kind of protection against it.

**Gem:** Surely a treasure.

**Ghost:** Can be helpful or dangerous.

**Giant:** Usually friendly, and can be helpful for carrying heavy loads.

**Gladiator:** You will need to fight and defeat him.

**Gloves:** Wear them when handling anything which might be dangerous.

**Gold:** Can be as a bar or in a bag, but nearly always a valuable treasure or part of a monetary system.

**Grill:** You will need to open it or saw through it.

**Guard:** He must be bribed or paid. If not, you will need to find some other way past him.

**Gun:** Might need a silver bullet if it's a werewolf that you are hunting.

## ◀ From Page 43

tional disc based adventure from Topogika is **Giant Killer**. It costs a pricy £18, but is a superb aid to teaching maths to 10 to 14 year olds.

In response to my challenge to readers to complete **Sphinx Adventure** in the minimum number of moves, I have received some intriguing replies.

Jane Forbes sent in a fantastic theoretical solution which would enable an adventurer to complete the game in only 253 moves. But honours have to go to Quillaquest who has dissected the adventure and

provided a 14 page solution.

It provides two routes which will conclude the game in 229 or 195 moves involving an Ingenious cheat. The crux to Quillaquest's thesis involves the pirate and the water bottle which need careful experimentation to enable the cheat.

I cannot possibly reproduce all of this magnum opus, but am now able to answer almost any question you care to pose about **Sphinx Adventure**. A suitable prize is now winging its way to this anonymous character.

Until the cheats don't prosper, happy adventuring!



## SECOND POWER SUPPLY FOR ELK USERS AND EXPERIMENTERS

Your Elk cannot cope with 2ed drives, sensors, motors, relays etc. on its own  
A 2ed power supply is now available

### TYPE ONE:

-5V 100mA  
+5V 1A  
12V 1A  
Output from 8 B.C. type power plug  
£32.50 inc. P&P

### TYPE TWO:

As type one with an additional variable output 1.25 to 20V 1A.  
£42.50 inc. P&P

These supplies use modern IC design and come in a sturdy metal case

G.U.S., PO Box 129, Portsmouth PO4 8TS  
Tel: 0705 293927 for details

## DELTA COMPUTERS

### BBC MASTER SERIES

Archimedes ..... Ring for price  
Master 128 ..... £395.00  
Master Compact Entry System ..... £349.00  
Master Compact Colour System ..... £555.00

### DISC DRIVES

5602 400K DS DD 40/80T ..... £104.95  
5602DB Dual 800K 40/80T ..... £204.95  
5602D as 5602DB-PSU ..... £234.95  
Opus DDOS (With a drive) ..... £40.00

### SPECIAL OFFERS

Acorn Electron + Acorn Cass player + 3 games + all leads and manual ..... £79.99  
As above + Slogger Rom box + Starword ..... £119.99  
Tasung Std. Res. Col. Monitor ..... £169.00  
Acorn Mod. Col. Monitor ..... £299.00  
Philips 8833 Col. Monitor ..... £259.00  
Brother HRS Printer ..... £89.99

### PRINTER RIBBONS

Brother M1009 ..... £3.25  
Brother HRS ..... £3.25  
Canon PC1080A ..... £3.25  
Epson FX MK/RX 80 ..... £2.70  
Epson LX80, LX86 ..... £2.70  
Epson FX, MX, RX 100 ..... £3.35  
Panasonic KX-P1081 ..... £3.99  
Citizen 1200X SP10 ..... £4.80  
Citizen MSP10.20 ..... £2.70  
Citizen MSP15.25 ..... £3.25  
Kaga 610 ..... £3.25  
M Tally M780 ..... £3.50  
Saskia GP100/250 ..... £2.85  
Shreve CP80 ..... £3.50

### PRINTERS (inc lead)

Epson P-40 ..... £49.95  
Citizen 1200 ..... £169.00  
Star NL 10 ..... £237.00  
Panasonic KX-P1081 ..... £169.00  
Amstrad DMP200 ..... £179.00  
Amstrad DMP3180 ..... £199.00

All orders over £100 receive free Touchpad for BBC B (only).  
(while stocks last).  
MINIMUM ORDER £10.00

## All prices include VAT

Please add £5 carriage on orders over £100  
Mail Order only at this address  
Trade and Educational enquiries welcome

85 Union Street Oldham Lancs

061-626 3841



## A1 COMPUTER SERVICES

For your Computer Repairs and Supplies


We are Authorised Slogger and Amstrad Dealers and also an authorised Microvitec Service Centre. Used Equipment bought and sold.

We also supply coloured discs at discount prices

9 PADDOCK MOUNT, DAWLEY,  
TELFORD, SHROPSHIRE. TF4 3PR  
Tel: 0952-502737



## Underground (Map 4)



Next month's map will feature the Castle. Maps 1 and 2 (South of the Canyon) and 3 (North of the Canyon) can be found in the February, March and April issues.

# Feature

QUEST is a large arcade adventure I began programming about 18 months ago. It features a young lad called Walter Cobra who goes in search of the mysterious Golden Dragon.

Most games of this type tend to use either Mode 2 or Mode 5. I wanted Quest to be different from others on the market, so Mode 1 was used.

This gives very fine detail, but unfortunately is limited to four colours. However some pretty effects are possible by dithering.

This is a technique where alternate pixels are plotted in different colours. Due to the low resolution of most monitors and TV sets they run together to give another colour.

The palette was switched between screens to brighten up the game even more.

The BBC Micro version uses interrupts to keep the colours at the top of the screen constant, but despite trying several techniques this could not be achieved on the Electron.

This interrupt, and the hash at the top and bottom of the screen, are the only differences between the two versions.

Electron users might be interested to know that the game was just as difficult to fit into a BBC Micro as it was

# Quest

**TONY OAKDEN reveals**  
**the problems he found writing the**  
**arcade game we review on Page 16**

into the Electron.

There are many different types of animal in Quest. Each has a different appearance, and in addition they also have individual characteristics and behaviour patterns.

This posed problems due to the limited amount of memory available, so certain routines had to be shared by different sprites.

Take the small robots which bounce off the walls. They use the same collision detection routine as the man, but because they are smaller the routine needs different parameters. This

worked very well – except that they also bounced off the man. To solve this problem a method was needed to make them attack if they were touched.

The game already contained a proximity detection routine, used by the bats to detect the man if he got closer than about 10 pixels. The robots use the same routine, but again, they use different parameters.

One feature peculiar to Quest is the ability of certain animals to move freely between screens – ghosts and robots both move on and off screens.

The robots always start at the same place when you enter a screen, but they will sometimes come on to a screen while you are trying to negotiate an obstacle.

The ghosts will follow you between screens and are quite intelligent.

The idea is to try to tie the action on different screens together, giving the feel of a complete game rather than a series of individual screens.

All animation is controlled via a series of flags and parameter blocks. When a new screen is drawn, all the flags are cleared and if a particular animal is needed a flag is set and the corresponding parameter block initialised.

The structure of the animation routine is very simple:

- The keyboard is scanned.

- The man is moved accordingly.

- Any other animated characters are moved.

- Has the man reached the edge of the screen? If he has, draw the next screen.

- Has he run out of energy? If so, end the game.

- Loop back to the start.

Because there is more action on some screens than others, a method was required to run the animation at a set speed. I eventually did this by resetting TIME to zero at the beginning of the animation loop and then checking to see if it was less than eight at the end.

If it is, the program waits until TIME is greater than eight. The Basic equivalent is:

```
TIME=0  
(animation loop)  
REPEAT  
UNTIL TIME > 8
```

This locks the animation at a maximum of one frame every 0.08 sec, or 12 frames per second. By varying the time limit, different effects are possible – that is how the Time Warp feature was created.

The resultant game is, I hope, a good blend of well animated characters and interesting patterns. However, the code is a nightmare of nested loops and subroutines.

A good analogy would be a swan, which from the bank



The first screen of the game

appears to glide gracefully along, but under the water has huge ugly paddles frantically churning away!

The map, is made up from an 8 by 10 grid of screens. The address of the data for each screen can therefore be calculated, eliminating the need for a look-up table.

This made designing the game very difficult, as each section of the map has to connect and the puzzles had to be spread out, with many challenging animated problems in between.

Each screen is built up from 15 blocks on a five by three grid. This is a rather coarse way of doing the job, but by using one byte per block 256 possible shapes are available. For example, block number two is a solid square, while 17 is the elephant.

In fact only numbers 0 to 63 are defined, 64 to 127 use the same data as 0 to 63, but are inverted. Numbers 128 to 255 use the character set.

By having two passages in one block it was possible to build some very complex mazes. If you play the game on a standard size monitor there is something like 50 feet of passages in the ghost maze alone.

Each block is built up from an eight by eight grid of characters. These are the smallest element, and con-

sist of things like the bricks, leaves and metalwork.

Again there is a total of 256 possible characters, but only the first 64 are defined as data. The next 64 are inverted, and by EORing the character with a striped mask additional shapes became possible.

Some of the objects in the game, such as the key handles and cross, are also used to create interesting effects.

Finally, the operating system routine for drawing triangles was incorporated, but an undefined graphics number was used to obtain the striped effect.

A small utility was needed to design all the shapes and sprites used in the game. There did not seem to be any suitable commercial packages available, so an editor was written in Basic.

The sprites and other objects were initially designed on paper and then modified. I was particularly pleased with the caterpillars and ghosts.

As the sprites are printed on the screen a routine was included which doubled their height, allowing the display of nice big sprites.

Unfortunately, the Electron is not fast enough to draw a lot of large sprites in Mode 1, so they are automatically drawn at normal height if there are more than



a certain number. They are EORed on to the screen, because this is the simplest way of moving them about without corrupting the background.

I have always considered that it is the puzzles in an adventure which make the game interesting.

Quest was to have as much variety as possible. I particularly wanted to avoid the situation where every puzzle is solved by simply taking the appropriate object to the correct place.

Wherever possible extra animation was included when a puzzle was solved. A good example is the elephant, which has to be moved to get into the next section of the game.

I wanted the elephant to actually move out of the way rather than simply disappear.

The sprite animation routine could not be used because of the beast's size and the way the data is stored. So a fast software scroll was used to actually move each byte of the elephant in turn, one byte to the right.

This worked very well and the same routine was used with several other objects.

Another puzzle I was keen to include was a time-related one. To do this a real-time clock was needed. It runs independently of the game and uses the interval timer crossing zero event to generate an interrupt every

60 seconds.

The routine works by resetting the interval timer to -6000. It is incremented by the operating system every 0.01sec, independently of the game.

As it crosses zero an interrupt is generated which passes control to an interrupt routine which resets the timer to -6000 and increments the clock. Control is then passed back to the main program.

Several objects in the game have to be used correctly. The program allows them to be dropped and picked up again at almost any point.

This was quite tricky and meant having to keep track of their position and also make sure they were dropped in a sensible place - not floating in water or in mid-air.

This meant I had more scope for problems involving lateral thinking. I also had a lot of headaches trying to make sure the player could not get into areas of the game by using objects in a way I had not expected.

Eight passwords have to



The screen editor

Turn to Page 48 ►



# Feature



The sprite designer

## 4 From Page 47

be found to log on to the terminals. I had a lot of fun deciding what these terminals should do – and I think some will bring a few surprises.

My favourite puzzle is the music room. This is, I believe, the first musical puzzle ever included in an Electron arcade adventure.

To get the organ to play a true scale was rather difficult. The pitch of each note is stored as data and as the man moves over the keys his position is used to calculate which note is played.

Most of the sounds use envelopes, and a small editor was used to define them. This made it easier to get some quite interesting effects. However, the sounds are, by necessity, very simple and I hope unobtrusive.

I have played Quest all the way through on several occasions and can finish it with the game clock showing 12.06 – about 1 hour 10 minutes real time.

There is plenty of energy available in the game, and providing you stop and think, all the screens can be negotiated without losing too much.

The underwater section is perhaps the hardest, as

there is a severe time limit. The secret is to put your head up in the air pockets as often as possible.

The game was programmed on an Acorn Electron with Plus 1 and Plus 3 expansions. With the Plus 3 active the amount of free memory is very limited, so I used ACP's sideways ram and E00 DFS to get PAGE back to E00.

The whole system was generally very reliable, but I did find one or two minor bugs. Trying to save files to disc in Modes 0 to 2 sometimes resulted in disc errors. This could be due to the reduced speed of the system.

Some data is stored in the screen memory and I had to save in these modes. To get around that I used a technique I saw in *Electron User*, where the operating system is temporarily forced into Mode 6 to increase the processor speed.

I also used this technique to speed up the machine while it is drawing the screens.

When developing a game like this, the source code has to be loaded, modified, assembled and the resulting object code saved back to disc.

The modified source code then has to be saved and the new object code reloaded

with the rest of the game in order to test it.

If there are any problems – and you can bet your disc drive there will be – the source code has to be reloaded and the whole operation repeated.

On a bad night I would do this perhaps 100 times, so cassette tapes would be completely useless, and the discs and drive had to be as reliable as possible.

One important lesson I learned while working on Quest was always to keep at least two backup copies of the game. I would also recommend using good quality discs for the main backup at least I also try to rotate them to avoid over working one disc.

On the BBC Micro Mode 7 can be used for assembling machine code. This leaves about 28k of ram for the source and machine code.

On the Electron, Mode 6 must be used instead, which reduces the amount of ram available.

One dodge to get round this is to assemble the code into the screen memory. Set O% to &6000, P% to the start address of the machine code and use OPT 4 to 7.

You can see the machine code being built up on the screen, and it leaves extra space in the program area for the assembler text. But remember to turn off the cursor.

Quest is my first serious



game, and I must admit it nearly drove me to the point of despair. At one stage last year I decided to give up altogether and sell my computer in order to buy an Amiga.

I actually placed the adverts, but then changed my mind and decided to press on and see what happened.

I sent the game to Superior Software just after Christmas and they immediately wrote back to me. Since then I have worked solidly on it every night to get it debugged and versions finished for the other machines in the Acorn range. Superior lent me a BBC B, and were most helpful with suggestions and advice.

I aim to stay with the Electron for a few more games at least. I feel the machine still has a lot of potential and is only now being programmed to its limits.

I am already planning the sequel to Quest and hope to have it finished later in the year.

I have worked out a way to cram even more into the micro and have devised some devious puzzles to keep Walter amused.



# Learning CAN be fun

- Use your Electron to teach and amuse your children at the same time.
- Three packages crammed full of educational programs – and so easy to use!
- Each program has been educationally approved after extensive testing in the classroom.

ONLY  
£4.95 tape  
£5.95  
3½" disc



## Ages 2-5

Alphabet  
Colours  
Counting  
House  
Magic Garden  
Matchmaker  
Numbers  
Pelican  
Seaside  
Snap



**PELICAN**  
Teach your children to cross the road safely at a Pelican crossing



**HOUSE**  
Select the colours to draw a house – hours of creative entertainment

## Ages 5-8

Balance  
Castle  
Derrick  
Fred's Words  
Hilo  
Maths Test  
Mouser  
Number Signs  
Seawall  
Super Spell



**NUMBER SIGNS**  
Provide the correct arithmetic sign and aim to score ten out of ten



**BALANCE**  
Learn maths the fun way. Type in the answer to balance the scales

## Ages 8-12

Anagram  
Codebreaker  
Dog Duck Corn  
Guessing  
Hangman  
Maths Hike  
Nim  
Odd Man Out  
Pelmanism  
Towers of Hanoi



**HANGMAN**  
Improve your child's spelling with this fun version of the popular game



**ODD MAN OUT**  
Find the word that does not fit – before your time runs out

**TO ORDER PLEASE USE THE FORM ON PAGE 53**



**SLOGGER**

## WHAT PRICE QUALITY? WHAT PRICE COMPATIBILITY?

To quote a well known phrase, "You only get what you pay for"  
This we feel sums up SLOGGERS pricing policy. Our goods may not always be the cheapest, but the products are most certainly the best.

### THE PEGASUS 400 DISK DRIVE SYSTEM

Using only top quality components, the system comprises of:

**The SLOGGER 40/80 Track double sided 5.25" Disk Drive which maintains**

- \* 400k storage per disk, built in power supply.
- \* Manufacturers (NEC/TEAC) 1 year guarantee.
- \* Internal Power Supply unit (built to BS 415).
- \* Compatibility with the inexpensive (yet most reliable) 5.25" disks.
- \* Reliability at 3 m/s step rate (four times faster than some drives).

**The SLOGGER PEGASUS Disk Interface which boasts**

- \* Excellent Computer Aided Design (CAD) production
- \* Acorn approved design and standard WD1770 floppy disk controller
- \* NEW Type-Ahead facility when used with Master RAM Board
- \* READ/WRITE Shadow Screen when used with Master RAM Board
- \* 90 page documentation usually provided as a separate purchase
- \* Compatibility with the ACP ADFS Version 1.1, which offers a total 640k when used with SLOGGERS 5.25" Disk Drive

**The SLOGGER SEDFS ROM, about which the Electron User magazine enthused**

"I can recommend SEDFS unreservedly"  
"Anyone considering upgrading to disk"  
"SEDFS is the logical choice"

The quality of SEDFS speaks for itself, unlike other filing systems it offers

- \* No loss of Electron memory, PAGE=&E00 (not &1D00)
- Full Acorn DFS (BBC Model B and MASTER SERIES) compatibility
- \* All utilities built in, requires no additional menacing utility disk

**PEGASUS 400 (Including Interface) .....£149.50 (inc VAT)**

**PEGASUS INTERFACE (Only) .....£74.95 (inc VAT)**

### MASTER RAM BOARD

**Upgrade your Electron to a  
64K Machine using  
32K of STATIC RAM**

- \* Fits inside the Acorn Electron, uses no cartridge ports
- \* Compatible with ALL reliable Electron hardware (except TURBO DRIVER).
- \* Compatible with ALL Electron software, switching between 64K mode, TURBO mode (yes the TURBO DRIVER IS BUILT IN), and normal mode.
- \* For correctly written software, HIMEM is ALWAYS AT 8000 in 64K mode so leaving 28000 bytes for BASIC or WORD PROCESSING in ALL screen modes.
- \* Doubles the speed of Word Processing.
- \* Up to 300% speed increase for games.
- \* Additional 12K for use as Printer Buffer with Expansion ROM 2.0.
- \* Installation Service (See Details below) for those not confident of desoldering the 6502 Microprocessor

#### NEW FEATURES

- \* 64K Mode fully compatible with 98% of Level 9 BBC Adventure games
- \* NEW OS 2.1 - PLAY ACORNSOFT'S ELITE WITH SLOGGERS JOYSTICK INTERFACE.

"I can thoroughly recommend it"

*Electron User 1987*

**Master RAM Board Kit - code MR2 - Now Only £49.95**

### INSTALLATION SERVICE

- \* Guaranteed to upgrade your Electron with either the Master RAM Board or Elk Turbo Driver and RETURN IT WITHIN 7 DAYS OF RECEIPT.
- \* Includes Postage paid BOTH WAYS (using FREEPOST) and 1 YEARS GUARANTEE

**Order MR1 - Master RAM Board installed - only £59.95  
or TD1 - Elk Turbo Driver installed - only £39.95**

Please note . . . if you own a PLUS 1, please send it with your Electron to be tested to ensure reliability at high speed.

Parcel Post Amount of postage to be paid by licensee	Postage Forward Parcel Service Licence no GJC 1	No postage stamp necessary unless posted in Channel Islands Isle of Man or Republic of Ireland
Date Stamp		
<p><b>SLOGGER LTD</b>  <b>107 RICHMOND ROAD</b>  <b>GILLINGHAM</b>  <b>KENT</b>  <b>ME7 1BR</b></p>		

## ROMBOX PLUS

SLOGGER's answer to the PLUS 1

Q. Why not buy the Acorn Plus 1?

A. Because "Excellent though the Plus 1 is, I think there is still room for improvement," said the Electron User Magazine.

The ROMBOX PLUS has this improved specification:

1. Four ROM/RAM sockets to free the cartridge slots for more important add-ons. Each socket can take the usual 8K/16K ROMs but can also take 16K RAMS offering a staggering 64K SIDEWAYS RAM.
2. The PLUS1 Cartridge slots.
3. The PLUS1 centronics printer port.
4. The Expansion ROM 2.0.
5. Switched Joystick Interface available.
6. Analogue Joystick Interface under development.

Still Only £54.95

## EXPANSION ROM 2.0

for ROMBOX PLUS or PLUS 1

- \* Supports Printer Buffer with 8K/16K sideways RAM or 12K with MASTER RAM BOARD.
- \* RS/AVE command to save ROM images to tape or disc.
- \* RLOAD command to load Sideways RAM with a ROM image.
- \* ROMS command to display ROM/RAM in system.
- \* JOYSTICK command for the SLOGGER Joystick Interface.
- \* Allows cassette loading in high resolution.
- \* Supports all standard functions (Printer, ADC, RS423).
- \* Simply fits into internal ROM socket.
- \* "There is room for improvement in the operating system. No doubt this was the idea behind Expansion 2."

Electron User, July 87

ONLY £11.95  
(£5 if purchased with 32K SIDEWAYS RAM or JOYSTICK INTERFACE)

## 32K SIDEWAYS RAM CARTRIDGE

for ROMBOX PLUS or PLUS 1

- \* Ever popular on the BBC
- \* Best used with EXP ROM 2.0
- (1) Save ROM backups for loading into Sideways Ram.
- (2) Set up a 16K Print Buffer
- \* Splits as 2x16K pages
- \* VIEW and VIEWSHEET in one slot!!
- \* Write protect option... prevents corruption of software.

"A very powerful piece of hardware"

Electron User July 87

ONLY £34.50  
(£39.50 with EXP ROM 2.0)

## SLOGGER EPROM CARTRIDGE

- \* Carries TWO 8K/16K ROM/EPROM software
- \* Compatible with PLUS 1, ROMBOX PLUS and BBC Master.
- \* Simply plugs into cartridge slot

£10.00 for a limited period

## ROM SOFTWARE

STARSTORE 2 ..... £29.95  
SEDFS upgrade ROM for CUMANA owners ..... £24.95

## \* BARGAIN CORNER \*

STARWORD	Word Processor	£19.95
STARSTORE	Database	£9.95
STARGRAPH	Graphic Utilities	£9.95
ELKMAN	ROM/RAM Manager	£9.95
STARMON	Machine code Monitor	£9.95
PRINTER ROM	Simplified Printer Control	£9.95
STAR TREK	Machine code disassembler	£9.95
PDG	Printer Driver	£9.95

## TAPE TO DISK ROMS VERSION 2

- \* Transfer the majority of Tape programs to disk
- \* Acornsoft, Superior and Micropower no problem
- \* Compatible with programs copied using Version 1
- \* More successful than ever before
- \* T2P3 for the Acorn Plus 3
- \* T2CU for the Cumana DFS
- \* T2P4 for AP4 and ECO DFS
- \* T2SD for the Solidisk DFS
- \* T2SEDFS for the SEDFS
- \* T2PEG400 for Pegasus 400

ONLY £24.95

- \* Upgrade 1-2 only £5 with original ROM

## PRESTEL/MICRONET ON THE ELECTRON

Link up to Prestel, Micronet, Telecom Gold and a multitude of very exciting Bulletin Boards using the Slogger Communications Package

Phone for further details  
(ask for Phil) 0634 52303

COMMS 1  
RS423 Interface  
Commsstar Software  
Modem  
£85.00

COMMS 2  
RS423 Interface  
Commsstar Software  
£59.00

COMMS 3  
Modem Only  
£30.00

## 64k ACORN ELECTRONS

THESE ELECTRONS ARE FITTED WITH THE MASTER RAMBOARD AND ARE FULLY TESTED AND GUARANTEED WHEN PURCHASED DIRECT FROM SLOGGER

64k ELECTRON  
(Switchable)  
£99.00

## JOYSTICK INTERFACE

for ROMBOX PLUS or ACORN PLUS 1

- \* Uses inexpensive ATARI-type joysticks
  - \* Compatible with ALL Tape and Disk systems.
  - \* Emulation of keys by Expansion ROM 2.0
  - \* Can be used with well written games either WITH OR WITHOUT A JOYSTICK OPTION
- "The ultimate Joystick Interface"
- A&B July 87  
Electron User May 87
- "Well worth saving up for, I can recommend it to all Arcade Addicts"
- ONLY £14.95  
\* Requires Electron Expansion 2.0  
Only £5 with this unit

## JOYSTICKS

Switched Joysticks for the Slogger Joystick Interface

Quickshot I	£4.00
Quickshot II	£6.00

## SLOGGER'S AUTHORISED DEALERS

Aberdeen Micro Logic	0599 66233
Birmingham Allen James Computers	021 778 5737
Bristol Aven Computer Exchange	0272 637581
Broadbourn Bradstreet Computers	01 207 4210
Burnley Atomic Computer Systems	0782 54299
Byfleet Cslcraft	0932 342137
Cardiff Computer Exchange	0222 480369
Cardigan Cardigan Electronics	0239 614683
Chesham Reeves Photo & Computing	0494 783373
Crawley Computer Centre	0293 37842
Croydon Computer Centre	01 883 2646
Farnham Project Expansions	0239 221109
Farnham Farnham Computers	0252 723107
Glasgow Computer Depot	041 332 3344
Leicester DA Computers	0533 549407
London Compulace	01 550 0181
Market Harborough Harborough Computers	0858 63056
Merseyside Compahop	051 639 3041
Newbury M&S Associates	0635 45774
Oldham Home And Business	01603 1608
Sharnbrook Swalecra Systems	0785 665530
Stockport Dram Electronics	061 429 0626
Telford A1 Computer Supplies	0652 502737
Townbridge West Wilts Micros	02214 62759
Warrington Cheshire Micros	0625 414109
Wetherlands Velobits Computers Rotterdam	010 4138197

Mail Order Only

Stockport 21st Software 0625 528885  
All prices include VAT P&P UK Mainland only

Cheques payable to  
SLOGGER LTD. Tel: 0634 52303

☐ Access No.

☐ Visa

Name

Address

Expiry Date	PLEASE SUPPLY	Cost
1	_____	£ _____
2	_____	£ _____
3	_____	£ _____
4	_____	£ _____
5	_____	£ _____
		Total £ _____

SEND  
FOR  
THEM  
TODAY

Please send orders to SLOGGER LTD, 107 RICHMOND ROAD, GILLINGHAM, KENT

# nursery rhymes



**5** fun-packed educational programs  
... for young children everywhere



This delightful collection of programs is based around children's favourite Nursery Rhymes. There's plenty of sparkling colour, sound and captivating animation to keep them riveted – and as they play they'll be learning all the way.

- ★ Tell the time with Hickory Dickory Dock.
- ★ Assemble the jigsaw in Humpty Dumpty.
- ★ Learn to spell with Jack and Jill.
- ★ Match the animals in See Saw Marjory Daw.
- ★ Play an exciting game in Hey Diddle Diddle.

Children from two to nine will be entertained for hours with these interactive programs. Don't miss out on this beautiful gift for your family – and at a very special price.

**ONLY £5.95** (cassette)

**£6.95** (3½" disc)

Suitable for any Acorn Electron

**TO ORDER PLEASE USE THE FORM ON PAGE 53**



★ Special price if accompanied by subscription or renewal

All prices include postage, packing and VAT  
Overseas orders sent exclusively by Air Mail

Valid to May 30, 1988  
Please enter number required in box

### Electron User subscription

UK £15 3001  
Europe & Eire £23 3003  
Overseas £38 3004

Commence with: 1988

### Renewal

UK £15 3002  
Europe & Eire £23 3476  
Overseas £38 3477

### Computer Hits 4

(see page 36)

Tape only • £3.95 £8.95 3032/3033

### Ransack

(see page 36)

Tape only • £3.95 £8.95 3036/3039

### The Life Of Repton

(see page 36)

Tape • £2.95 £5.45 3034/3035  
5.25" Disc • £3.95 £5.95 3036/3037

### Skirmish

(see page 29)

Tape only • £4.95 £7.95 3040/3041

NEW

### Electron User back issues

£1.75 UK  
£2.75 Europe  
£3.75 Overseas

January 1987	3210
February 1987	3211
March 1987	3212
April 1987	3213
May 1987	3214
June 1987	3215
July 1987	3216
August 1987	3217
September 1987	3218
October 1987	3219
November 1987	3220
December 1987	3221
January 1988	3222
February 1988	3223
March 1988	3224
April 1988	3225

### Cassette tape annual subscription

UK £35 3005  
Europe/Overseas £45

Commence with: issue

### Renewal

UK £35 3006  
Europe/Overseas £45

### Electron User tapes/discs

Tape £3.95, Discs £4.75. Add £1 for Europe/Overseas

		Tape	3 1/2" Disc
Grid Warrior	Jan 1987	3310	3410
Maze	Feb 1987	3311	3411
Super Boss	Mar 1987	3312	3412
Dragons Doom	Apr 1987	3313	3413
Hectic Henry	May 1987	3314	3414
Hungry Harry	June 1987	3315	3415
Mazebugs	July 1987	3316	3416
Arena	Aug 1987	3317	3417
Mr Miner	Sept 1987	3318	3418
Witchcraft	Oct 1987	3319	3419
Fawkes' Run	Nov 1987	3320	3420
Santa on the Tiles	Dec 1987	3321	3421
Comic Guerrillas	Jan 1988	3322	3422
Super Digger	Feb 1988	3323	3423
Shove Penny	Mar 1988	3324	3424
Go-Pig	Apr 1988	3325	3425
Keyboard Gremlins	May 1988	3326	3426

Readers in Europe (inc Eire) add £2. Overseas add £3 per item unless otherwise indicated

### The Sound Master

SPECIAL OFFER

£9.99 3000

Add £2 for Europe (inc Eire); £7 for Overseas

### Arcade Game Creator

(see page 31)

NEW

Tape £3.95 3118  
3.5" Disc £4.95 3127  
5.25" Disc £4.95 3010

### Adventure Anthology

(see page 29)

NEW

Tape £4.95 3044

### Knitwear Designer

Tape £8.95 3128

5.25" Disc £9.95 3129

Add £2 for Europe (inc Eire); £5 for Overseas

### Nursery Rhymes

(see page 52)

Tape 3 1/2" Disc

£5.95 £6.95

Add £1 for Europe/Overseas 3018/3019

### Education Special Vol. 2

Classroom Computing on the Electron

Magazine + Electron Cassette £3.95 3007

Magazine + Electron 3.5" Disc £4.95 3008

Add £2 for Europe (inc Eire); £4 for Overseas

### Fun School

(see page 32)

Tape 3 1/2" Disc

£4.95 £5.95

Ages 2-5 3080/3108

Ages 5-8 3081/3109

Ages 8-12 3082/3110

Add £1 for Europe/Overseas

### Getting Started in BBC Basic

£2.95 3100

### Advanced User Guide

£3.45 3072

### Mini Office

Add £1 for Europe/Overseas Tape £5.95 3062

### Magic Sword

Tape 3 1/2" Disc

£5.95 £6.95

3065/3105

Add £2 for Europe (inc Eire); £5 for Overseas

### Ten of the Best

Tape 3 1/2" Disc

£5.95 £6.95

Volume 1 3068/3111

Volume 2 3069/3112

Volume 3 3070/3113

Volume 4 3120/3121

Add £1 for Europe/Overseas

### French on the Run

Tape £9.95 3115

Add £1 for Europe/Overseas

### Classic Card and Board Games

No. 1 Tape £5.95 3090

3.5" Disc £7.95 3092

No. 2 Tape £5.95 3091

3.5" Disc £7.95 3093

Add £1 for Europe/Overseas

### Electron Dust cover

£3.95 3058

Add £1 for Europe/Overseas

### Magazine Binder

£3.95 3059

Add £3 for Europe (inc Eire); £7 for Overseas

TOTAL

Send to: Database Publications, FREEPOST, Europa House, Adlington Park, Adlington, Macclesfield, Cheshire SK10 4NP  
(No stamp needed if posted in UK. Please allow 28 days for delivery)

Order at any time of the day or night

Telephone Orders: 0625 879620

Fax Orders:  
0625 879995

Orders by Postal:

Key '88, then 014568383

MicroLink/Telecom Gold  
72:MAQ001

Don't forget to give your name, address and credit card number

ENQUIRIES ONLY: 0625 879940 9am-5pm

Payment: please indicate method (✓)

☐ Access/Mastercard/Eurocard/Barclaycard/Visa

No. \_\_\_\_\_

☐ Cheque/Eurocheque made payable to Database Publications Ltd.

Name \_\_\_\_\_

Address \_\_\_\_\_

Post Code \_\_\_\_\_

Tel \_\_\_\_\_

Expiry

Date \_\_\_\_\_

YOU may or may not have seen an episode of Tomorrow's World, screened just over a year ago, in which a unique method of producing colour on black and white televisions was demonstrated.

There is no inherent reason why the same technique can't be used on an Electron with a black and white TV or monitor to produce full-colour text and graphics, and David Sharpe shows you how.

If different parts of the screen can be made to generate a particular frequency of interference fringing, the optic nerve has no choice but to perceive that part of the screen as a colour.

The secret lies inside the Electron's ULA chip. Frame flyback occurs 50 times a second and it is possible to alter the palette for certain colours at every pass using a set sequence — thereby producing subliminal interference patterns.

These, if properly

adjusted, can reproduce all eight colours — albeit rather faint and shakily — on a black and white TV.

These will be changing so rapidly that the brain cannot react adversely to the flickering, as can be the case at discotheques.

Of course, the utility will still only function in modes with more than two colours, so Mode 0, 3, 4 and 6 are out. Mode 2 is the best with eight steady and eight flashing colours.

Type in the listing, save it before running, and use CALL &900 to activate the utility.

# COLOUR EMULATOR OR LINERS

```

10 REM Colour Emulator
20 BX=6980:FOR YZ=0 TO 7:REA
DAS:FOR LX=0 TO 23:BX=VAL("B"
+MID$(AS,LX+2+1,2)):BX=BX+1:
NEXT:NEXT
30 DATA A9876550A90985512
07009203F09A932000009A9A955
0A9
40 DATA 098551A91120EEFFA
000920901A0000E0920EEFF20700
9CE
50 DATA 000910E7A91420EEF
F20E7F4CE7FA0200009A000
550
60 DATA A98551A00009000
19150207009CE0001071A0C020
0EA
70 DATA EACAD0F00000F620E
7F20E7F4CE7FA0000150C2AF
007
80 DATA 20E3FFC04C7209001
30000000002A106117000A20000
000
90 DATA 00000053796E63607
26F6E6973696E6720554C41202E2
E2E
100 DATA 2A4064120404121204
17072696C20466F6C21202A000
102
  
```

# HELICOPTER

```

1 REM Helicopter
2 REM By A.M. Waite
3 REM (c) Electron User
4 MODE 2:VBU 23,1,0;0;0;
0;19,15,1;0;0;A1=0:PROCPrint(
440,312,400,0,1):PROCPrint(1
040,412,100,1):GCOL 0,15:PRO
CCheli:PROCvdu:END
5 DEFPROCCheli(X1,Y1,R1,
C):VBU 29,X1,Y1:MOVE 0,R1+C
:FOR N=0 TO 2*PI STEP PI/24:
A2=A1+1:IF A2=15 A2=1
6 GCOL 0,A2:MOVE 0,0:PLO
  
```

```

T 85,X1+SIN(N),R1+COS(N)*C:N
EXT:VBU 29,0;0;ENDPROC
7 DEFPROCvdu:FOR N1=1 TO
12:VBU 19,N1,0;0;NEXT:REPE
AT:FOR N1=1 TO 12:IF N1=1 V0
U 19,12,0;0;
8 VDU 19,N1,1;0;VDU 19,
N1-1,0;0;NEXT:UNTIL FALSE:E
NDPROC
9 DEFPROCCheli:MOVE 440,5
12:MOVE 420,412:PLOT 05,460,
412:MOVE 1040,412:MOVE 340,3
12:PLOT 05,340,412:MOVE 800,
  
```

```

412:MOVE 600,312:PLOT 05,340
,312:MOVE 700,412:MOVE 440,4
62:PLOT 05,340,412:MOVE 340,
412:DRAW 290,400:DRAW 240,37
0
  
```

```

10 MOVE 150,312:PLOT 05,2
40,312:MOVE 150,312:MOVE 160
,300:PLOT 05,600,312:PLOT 05
,600,300:MOVE 100,270:DRAW 1
20,260:DRAW 650,260:MOVE 250
,300:DRAW 250,260:MOVE 550,2
60:DRAW 550,300:ENDPROC
  
```

HERE is yet another excellent demonstration of palette switching techniques from A.M. Waite. A helicopter complete with whirling rotors is the finished effect, and the spinning blades are extremely realistic because they appear to have proper perspective as they turn.

There is a short wait while the main rotor and the stabiliser are drawn using all 16 colours in Mode 2. Finally the helicopter's body is drawn.

Now sit back to watch the amazing animation.



# MICRO MESSAGES

## The micro that outgrew Acorn

I RECENTLY spent several informative hours looking through three years of Electron User, right from the first edition I bought in January 1985.

It seemed quite strange in those early magazines to find names now so synonymous with the Electron to be missing – names like Slogger and Advanced Computer Products. Could there ever have been an Electron without them?

ACP first appeared in the August 1985 issue with a full-page advertisement for ADT – how things have moved on since then.

In the January 1986 issue I found my own letter to Micro Messages entitled Growing into giant oaks, a reference to the potential of what was still, at that time, a very small Acorn.

The Electron has indeed grown into a mighty oak and its growth makes for an extraordinary story.

Recently I was able to attend a small exhibition of Slogger products for the

Electron at Newbury in Berkshire.

I was amazed at the number of enthusiasts who attended the exhibition and the many miles they had travelled to get there.

You would have thought a new computer had hit the market – was all this for the humble Electron?

Who would have envisaged, way back in 1983 when the first Electrons hit the shelves of the high street stores, that the machine in 1988 would not only be going strong, but still expanding – certainly not Acorn!

The November 1985 issue of Electron User led with the headline: Electron production continues. Brian Long, the then new managing

director of Acorn gave the assurance to Electron User that "we are not ceasing production of the Electron".

When asked if the machine would be supported by Acorn in the foreseeable future, Brian Long replied: "Of course".

Well, Brian Long has come and gone, and taken his false promises with him. As an enthusiast said to me recently, "Who needs Acorn anyway?"

New names, with a proven dedication to the support of the Electron, have appeared. John Huddleston of PRES, the team at Slogger and Gordon Cameron of PMS.

Later, Chris Rudge of Project Expansions and John Wilke of Jafa Systems

have added their own brand of inventiveness and initiative.

With such a list of enthusiastic entrepreneurs, is it so surprising that the Electron continues to expand in such an exciting way?

We can all remember those letters and telephone calls to Acorn which on many occasions remained unanswered.

How different today when a telephone call to any of the major supporters of the Electron will usually bring an immediate response, an answer to an enquiry, but above all an enthusiasm for the machine which is infectious, presented with courtesy and often humour.

There have, however, been disappointments. We saw in the February 1986 issue of Electron User the invitation to talk to the world through telecommunications.

At the time the comms package available was too expensive for the majority of users, and it did not really catch on.

Some, myself included, did explore this new world of communications through Prestel, Micronet and Micro-Link, and have been sold on it ever since.

It is good to see at long last that comms packages for the Electron are becoming less expensive, thereby allowing other

### A Cautionary Tale

Young Kevin bought an Acorn  
From the shop just down the road.  
He knew all of the simple stuff,  
Like Chain and List and Load,  
But although he had a User Guide  
He never thought to look inside,  
So Kevin's idea of a dream  
Was zapping monsters on the screen,  
And moving little graphic frogs,  
Manipulating graphic dogs.

He soon got sick of Hopper,  
Space Invaders and that lot,  
So he planned a trip to Woolworths  
Just to see the stuff they'd got;

When suddenly, out of the blue  
He woke up in the night,  
He'd been struck by an idea;  
Some new programs he would write.

So he sat down and he fiddled  
'Till his brain and fingers numbed.  
His back and neck were aching  
And his television hummed.  
After three weeks of this exercise  
He'd got nowhere at all, so  
He smashed up his computer;  
Threw his Acorn at the wall.

So the moral of this story  
(If a moral is supplied), is:  
"Before you start to program  
You should read the User Guide!"

— Rob Lad, Northallerton, North Yorks.

Turn to Page 56 ►

users to access viewdata systems and bulletin boards.

Among my few disappointments is the fact that Electron User has not included a small section in the magazine centered around this whole field.

For although the amount of users on the systems are as yet small, I am quite sure that numbers will increase—especially if more information is given.

These points apart, as users we have much to be grateful for—not least to those magnificent men on their Electron machines, who so actively support this amazingly tenacious computer.

Thanks also to the Electron User team, that has the privilege of bringing the news together and informing us of what is going on in the Electron world. — T. Dunkerley, Reading, Berkshire.

## Peripheral puzzle

I RECENTLY bought an Electron with which I am delighted. However, I didn't find the User Guide too helpful, as it gave little information on how the basic unit could be extended for using disc drives, printers and other peripherals.

Even the Advanced User Guide isn't very specific on these points.

My problem is—and I am sure other enthusiasts have experienced the same difficulty—how do I expand my system, and with what?

Your publication is excellent, but with a proliferation of suppliers advocating anything from a Plus 1 to a Rombox Plus and beyond, it is difficult to know which way to jump.

I wish to use a 5.25in single disc drive which I have acquired, but as my knowledge of computers is very limited, I would welcome any comments from you or your readers, who themselves must have been similarly

**ALL programs printed in this issue are exact reproduction of listings taken from running programs which have been thoroughly tested.**

**However on the very rare occasions that mistakes may occur corrections will be published as a matter of urgency. Should you encounter error messages when you type in a program**

**they will almost certainly be the result of your own typing mistakes.**

**Unfortunately we can no longer answer personal programming queries concerning these mistakes. Of course letters about suggested errors will be investigated without delay, but any replies found necessary will only appear in the mail pages.**

perplexed when they first entered tentatively into the world of computers. — George Lynch, Edinburgh.

● The subject of expanding an Electron is one which seems to have caused problems for a lot of readers. In the near future we hope to run a feature containing hints and guidelines for adding peripherals to an Electron, together with basic explanations of what certain products do, and why they are necessary.

For the time being however, you can find many articles in back issues of Electron User covering a wide range of products in some depth.

To answer your more immediate problem, to connect your 5.25in drive to your Electron you will need two products. First you need to attach a Plus 1 or Rombox Plus, which provides interfaces for a printer and joystick, together with two rom cartridge sockets.

It is the rom cartridge sockets that are needed, because the Advanced Plus 4 or Pegasus disc interface sits inside either socket and has a cable connector into which you can plug your disc drive.

The Plus 1 unit is available from Advanced Computer Products and costs £49.95. An alternative to the Plus 1 from ACP is the Rombox Plus from Slogger, which offers much the same features and costs £54.95.

The Plus 4 disc interface is available from Advanced Computer Products, price £79.98, and Pegasus is available from Slogger at £74.95.

You are therefore looking at a total cost of approximately £135 to interface your disc drive.

## Satisfied customer

I WOULD like to take the time to thank you for your fast and efficient mail order service, and for the excellent Electron User magazine you produce. The magazine is varied, balanced and supportive to the needs of Electron owners.

As there are no Electron dealers in New Zealand your advertisements are the sole source of add-ons and are to be highly praised. Thanks again, and continued success for the rest of 1988 — A. J. Carroll, Wellington 4, New Zealand.

## Odd little error

I HAVE just been going through the programs on February's cassette, and have found an error in Odd One Out.

I find that after 15 questions, and before any winner has been found, I get the message Subscript at line 380. I have listed this line, but it appears to be as printed in the magazine, and the version on the other side of the cassette yields the

same result.

I am afraid that my programming skills are not up to sorting this one out, so I hope that you will be able to publish a correction in due course, as this game looks to be a useful addition to the selection of programs for my class of seven year-olds.

By the way, I am looking forward to trying Rainbow with them next week. Thanks for a good magazine. — Mrs Pauline Clayton, Streely, Sutton Coldfield.

● Thank you for pointing out this error to us. The bug crept in at the last minute as a new enhancement was being tested, but the hard fix used to test the enhancement—which actually causes this error—was not removed before publication.

To correct the program fully, list line 150 and find the part which reads:

```
done%(15)
```

which you can find immediately before the RESTORE command. Change it to:

```
done%(maxi)
```

and all will be well. Our apologies for any inconvenience this has caused.

## Ram Board games

IN the February 1988 issue of Electron User Martin Reed suggested that arcade games could be released for use with Slogger's Master Ram Board, making full use of the extra 32k on offer.

However, this is, I believe, not so simple. Arcade games, unlike adventures, usually poke the screen memory directly. This is not possible when using the Ram Board or a second processor.

All graphics commands have to be executed legally, thus greatly reducing both the game's speed and any advantage which the additional ram provides.

If I am wrong, and this problem can be overcome,



then I must urge people to write to the software houses and show them what a lucrative market this could be.

It would be easy to include 64k enhanced versions of a game on the same tape or disc as the standard version. — Peter Davey, Reading, Berkshire.

● While it is certainly possible to read and write to the extra 32k in the Master Ram Board — see Part II of Chris Nixon's shadow ram series in this issue — it must be said that sprite handling, for example, could never be quite as fast as normal.

For those of you with the E2P second processor from PMS, there is a legal osword call which allows byte transfer across the tube.

Again it's not quite as fast as accessing the screen directly, but with tightly-written code this technique is certainly practical.

Look at the Master 128 version of Stryker's Run, for instance. Most of the Master's 64k of sideways ram is used to store the scrolling background — and there is no discernible difference in speed from the original version, although a special call must be used to access data stored in this way.

## Letterhead upgrade

MAY I thank you for your excellent Letterhead Generator program from the March 1988 issue of Electron user.

However, when I ran the original program I found that the cassette filing system messages were being saved as part of the screen. Therefore I have added a new line 35 to delete these messages while the program runs.

I also found that when the program ended after the print routine, or after quitting, the cursor keys did not return to their normal function.

So I have added a new procedure, PROCnormal,

ALTHOUGH I seldom use View for writing programs, since they cannot be tested, I often use it for editing. However, tape users obviously cannot use the Strip program given in the article, as it has two files open simultaneously.

But there is an easy solution. As your strip routine (sounds naughty!) clearly demonstrates, the first five spaces on a Basic line are reserved for the line number.

We can therefore instruct View to search for and replace a carriage return and the next five characters with just a carriage return:

```
CHANGE/"C" " " " " " " "C"/
```

This effectively removes

which will reset the cursor keys and turn the cassette messages back on.

From the short listing shown, add all lines other than 650 and 810 to the original program.

If you have a Brother M-1009 printer, add lines 650 and 810 as well. They contain extra VDU codes which allow the program to work properly with this printer.

```
35 *OPT 1,0
188 IF G=32 PROCnormal:END
190 IF G=31 PRINT TAB(8,5)
STRINGS(40,"");PROCscreen d
usp:PROCnormal:END
650 VDU 2,1,27,1,65,1,8,1,
27,1,50
810 VDU 1,27,1,65,1,12,1,2
7,1,50,3
840 DEF PROCnormal
850 *FX4
860 *OPT 1,1
870 ENDPROC
```

## Ravenskull revisited

WITH reference to the map for Ravenskull Level 2, published in the December 1987 issue of Electron User, I have spotted a mistake in an

# View editing with tape

all the line numbers, except for the first, which for some reason appears indented. Thus tape users need no longer be denied the pleasure of View editing.

By the way, I think you should also have mentioned that any Basic lines longer than 132 characters will have their ends chopped off.

Referring briefly to your answer to my letter in the same issue concerning the Mandelbrot set, perhaps you could remind your readers that in a high resolution mode you can fool the Electron into thinking that it is in Mode 6 with:

```
?6FE07=630
```

The picture goes haywire,

but the program will run at twice the speed. When the picture is finished, a simple:

```
?6FE07=0202
```

will restore the screen to normal. In INKEY command could be used to toggle between the two states — shades of the ZX-81!

Finally, there was an answer to the reader with the power socket problem in Micro Messages a few years back. The socket wobbles slightly and this cracks the copper on the PCB.

The solution is to thicken this area with some solder after first scraping off the green solder resist. This also happened to me. — Phillip A. Bender, Sunderland.

otherwise excellent map.

A red scroll is shown in the key as a speed scroll. Although this scroll is also marked on the map, it doesn't actually appear until level four. — Andy Johnson, North Cotes.

## Electron on the airwaves

I HAVE an Electron with Master Ram Board, a Plus 1 and ACP's Advanced Plus 3.

My first question involves interference with an FM stereo radio, whenever the computer is in action.

I have had two Electrons, and the first had no accessories apart from a First Byte joystick interface. Now it has been replaced due to an irreparable fault, and the interference continues.

This therefore cannot be a problem unique to one faulty Electron. The radio and computer are plugged into separate ring mains, and different TVs have even been tried.

Can you give me a

method for preventing this interference, other than not using the radio at the same time as my Electron?

My second question: Is Slogger's T2P3 tape to disc converter for the Plus 3 compatible with my AP3? — S. Payne, Spixworth, Norwich.

● Unfortunately there is not a lot that can be done to cure your noisy Electron. We have come across this problem several times before, and all of the usual cures for unshielded RF emissions are impractical when it comes to implementing them on an Electron.

For instance, the standard cure of carefully wrapping the main board in baking foil is very dodgy — even if short-circuits were avoided by first wrapping thin foam around the PCB, the Electron would certainly overheat.

One thing you could try is to shield all your cables fully. There may be enough current to induce a magnetic field in the wires, which in turn may be interfering with your radio's reception.

To answer your second question, T2P3 does indeed work with ACP's Advanced Plus 3.

# SOFTWARE AT BARGAIN

## NEW TITLES THIS MONTH

Quest .....	£7.50
Spycat .....	£7.50
Boulderdash .....	£7.50
Indoor Sports .....	£7.50
Tetris .....	£6.95
Icarus .....	£7.50
Phantom Combat .....	£2.99
Repton II .....	£2.99
Karate Combat .....	£2.99



## TRIPLE DECKERS

### 3 Games on 1 Cassette for £1.99

1. Grand Prix/Day at the Races/Manic Mole
2. Invasion Force/Haunted/Parachute
3. Lunar Invasion/Lander/Jam Butty
4. Howzat/Fishing/Goit
5. Starlight/Skramble/Karate Warrior
6. Cavern Capers/Snap Dragon/Castle of Sand
7. Atom Smash/Knock Out/Reaction Tester
8. Grebit/Mr. Freeze/Fruit Worm
9. Break Free/Missile Jammer/Code Breaker



## SPRING BARGAINS

4 FANTASTIC GAMES IN EACH  
COLLECTION  
£3.99 each or both £7.50

Acomsoft Hits Vol 1:  
\*Magic Mushroom - Maze -  
Planetoids - Monster

Acomsoft Hits Vol 2:  
\*Starship Command - Meteors -  
Arcadian - Snooker

## BUDGET TITLES

Repton 1 .....	£2.49
Death Star .....	£2.49
World Geography .....	£2.49
Dog Fight .....	£2.99
Combat Link .....	£2.99
Warehouse .....	£2.99
Suds .....	£3.99
Peter Scott Trilogy .....	£2.99
Cascade (50 Games) .....	£2.99
Daredevil Dennis .....	£1.99
Snooker (Visions) .....	£1.99
Tarzan (Martech) .....	£2.99
Football Manager .....	£2.99
Last of the tree .....	£3.99
XOR .....	£4.99
Micro Value (4 games) .....	£3.99

## ACORN CASSETTE RECORDERS

Complete with lead and power  
supply  
£22.95

## ACORN SOFTWARE TITLES

Talkback .....	£1.50
Workshop .....	£1.50
Sphinx Adventure .....	£1.00
Starship Command .....	£1.00
Hopper .....	£1.00
Chess .....	£1.00
Desk Diary .....	£1.00
Business Games .....	£1.00
Boxer .....	£1.00
Me and My Micro .....	£1.00
Snapper .....	£1.00
Complete Cocktail Maker .....	£1.00
Watch Your Weight .....	£1.00
Linkword Italian .....	£2.25
Linkword Spanish .....	£2.25
Turtle Graphics .....	£2.25
Advanced User Guide .....	£3.25

## IVAN BERG SERIES

English CSE/GCE .....	£2.00
Biology CSE/GCE .....	£2.00
Maths 1 CSE/GCE .....	£2.00
Maths 2 CSE/GCE .....	£2.00

## ROM CARTRIDGES

View (Wordprocessing) .....	£11.95
Viewsheets .....	£11.95
Usp .....	£7.75
Logo .....	£8.50

## CURRENT TITLES


Five Star Games Vol 3 .....	£7.50
10 Computer Hits Vol 4 .....	£7.50
Life of Repton .....	£5.50
Spellbinder .....	£7.50
Elxir .....	£7.50
Bone Cruncher .....	£7.50
Omega Orb .....	£6.25
Dispatch Rider .....	£6.95
Ransack .....	£7.50
Ziggy .....	£6.95
Impact .....	£7.50
Graham Gooch Cricket .....	£7.50
Thunderstruck II .....	£6.95
Powerpack II (7 Games) .....	£7.50
Play It Again Sam .....	£7.50
Palace of Magic .....	£7.50
Codename Droid .....	£7.50
Crazee Rider .....	£7.50
Colossus 4 Chess .....	£7.50
Psychastria .....	£6.50
Sphere of Destiny .....	£6.50
Superior Hits Vol 3 .....	£7.50
Elite .....	£10.50
Around World 40 Screens .....	£5.50
Repton 3 .....	£7.50
Paper Boy .....	£7.50
The Lost Crystal .....	£9.95
The Hunt .....	£7.50
Village of Lost Souls .....	£7.50
Spitfire 40 .....	£7.50
Spy v Spy .....	£7.50
Brian Clough Football .....	£12.50
Five Star Games Vol 1 .....	£7.50
Five Star Games Vol 2 .....	£7.50
10 Computer Hits Vol 1 .....	£7.50
10 Computer Hits Vol 2 .....	£7.50
10 Computer Hits Vol 3 .....	£7.50
Phantom .....	£7.50
Evening Star .....	£7.50
Winter Olympiad '88 .....	£7.50
Star Wars .....	£7.50



# TOWERHILL COMPUTERS LTD

1 Hockcliffe Road  
Leighton Buzzard

Telephone: Leighton Buzzard (0525) 385329



# PRICES

## BUGBYTE

AT £2.75 EACH

Uranians  
Hunkydory  
Tennis  
Savage Pond  
Cricket  
Starforce  
Ice Hockey  
Twin Kingdom Valley  
Jack Attack  
Temptation  
Dunjanz  
Squeakalizer  
Sky Hawk

## ALTERNATIVES AT £1.99

Dead or Alive  
Mineshaft  
Video Pinball  
Microball  
Rik the Roadie  
Soccer Boss  
Olympic Spectacular  
Craze Erbert  
Licence to Kill  
Confusion  
Night Strike

## CDS BLUE RIBBON AT £1.99

Bar Billiards  
Mango  
3D Dotty  
Trapper  
Return of R2  
Video Card Arcade



## ATLANTIS

League Challenge .....£2.99  
Survivors .....£2.99  
Panic .....£1.99  
Cops and Robbers .....£1.99  
Creepy Cave .....£1.99

## RECENT RELEASES

Play It Again Sam II .....£7.50  
Skirmish .....£7.50  
Kourtyard .....£7.50  
Plan B II .....£2.99  
Pro Golf .....£2.99

## SUPERIOR at £1.99 each

Fruit Machine  
Invaders  
Draughts  
Reversi  
Stranded  
Mr. Wiz  
Chess  
Smash 'n' Grab  
Repton I



Percy Penguin  
Allen Dropout  
World Geography  
Centi Bug  
Zany Kong Junior  
Overdrive  
Tempest  
Death Star

ALL PRICES INCLUDE V.A.T. AND P&P.  
OVERSEAS ORDERS ADD £1.00

## PMS MULTI-FONT NTQ

Near Text Quality Typesetting Software

NEW

ELECTRON VERSION

"Quite simply the best font software available for the BBC"  
- NTQ users say it - the reviewers agree -

If you want to produce quality worksheets, newsletters, OHP slides, menus, leaflets, concert programmes and tickets, exam papers, reports, invoices or just add style to your personal letters - it's for you.

Use NTQ with VIEW, WORDWISE, WORDPOWER or BASIC with ANY EPSON compatible printer (MX and FX).

FONT LIBRARY CONTAINS OVER 50 HIGH QUALITY FONTS - standard typesets - foreign languages - maths/science symbols - fancy styles.

Write or phone for leaflet, full list of fonts and sample printout.

MIX FONTS, HEIGHTS WIDTHS AND PITCHES IN ONE LINE OF TEXT - just like this:

MULTI-HEIGHT  
MULTI-FONT

MULTI-WIDTH  
MULTI-PITCH

BACKGROUNDS

INVERSE

À Á Â Ã Ä Å Æ Ç È É Ê Ë Ì Í Î Ï Ñ Ò Ó Ô Õ Ö × Ø Ù Ú Û Ü Ý Þ ß à á â ã

ONLY £24.95 inc VAT (add £1 carriage)  
NTQ is 2 roms + disk + user guide



Permanent Memory Systems  
38 MOUNT CAMERON DRIVE  
EAST KILBRIDE G74 2ES  
SCOTLAND



03552-32796 (24 Hour)

## PROJECT EXPANSIONS ELECTRON

for the

PLUSCOM  
A UTILITY ROM

40 commands on a 16K rom - a command for everyone  
from error extension to character designer... PRICE >>>

SOUND EXPANSION

THE 4 CHANNEL SOUND CARTRIDGE

at last - bbc sound command capabilities... plugs into the  
plus1 - including... SPEECH! worth £9.99

ALSO:

USER PORT inc ROM socket

£34.95

EPROM Programmer

£45.95

MOUSE ART software

£9.95

PRICE >>>

all prices  
inclusive of  
post, etc

£16.95

£45.95

M&S ASSOCIATES

40 MEYRICK DRIVE, NEWBURY, BERKSHIRE, RG14 6SX

0635 4574

PRESENTS A SELECTION OF HARDWARE, UTILITIES &amp; SOFTWARE FOR THE ELECTRON

## NEW BEAU JOLLY'S NEW

## 5 STAR GAMES Vol III

Southern Belle, W. of Expanding Flat,

Thunderbolt Fish, Cavalier

Capers, Strike Force Harrier &amp;

Project Thesauri - Only £7.95

## COMPUTER HITS

Death Star, The Mine, Trusset, Kilar

Galea, Pyscanna, Repton, Rongas,

Jenny, Ghouls, Run Guys B.B.

Gothalia &amp; Karmir Peace - Only

£7.95

## A &amp; F

Chulise Egg - 3.90

Cylon Attack - 3.90

## ACORNSOFT

Elke - 10.95

Forth - 8.95

Map - 4.95

Boser - 1.00

Business Games - 2.90

Dash Diary - 2.90

Snapper - 1.90

View Rom (Cart) - 13.95

Viewsheet Rom (Cart) - 13.95

Hopper Rom (Cart) - 54.80

50 Pascal Rom (Cart) - 54.80

## ACORN LINKWORD

Italian - 6.95

Spanish - 6.95

## ATARISOFT

Robotron - 4.95

## ATLANTIS SOFTWARE

League Challenge - 2.90

## BLUE RIBBON

Nightmare Maze - 1.90

Castle Assault - 1.90

Astro Plumber - 1.90

Diamond Mine - 1.90

Diamond Mine II - 1.90

Darts - 1.90

Joey - 1.90

Ravage - 1.90

Bar Billiards - 1.90

Condition Red - 1.90

## BEAU JOLLY'S

Computer Hits I - 8.45

Computer Hits II - 8.45

Computer Hits III - 8.45

Five Star Games - 8.45

Five Star Games II - 8.45

## BUG BYTE

Twin Kingdom Valley - 2.90

Starforce 7 - 2.90

Tennis - 2.90

Cricket - 2.90

Jack Attack - 2.95

Savage Pond - 2.95

Skyhawk - 2.90

Ice Hockey - 2.90

Hunk Dory - 2.90

Plan B - 2.90

Dunzint - 2.90

Squashballer - 2.90

Templeton - 2.90

Plan B II - 2.90

## COMBOFT

Sensational Lair - 3.95

Playboy - 3.95

S.A.S. Commando - 3.95

## C.D.B.

Steve Davis Snooker - 7.45

Birdie Barrage - 6.95

Colossus Chess IV - 6.95

Brian Clough's Fortunes - 12.95

## DR SOFT

747 Flight Sim - 8.95

Phantom Combat - 8.45

## DATABASE

Mini Office - 4.95

Mines &amp; Perils - 4.95

Majic Sword - 8.45

French on the Run - 8.95

## DOMARK

Star Wars - 7.95

## NEW RELEASES

## A.S.L.

Impact - 7.95

MANDARIN SOFTWARE

Blue Ribbon

Tropper - 1.90

The Last Crystal - 4.95

Mango - 1.90

3D Darts - 1.90

Videoed Action - 1.90

## DURELL MARTECH

Gibson's Castle - 3.90

Tazran - 3.90

## ELITE

Paperboy - 7.75

## EPIC SOFTWARE

The Last Crystal - 10.95

The Wheel of Fortune - 7.45

Castle Frankenstein - 5.95

The Quest of the Holy Grail - 5.95

Kingdom of Khain - 5.95

## FIREBIRD

Star Driver - 2.95

## GOLEM LTD

Education II - 6.50

Fun with Numbers - 8.50

Jigsaw - 6.50

## GREMLIN GRAPHICS

Footballer of the Year - 7.95

## HEWSON

Hearthorn A.T.C. - 8.95

Evening Star - 7.95

## ASL SOFTWARE

Eye Lys II - 8.95

Frankenstein 2000 - 5.90

Cavean Capers - 6.50

Pyscanna - 8.50

The Last of the Free - 8.50

Electron Power Pack - 6.95

Thunderstick - 8.95

Thunderstick II - 8.95

Sphere of Destiny - 6.75

Orreaga O.C. - 6.75

Graham Gould Test Cricket - 7.75

Zaggy - 8.75

Electron Power Pack II - 7.95

Tennis - 7.95

Deepstick Rider - 7.25

## IMAGINE

Mink - 5.40

## INCENTIVE

Confuzion - 7.00

Kat Trilogy - 8.45

Adventure Creator - 13.25

## KOSMOS SOFTWARE

German Mistress A or B - 7.95

German Master A or B - 7.95

Spanish Tutor A or B - 7.95

Italian A or B - 7.95

Answer Back Jun. or Sen - 9.95

Answer Back Sport - 9.95

Identity Europe - 6.95

## FACTILE SERIES

(Used with Answer Book Series)

Arithmetic (8-11 yrs) - 4.25

Spelling (8-12 yrs) - 4.25

Natural History (10+) - 4.25

English Words (12+) - 4.25

First Aid (12+) - 4.25

General Science (14+) - 4.25

Know England (12+) - 4.25

Know Scotland (12+) - 4.25

Superplot (14+) - 4.25

20th Century History (12+) - 4.25

Association Football (14+) - 4.25

## L.C.L.

Micro French (7) Level - 21.50

Micro Maths (24 Progs 7) Level - 21.50

Micro English (24 Progs 7) Level - 21.50

Micro Maths (4) Level - 21.50

## POP TEN

Case Wholesale - 2.75

GODIAX

Superman (Just game) 7.95

Kryptonite - 7.95

## SUPERIOR SOFTWARE

Superman - 7.75

Soylent - 7.25

Xenon - 7.95

Play It Again Sam II - 7.95

## LARSOT

Han - 3.65

Puppet Man - 3.65

The Raising of Salendria - 4.55

Wyndwood - 3.65

The Nine Dancers - 3.65

LOGOTRON

XOR - 7.75

## MELBOURNE HOUSE

Way of Expanding Flat - 6.95

Super Castles - 7.95

## MICROPOWER

Micropower Magic II - 6.95

Micropower Magic - 6.95

Pat Power Jack - 2.90

Positron - 2.90

Swag - 2.95

Gaurist - 2.95

Chess - 2.95

Killer Gorrilla - 2.95

U.X.B. - 2.95

Felix/Evil Weavla - 2.95

Fall in Factory - 2.35

Fellful Monsters - 2.95

Stock Car - 2.95

Rubbie Trouble - 2.95

Bumble Bee - 2.95

## MIRRORSOFT

Tennis - 7.25

Spirits 40 - 7.95

Harrier Strike Force - 7.95

First Steps - 7.95

Hans/Thomas with Mr Man - 8.95

Quick Thinking Plus - 8.95

## ROBICO SOFTWARE

Rock Hanson - 7.75

Project Thesauri - 7.75

Myones - 7.75

Enrher 7 (5.25) APC - 18.45

Note the above disc APC 1/4 only

The Hunt - 7.95

Village of Lost Souls - 7.95

## SOFTWARE INVASION

30 Bomb Alley - 2.95

Gunsmoke - 2.95

Blackwing - 2.95

Super Pool - 2.95

Voies - 2.95

Chipbuster - 5.95

SOFTWARE PROJECTS

Project Graphics - 5.95

## SOURLESOFT

Supergolf - 6.50

Traffager - 7.00

Chemistry 10 Level - 11.65

VAT Care - 13.65

Building Soc. Care - 8.95

Investment Care - 12.95

T.V. Director - 11.65

Squidmats Nuts Pack - 7.95

## ACORNSOFT AND

## SUPERIOR SOFTWARE

Smash and Grab - 6.95

Overdrive - 7.95

Region - 7.95

Death Star - 7.95

Region 2 - 7.95

Cludel - 7.95

Karate Combat - 7.45

Thrust - 6.75

Oastforce - 7.75

Ravenshull - 7.75

## NEW BBC OWNERS ONLY

This month's Special

INCENTIVE SOFTWARE'S

GRAPHIC

ADVENTURE CREATOR

Case only £5.95

Disc only £7.95

(Normal RRP Case £22.00, Disc £25.00)

## REPTON 3

Acornsoft Hits Vol I - 7.75

Acornsoft Hits Vol II - 7.75

Superior Hits Vol III Case - 7.75

Superior Hits III Plus 30 - 12.95

Around World 40 Screens - 5.95

Brylman Run - 7.75

Codename Dread - 7.75

Crazy Rider - 7.75

Crazy Rider (Disc) - 12.75

Palace of Magic - 7.75

Palace of Magic (Disc) - 12.75

Play It Again Sam - 7.75

Elair - 7.95

Swordbringer - 7.95

Life of Repton - 5.95

Bancroft - 7.95

Winter Orympled III - 7.75

Indoor Games - 7.95

Micro Value Gold - 3.90

Boy vs Boy - 7.75

Cubridge - 6.75

Phantom - 6.75

Microplus - 3.49

The Big X.O. - 6.75

Futurechess - 6.75

Jet Set Willie II - 8.75

Goal - 8.75

Commonwealth Games - 6.50

US Drag Racing - 5.95

Jet Set Willie - 6.50

Tyrannical Starter Pack I - 6.50

Ian Botham Test - 6.50

Rig Attack - 3.95

Winter Games - 6.50

Mouserpig - 6.50

Five A Side Soccer - 2.95

Peg A Side - 2.95

T280 or T280DFS - 22.95

Bouncing Bombs - 2.95

Vet Zone - 2.95

Stalcomber - 2.95

Caterpillar - 2.95

Hyperdrive - 2.95

Super Hangman - 2.95

30 M.M. - 2.95

U.K. P.M. - 2.95

Invader (I.J.K.) - 2.95

Both the Brave - 2.95

Phantom - 2.95

Track II - 2.95

Space Cowboys - 2.95

Physics 10 Level - 2.95

Chemistry 10 Level - 2.95

Maths 10 Level - 2.95

## U.S. GOLD

Crystal Castles - 8.95

Robot Patrol (rent adv) -



# Quest



The Quest is under way



Making Sweet Music



Visiting the Elephant House



Battling through a Killer Horde



Leaping over Vats of Acid



Interrogating a Computer terminal



Passing through Verdant Foliage



Going for a Swim?

## Walter Cobra and the Quest for the Golden Dragon

You are Walter Cobra, a clever but absent-minded young lad who spends many hours indulging in two favourite hobbies: exploring, and inventing. One day, to your surprise, you stumble across a faded old map which indicates the route to a buried object marked as 'The Golden Dragon'. You recognise the starting-point on the map as being a wishing-well located a couple of miles away from your home. Full of anticipation, you decide to begin your quest the following day.

The next day, as the sun is rising you excitedly get out of bed, pack your

rucksack with a few provisions, and then don your jet-boots — an astounding invention which enables you to fly for short periods of time. You amble over towards the wishing-well and slowly climb down the walls of the well. It's quite deep, but finally you reach the bottom. You then suddenly realise that you have left behind a very important item, the map.

You decide to press on regardless. You remember some of the places shown on the map: 'The Music Room', 'The Joke Shop', 'The Chapel', but, bearing in mind the size of the map, this quest will surely be the greatest challenge of your life!

Nearly 100 Screens full of Tantalising Puzzles and Curious Adversaries

BBC Dual Cassette £9.95 Acorn Electron Dual Cassette £9.95  
BBC Micro 5 1/4" Disc \$14.95 BBC Master Compact 3 1/2" Disc \$14.95

(Compatible with the BBC B, B+ and Master Series computers)

### PRIZE COMPETITION

£100 is the first prize in our competition, with 20 congratulatory certificates for runners-up.

To enter the competition, you must locate the Golden Dragon, and write to us describing the final messages that you receive.

Closing Date: 30th June, 1988.

**SUPERIOR  
SOFTWARE**  
Limited

**ACORN SOFTWARE**

Dept. Q 4, Regent House, Skinner Lane, Leeds LS7 1AX. Telephone: 0532 489453

Please make  
all cheques  
payable to  
Superior  
Software Ltd.



### OUR GUARANTEE

- All mail orders are despatched within 24 hours by first-class post.
- Postage and packing is free.
- Faulty cassettes and discs will be replaced immediately.

(This does not affect your statutory rights)

24 HOUR TELEPHONE  
ANSWERING SERVICE FOR ORDERS

# Have you written a program good enough to sell?

If so we would like to hear from you. Database Software is looking for good quality software - games, utilities, business programs. If you think you have a winner send it for evaluation (on disc or tape, plus instructions and a brief outline) to

**The Manager**  
Database Software  
Adlington Park  
Adlington  
Macclesfield SK10 4NP

## BBC/ELECTRON 'IMAGE' V.2

'IMAGE' was the ultimate tape back up system, now, it's even better

You can be completely assured that this is the best and most able program of its type available. It can deal with:

- Locked programs
- Programs of any length
- 3001 and 1200 BAUD
- Files
- ?\* (Ctrl codes) in Filename
- Multiple back ups
- False or track block info
- Changing Filename\*
- Continuous data stream\*
- Locking and unlocking programs

It is VERY IMPORTANT INDEED purchasers take note that 'IMAGE' is for sale strictly for making BACK-UPS of your own software for your own use, for protecting your own programs, or as an aid to putting software on disk (by removing locks from tape software). Any person found using the program for illegal purposes runs the risk of being prosecuted.

To receive your copy of 'Image' send a cheque or P.O. for the sum of

An Astonishing £5.80 to:

**Peter Donn, Dept. EU, 18 Tyrone Road,  
Thorpe Bay, Essex SS1 3HF**

Please state BBC or Electron version. V1 owners can obtain V2 by sending £1.50 + V1

AA269 without case £5.80 BBC version only

## \*\*\* DISC SOFTWARE FOR THE ACORN ELECTRON & ADFS \*\*\*

### SUPREME TEAM - Simply the best football manager ever produced

A whole new dimension in play provided by over 1000 of programs and files on one three-and-a-half inch disc making use of the ADFS's best features.

JUST A FEW OF THE FEATURES:

- \* 60 player data-base
- \* Yellow and red cards (sending off) - named goalkeepers and 'leading scorer' chart
- \* capped players
- \* two substitutes
- \* contract negotiation
- \* penalty shoot out
- \* classified check (both divisions)
- \* full 64 team cup draw listings
- \* men of the match
- \* sacking
- \* loan-outs
- \* line graphs
- \* in-depth status report
- \* end of season big prize money
- \* fixtures list
- \* stadium capacities and
- \* admission prices setting
- \* data change
- \* utilities
- \* competition ability

Included is a comprehensive 32 page playguide

**SUPREME TEAM IS ONLY £9.95 (all inclusive)**

### INFORMATION DISPLAY SYSTEM (I.D.S.) disc & ADFS

FEATURED IN THIS MONTH'S COMPUTER USER

A business utility which simulates view-data systems such as CEEFAI and ORACLE. Allows you to create and store up to 700 pages of information and display these pages in three real halftone. Includes an page writing, cataloguing and deletion programs - all 'MENU' operated.

Also create and display your own desired graphics and use them in your pages. Pages can be printed making this package immensely useful in EDUCATION and RETAIL for customer information purposes etc.

**INFORMATION DISPLAY SYSTEM IS ONLY £7.95 (all inclusive)**

Cheques/postal orders should be payable to PETER REYNOLDS and sent with name and address to:

**TOUCHLINE COMPUTERS,  
2 ASHE ROAD, STOCKINGFORD, NUNEATON, WARWICKSHIRE CV10 8PR  
Tel: 0255 730259**

## OPENING OFFER AT

# THE TAPE CENTRE

£2.99 EACH

Bandits at 3 o'clock

Sarcop

Galactic Commander

Electron Invader

Danger UXB

Franky

Crocker

Trapper

Fake and the Fruit Monsters

Felix in the Factory

Felix and the Evil Weevils

Bumble Bee

Goulds

Stack Car

Sway

Escape from Moonbase Alpha

UK PM

Chase

Alien Drop Out

Investors

Night World

Terzan Boy

Felix and the Evil Weevils

Steve Davis Snooker

3D Doty

Park

Leeds Count (Age 3+)

£3.99 EACH

Flight Path 737

4 Great Games Vol 1

4 Great Games Vol 2

£8.99 EACH

Impact

Paperboy

Play It Again Sam 1

Play It Again Sam 2

ELITE £10.95

Please make Cheques/Postal Orders payable to The Tape Centre

Overseas add £1.50

Full price list please send S.A.E.

**THE TAPE CENTRE**

29 Northwood Drive, Sheshed, Loughborough, Leics LE12 9SL

# ADVERTISERS INDEX

21st Software	..60
A1 Computer Services	..44
Cenec Disc Supplies	..10
Delta Computers	..44
Electron & BBC Micro User Show	..4
G.U.S.	..44
Impact Press	..63
Qualsoft	..22
Lightspeed Software	..62
Mandarin Software	..20
Mithras Software	..41
M.S.Associates	..41
Peter Donn	..62
P.R.E.S.	14,15
Project Expansions	..59
RODH Designs	..62
Slogger	..50,51
Software Bargains	..7
Superior Software	..2,61,64
The Tape Centre	..62
Touchline Computers	..62
Towerhill	..58,59
Voltmace	..22

## ROM/RAM EXPANSION BOARD 2 for the ELECTRON PLUS 1

Will hold 7 ROMs or 6 ROMs plus 16k of sideways RAM (2x6264)

Fits into the PLUS 1

Only five leads to solder on.

Very easy to fit yourself

Clear instructions given.

Ours working with 64k Electron + dual disc drive.

4 options:


- 1 Bare PCB plus building instructions £17.50
- 2 Fully assembled board less roms and ram. £30.95
- 3 As option 2 but including 16k of static ram £37.50
- 4 Send us your PLUS 1 (registered post) and we will fit it for you and post it back to you within 7 days of receipt: add £6.50

## 1MHz BUS and ROM BOARD

Plugs into any cartridge slot, 2 rom sockets, gold plated contacts, standard idc bus connector (as BBC).

£17.95

All prices incl. no more to pay (UK)  
RODH Designs, 36 Sarum Road, Eastleigh, Hants, SO5 2AN.  
Tel. 0703 260900 (best after 3.30pm)



Over EU  
31A BROADWEIR BRISTOL BS1 TELEPHONE: 0272-225604

## 24 HOUR ANSWER PHONE FOR ALL QUERIES

New titles available on release day

TITLE	OUR PRICE	TITLE	OUR PRICE
ADVENTURE CREATOR	12.50	PALACE OF MAGIC	7.95
BONE CRUNCHERS	7.95	PALACE OF MAGIC (3.25" disc)	10.80
COMPUTER HIT 10 V3	6.90	PALACE OF MAGIC (3.25" disc)	12.50
COMPUTER HIT 1	7.95	PHANTOM COMBAT	3.50
CRABE RIDER	10.50	PSYCASTRIA	4.90
ELITE	7.95	SAVERGILL	7.95
ELITE	7.95	REBORN 3	7.95
ELITE	7.95	ROUND WORLD 80 SCIN	4.95
IMPACT	7.95	SKINSHIP	7.50
PODOCS (SPORTS)	7.95	SEAD WARS	7.95
COURTMAID	7.95	SUPERIOR COL VOL 2	7.95
MINI OFFICE	4.90		

**ALL PRICES ARE INCLUSIVE OF VAT AND DELIVERY INSIDE THE UK.**  
**PLEASE MAKE CHEQUES P.O.s PAYABLE TO**

**"LIGHTSPEED SOFTWARE"**


ALL ORDERS DESPATCHED WITHIN 24 HOURS, BUT PLEASE ALLOW 7 DAYS

\* Please note members are under no obligation to make any further purchases.



# SPYCAT

An Interactive Exposé of M.I.4½



The London Skyline  
Viewed from Blackhall



Outside No. 10  
Downing Street



Meeting the PM.



Waiting to see "M"

## All the Thrills and Intrigue of the World of Espionage

Spycat is a skillfully-written arcade adventure game which takes place amongst the corridors of power in Blackhall, Downing Street and the M.I.4½ underground surveillance complex.

You play the role of Spycat: a cat with a purpose. You are devoted to spending your life embroiled within the fascinating but dangerous arena of professional secrets. It's a good career — full of security; and when you retire you can always supplement your pension by emigrating to Greenland and publishing your memoirs.

The game features nearly 100 different screens, with 30 different objects — including computers and passports — to locate and employ in appropriate ways. An icon-driven control system is used to orchestrate your manoeuvres and actions. There are secret passages to discover, and hatches and lifts to assist your progress. Guest appearances are made by the Prime Minister and the spy-chiefs "Q" and "M".

Spycat is a thoroughly captivating game. To complete the adventure, you will need to use clear logical thought as well as fast reactions and arcade skills. Your life as an undercover cat may not be easy but it will always be exciting!

BBC Micro Cassette £9.95 Acorn Electron Cassette £9.95  
BBC Micro 5¼" Disc \$11.95 BBC Master Compact 3½" Disc \$14.95

(Compatible with the BBC B, B+ and Master Series computers)

### PRIZE COMPETITION

The first prize in our competition is a specially-produced ESPIONAGE KIT (worth over £100) comprising: quality prism binoculars, a mini camera, a mini cassette-recorder, invisible ink pens, and a book on codes and ciphers. There are 30 congratulatory certificates for runners-up.  
To enter the competition, you must complete the game and write to us describing the final messages that you receive.  
Closing Date: 31st July, 1988.

**SUPERIOR SOFTWARE**  
Limited

**ACORNSOFT**

Please make  
all cheques  
payable to  
"Superior  
Software Ltd"



24 HOUR TELEPHONE  
ANSWERING SERVICE FOR ORDERS

**OUR GUARANTEE**  
• All mail orders are despatched within 24 hours by first-class post.  
• Postage and packing is free.  
• Faulty cassettes and discs will be replaced immediately.  
(This does not affect your statutory right)